

## UNIVERSAL RAIL MOUNT #15-150A

This mounting kit has been designed for use with your Dickinson BBQ. It fits the following products:

- Sea-B-Que Small
- Sea-B-Que Round
- Sea-B-Que Large
- Spitfire 180 Grill

While this BBQ mount is a very strong and durable mount, it is not recommended to leave the Grill attached in rough seas.



Included Parts


4 x 2.5" Mounting Screws 4 x <sup>1</sup>/<sub>4</sub>-20 Nylon Nut 4 x <sup>1</sup>/<sub>4</sub>-20 Lock Washers 8 x Stainless Steel Washers 2 x Rail clamps 1 x Latch 1 x H Bracket 1 x L Bracket

www.dickinsonmarine.com ~ info@dickinsonmarine.com

### **Instructions for Use**

#### Attaching the H Bracket:

Remove the 10-32 nuts on the studs on the bottom of the BBQ, then place the "H" bracket onto the studs in the position indicated below and then tighten the nuts onto the studs with a 3/8ths socket.



#### **Positioning the Mount:**

This mount can be used with horizontal rail, vertical rail or on some angled rail. It can be used with a 1" square rail or round rail up to about 1-1/8<sup>th</sup> diameter.


Attach the clamps to the rail as you see in the diagram on page 4. Tighten the bolts evenly on all corners to ensure a tight fit. Attach the mount so the "tongue" of the L bracket is pointing outboard from the rail so the mount is not in the way when there is no BBQ attached and that the BBQ is held over the side when it is mounted.


www.dickinsonmarine.com ~ info@dickinsonmarine.com


**\*\*Caution:** Do not place bbq on latch bracket until all mounting nuts are tight.

# CAUTION LATCH CAN BE EASILY DAMAGED ON FIRST USE

When you are first installing your new Dickinson BBQ mount, DO NOT hook the end of the latch onto the end of the mount bracket. This can cause damage to the latch and invalidate your warranty.







www.dickinsonmarine.com ~ info@dickinsonmarine.com

Form# 7.2-96 Issue#1