

# NSO evo3S MPU Quick Guide



#### **Turning the system ON and OFF**

Press the Power key/button:

- on the front of the Main Processor Unit
- on the front of the monitor (depending on type of monitor and configuration)
- on the remote controller
- on the Home page or System Controls dialog (turning off only)

#### How to operate the system

Using the touchscreen: multi-touch gestures for object selection and menu access. Requires a touchscreen monitor in the system.

Using external controller: keyboard, mouse, trackball or remote controller.


# **Home page**



- A Application buttons
- **B** Settings button
- **C** Tools
- D Favorites
- E Close button
- F Man Over Board (MOB) button
- **G** Power button

#### The MOB mark

To create a MOB mark: press the MOB button.



To stop displaying navigational information to the MOB waypoint: cancel the navigation from the menu

# **System Controls dialog**


Used for quick access to system settings.

Activate the dialog by:

- Pressing the Power key
- Swiping from the top of the screen
- → **Note:** The content of the System Controls dialog depends on connected equipment and active panel.

# SYSTEM CONTROLS Standby Settings Power off Brightness Night mode The control of the control of

# **Application pages**




- A Home/pages button
- **B** Application panel
- C Menu button
- D Instrument bar
- **E** Control bar

#### Adjust panel size

You can adjust the panel sizes in a split page.

- 1. Tap the adjust split button in the System Controls dialog to show the resize icon
- 2. Drag the resize icon to set preferred panel size
- **3.** Save the changes by tapping the screen



#### **Charts**

- Zoom the chart by using spread or pinch gestures or by using the zoom buttons.
- Move the view in any direction by panning the chart.
- Display information about a chart item by tapping the item.




#### Waypoints

To create a waypoint: select the new waypoint option in the menu.

→ **Note:** With cursor inactive, the waypoint is placed at vessel's position. With cursor active, the waypoint is placed at selected cursor position.

#### **Echosounder**

- Zoom the image by using the zoom buttons.
- View echosounder history by panning the image.
- Adjust gain and color using the slide bar in the menu
- Toggle auto gain ON/OFF from the menu.




# **Autopilot**

- Activate the autopilot controller from the Control bar.
- Select an autopilot mode by pressing the mode button from the Control bar
- Switch to standby mode from the autopilot controller or by using physical Standby key.



#### Radar

- Turn the radar transmitting ON/OFF from the menu.
- Adjust radar range by using the zoom buttons on the radar panel.



### **Product manuals**

For the full Operator and Installation manuals, technical specifications and declarations, refer to the product website on: www.simrad-yachting.com