



BUY DIRECT & SAVE

MATERIALS HANDLING & DRUM HANDLING

Premium Electric Powered Pallet Truck	253	750kg Capacity	265
Economical Electric Powered Pallet Truck	254	Electric Mobile Scissor Lift Trolley	
2500kg Capacity Manual Pallet Truck	255	150kg Electric Work Positioner	266
Premium Adjustable	256	400Kg Capacity Manual Platform Stacker	267
Electric Powered Straddle Stacker		400Kg Capacity Electric Platform Stacker	267
Semi-Electric Straddle Stacker	257	Electric Powered Tow Tug	268
Manual Straddle Stacker	257	Semi-Automatic Drum Lifter and Rotator	269
Spring Lift Pallet Positioners	258	Manual Drum Lifter and Rotator	269
with Turntable		Manual Drum Depalletiser & Stacker	270
2000kg Capacity	259	Utility Drum Trolley	271
Rotating Electric Lift Table		Beak Drum Lifter	272
2000kg Capacity Electric Lift Table	260	Side Grip Drum Lifter	272
4000kg Capacity Electric Lift Table	261	Forklift Drum Rotator	273
2000kg Capacity Low Profile	262	Expandable Conveyors with Rollers	274
Lift Table with Optional Ramp		Expandable Conveyors with Skate Wheels	275
1500kg Capacity	263	Powered Expandable Conveyors	276
Extra Low Profile Lift Table		with rollers	
Ergonomic Battery Lifting Trolley	264	Modular Conveyor System	277
Manual Mobile Scissor Lift Trolleys	265		

Premium Electric Powered Pallet Truck

- Load capacity: 1500kg
- Emergency reverse button – drives away from operator if button hits user
- Includes lowering & lifting buttons, & safety horn
- 1330mm turning radius
- Tine size: 50x150x1150mm
- Lowered height: 80mm
- Lift height: 115mm
- Wheel type: Polyurethane
- Travel speed (unloaded): 4.5Km/h
- Mechanical brake – brakes truck when handle is released
- Battery: 24V 30Ah – 3 hour charging time
- Emergency stop button



Order Code	Description	Dimensions (mm)
CPT-PE	Premium Electric Pallet Truck	1550L x 695W



**FAST CHARGING
& EASY
MAINTENANCE**



Economical Electric Powered Pallet Truck

- Load capacity: 1500kg
- Emergency reverse button – drives away from operator if button hits user
- Controlled by key switch
- Includes lifting button, lowering lever, & safety horn,
- 1390mm turning radius
- Tine Size: 50x150x1150mm
- Lowered height: 80mm
- Lift height: 115mm
- Wheel type: Polyurethane
- Travel speed (unloaded): 4.5Km/h
- Mechanical brake – brakes truck when handle is released
- Battery: 24V 20Ah – 2 hour charging time
- Emergency stop button

Order Code	Description	Dimensions (mm)
CPT-EE	Economy Electric Pallet Truck	1550L x 685W



2500kg Capacity Manual Pallet Truck

- Load capacity: 2500kg
- 1220mm long fork length
- 685mm overall tine width
- 80kg net weight
- Pump up with handle, lower with lever
- Rubber coated handle

Order Code	Description	Dimensions (mm)
CMPT-685	2500kg Manual Pallet Truck	1550L x 695W





2930mm
LIFT HEIGHT

Premium Adjustable Electric Powered Straddle Stacker

- Fork tines adjust from 200 overall width to 765 overall
- Load capacity: 1000kg
- 1404mm turning radius
- Tine size: 30x100x1070mm
- Lowered height: 60mm
- Wheel type: Polyurethane
- Travel speed (unloaded): 4.5Km/h
- Mechanical brake – brakes truck when handle is released
- Emergency reverse button – drives away from operator if button hits user
- Emergency stop button
- Anti-rolling back braking device
- Safety hydraulic design prevents mast from falling down abruptly if oil pipes were cut
- On board battery charger
- Mast height lowered = 1940mm, 3895mm extended
- 2930mm lift height

Order Code	Description
CST-PA	Premium Adjustable Electric Pallet Stacker



ADJUSTABLE
WIDTH TINES



Semi-Electric Straddle Stacker

- Fork tines adjust from 220 overall width to 790 overall
- 1500kg capacity
- 65mm lowered fork height
- 3100mm max fork height
- 1000mm fork length
- 600mm load centre
- 1435mm turning radius
- 960-1240mm width between legs (adjustable)

Order Code	Description	Dimensions (mm)
CST-SA	Semi-electric Adjustable Pallet Stacker	1645L x 1510 x 2100/3675mm High



BOTH HAVE ADJUSTABLE WIDTH TINES

BOTH ARE FOR USE ON LEVEL SURFACE AREAS

Manual Straddle Stacker

- Fork tines adjust from 210 overall width to 800 overall
- 1500kg capacity
- 75mm lowered fork height
- 1600mm max fork height
- 1150mm fork length
- 600mm load centre
- 1590mm turning radius
- 930-1220mm width between legs (adjustable)
- 100mm diameter front wheels, 150mm diameter rear wheel diameter

Order Code	Description	Dimensions (mm)
CST-MA	Manual Adjustable Pallet Stacker	1510L x 1380 x 2070mm High



Spring Lift Pallet Positioners with Turntable

- Designed to keep top layer of pallet at or above waist level to help prevent bending
- Supplied with 3 springs, helping provide adjustment for different loads
- Supplied flatpacked but can be supplied assembled on request
- Handles loads up to 2000kg
- Top turn turntable allows operators to spin load to where they are standing
- 1100mm table diameter
- 240-705mm table height variance

Order Code	Description
CSLPP-2P	Yellow Powdercoated Spring Lift Positioner
CSLPP-2G	Galvanized Powdercoated Spring Lift Positioner






2000kg Capacity Rotating Electric Lift Table

- Electric lift table via foot pedal, manual rotating top
- 2000kg capacity
- 1110mm diameter turntable
- Quality blue powdercoat finish
- Lifting range: 300 – 910mm
- Single phase power



Order Code	Description	Dimensions (mm)
CMLT-2TMR	2000kg Capacity Rotating Electric Lift Table	1110mm diameter turntable





2000kg Capacity Electric Lift Table


- Fitted with aluminum safety bar preventing descent when contacting an obstruction
- Heavy duty design
- Removable lifting eyes for positioning or maintenance
- Hand push button controller with up down & emergency stop
- Safety clearance between scissors to help prevent trapping in operation
- Heavy duty cylinders with drainage system and check valve to stop the lift table lowering in case of hose burst
- Internal power pack equipped with relief valve to protect against overloading.
- Quality blue powdercoat finish
- Full range of optional accessories available
- Lifting range: 190 – 1010mm
- Single phase power

Order Code	Description	Dimensions (mm)
CELT-2T	2000kg Capacity Electric Lift Table	1400 x 1200mm platform size
CELT-2T-SS	Concertina Safety Skirt for CELT-2T	
CELT-2T-BT	Ball Transfer Table to suit	1300 x 1200mm




4000kg Capacity Electric Lift Table

- Fitted with aluminum safety bar preventing descent when contacting an obstruction
- Heavy duty design
- Removable lifting eyes for positioning or maintenance
- Hand push button controller with up down & emergency stop
- Safety clearance between scissors to help prevent trapping in operation
- Heavy duty cylinders with drainage system and check valve to stop the lift table lowering in case of hose burst
- Internal power pack equipped with relief valve to protect against overloading.
- Quality blue powdercoat finish
- Full range of optional accessories available
- Lifting range: 300 – 1400mm
- Single phase power



SINGLE PHASE POWER

Order Code	Description	Dimensions (mm)
CELT-4T	2000kg Capacity Electric Lift Table	2200 x 1100mm platform size
CELT-4T-SS	Concertina Safety Skirt for CELT-4T	





2000kg Capacity Low Profile Lift Table with Optional Ramp

- Optional ramp for pallet truck access
- 2000kg capacity
- Fitted with aluminum safety bar preventing descent when contacting an obstruction
- Heavy duty design
- Removable lifting eyes for positioning or maintenance
- Includes control box with up down & emergency stop
- Heavy duty burst safety valve to stop lift table lowering in case of hose breakage
- External power pack equipped with relief valve to protect against overloading
- Quality blue powdercoat finish
- Lifting range: 105 – 870mm
- Single phase power


**SINGLE PHASE
POWER**

Order Code	Description	Dimensions (mm)
CELT-2LP	2000kg Low Profile Electric Lift Table	1600 x 1200mm platform size
CELT-2LP-R	Optional Ramp for CELT-2LP	



1500kg Capacity Extra Low Profile Lift Table

- Ramps for pallet truck access
- 1500kg capacity
- Upper platform fitted with safety perimeter preventing descent when contacting an obstruction
- Heavy duty design
- Removable lifting eyes for positioning or maintenance
- Includes control box with up down & emergency stop
- Heavy duty burst safety valve to stop lift table lowering in case of hose breakage
- External power pack equipped with relief valve to protect against overloading
- Quality blue powdercoat finish
- Lifting range: 30 – 800mm
- Fits standard Australian pallet (1270 x 1200mm platform)
- Single phase power



**SINGLE PHASE
POWER**



Order Code	Description	Dimensions (mm)
CELT-1.5ELP	1500kg Extra Low Profile Electric Lift Table	1270 x 1200mm platform size





Ergonomic Battery Lifting Trolley

These unique Ergonomic Battery Handling trollies are ideal for the safe handling and picking of batteries. The rollers allow easier movement of batteries from storage cages, benches etc and reduce the effort that your team need to safely conduct their tasks.

- 850 x 490mm Platform
- 340mm Lowered and 925mm Raised Platform Height
- 400Kg Capacity
- Fold down end panel for easy removal of batteries
- Includes 2 ratchet straps for securing batteries
- 985mm High Handle
- 125 x 40mm Castors
- Raised by Foot Pedal & Lowered by Hand Pull Lever
- Powdercoat finish

Order Code	Description	Dimensions (mm)	WLL (UDL)
CTF500-RB	Ergonomic Battery Lifting Trolley	700 x 450 x 36mm Platform 340mm Lowered and 925mm Raised Platform Height 985mm High Handle 125 x 40mm Castors	400Kg



Manual Mobile Scissor Lift Trolleys

- Heavy duty design
- Foot pump for raising, hand release for lowering
- Quality Blue powdercoat finish

Order Code	Description	Dimensions (mm)	WLL (UDL)
CTF150	150Kg Manual Mobile Lift Table Trolley	700 x 450 x 36mm Platform 220mm Lowered and 730mm Raised Platform 940mm High Handle 100 x 32mm Castors	150Kg
CTF500	500Kg Manual Mobile Lift Table Trolley	850 x 500 x 55mm Platform 290mm Lowered and 875mm Raised Platform 985mm High Handle 125 x 340mm Castors	500Kg



750kg Capacity Electric Mobile Scissor Lift Trolley

- Heavy duty design
- Control box on handle with up, down & emergency stop
- Single phase power
- Quality blue powdercoat finish
- Lifting range: 450 – 950mm

Order Code	Description	Dimensions (mm)
CMLT-75E	750Kg Capacity Electric Mobile Scissor Lift Trolley	1010L x 520mm platform size





150kg Electric Work Positioner

- Heavy duty design
- Single phase (240V) charging
- 150Kg capacity
- Quality blue powdercoat finish
- Lifting range: 130 – 1500mm
- 1130mm handle height
- 75mm diameter front wheels, 125mm diameter wheels

Order Code	Description
CEWP-NA	Electric work positioner, no attachments
CEWP-P	Platform to suit CWEP-NA (470 x 600)
CEWP-BV	V Block to sit on CEWP-P platform
CEWP-DP	Double prong to suit CWEP-NA
CEWP-SP	Single prong to suit CWEP-NA
CEWP-RR	Reel rotator to suit CWEP-NA



400Kg Capacity Manual Platform Stacker

- Foot pump for raising, turn handle release for lowering
- Quality blue powdercoat finish
- Lifting range: 85 – 1500mm
- 125mm diameter wheels
- Adjustable forks

Order Code	Description
CPS-40M	400Kg Capacity Manual Platform Stacker
CPS-OP	Optional Steel Platform



400Kg Capacity Electric Platform Stacker

- Heavy duty design
- Control with up, down & emergency stop
- Single phase power
- Quality blue powdercoat finish
- Lifting range: 85 – 1500mm
- Adjustable forks

Order Code	Description
CPS-40E	400Kg Capacity Electric Platform Stacker
CPS-OP	Optional Steel Platform





Electric Powered Tow Tug

- 1000kg load capacity
- Rubber pneumatic drive wheels (250mm diameter x 85mm)
- Includes collision safety switch (safety function which when activated forces the truck to reverse until the switch is restored to neutral)
- Electromagnetic service brake
- Tow coupling height: 120-280mm
- Travel speed (unloaded): 5Km/h
- Emergency stop button
- Battery: 2 x 12V/50Ah

Order Code	Description	Dimensions (mm)
CEPTT	Electric Powered Tow Tug	1315L x 520W x 1010H



CUSTOM ATTACHMENTS AVAILABLE

Semi-Automatic Drum Lifter and Rotator

- 450kg capacity
- 2300mm maximum lifting height
- Lifts steel 205L drums and most plastic drums
- Includes lifting scale
- 1620mm turning radius
- Lift and rotates drums
- Single phase power for charging
- 150mm diameter rear wheels, 80mm diameter front wheels



Order Code	Description	Dimensions (mm)
CDRL-SA	Semi-Automatic Drum Lifter and Rotator	1600L x 950W x 1920mm High

Manual Drum Lifter and Rotator

- 450kg capacity
- 1500mm maximum lifting height
- Lifts steel 205L drums and most plastic drums
- Lift and rotates drums
- 150mm diameter rear wheels, 80mm diameter front wheels



Order Code	Description	Dimensions (mm)
CDRL-M	Manual Drum Lifter & Rotator	1400L x 1000W x 2100mm High



Manual Drum Depalletiser & Stacker

- 450kg capacity
- 1100mm maximum lifting height
- Lifts steel 205L drums and most plastic drums
- Ideal for lifting drums off corner of pallet

Order Code	Description	Dimensions (mm)
CDMDS	Manual Drum Depalletiser & Stacker	1140L x 950W x 1870mm high

IDEAL FOR AREAS FORKLIFTS CAN'T ACCESS



Utility Drum Trolley

- 450kg capacity
- Lifts steel 205L drums and most plastic drums
- 250mm diameter front wheels and 75mm diameter rear wheels

Order Code	Description	Dimensions (mm)
CDUT-PS	Utility Drum Trolley	1450 x 700 x 750mm





Beak Drum Lifter

- Blue powdercoat finish
- 350Kg capacity
- Lifts steel 205L drums and most plastic drums
- Includes safety chain to attach to forklift

Order Code	Description	Dimensions (mm)
CBDL-1	Beak Drum Lifter	930 x 670 x 850

ECONOMICAL
DRUM HANDLING
SOLUTION



Side Grip Drum Lifter

These drum lifters make handling of steel 205L drum safe and easy and allows operators to pickup drums without having to leave their seat. The drum is grabbed by pushing the arms against the drum and moving forward. The arms will lock under the drum rib when lifted. The more liquid in the drum, the more secure the grip will be. To place the drum in the required location lower the drum carefully and the arms will release once the drum is on the ground.

- Suitable for steel drums
- Allows precise placement of drums without leaving forklift seat
- 360Kg capacity
- Zinc plated finish
- Fork pocket size: 165 x 65 (LxW)
- Fork pocket centres: 325mm

Order Code	Description	Fork Pocket Centres	Fork Pocket Size (mm)
CSDL1	Side Grip Drum Lifter	325	165 x 65



Forklift Drum Rotator

- 300Kg Capacity
- Blue powdercoat finish
- Lifts steel 205L drums and most plastic drums (570-600mm diameter)
- 150 x 55mm forklift pocket size
- Includes safety chain to attach to forklift

Order Code	Description
CDRL-1	Forklift Drum Rotator





Expandable Conveyors with Rollers

- 150Kg capacity per metre
- Expands, retracts, twists and turns
- Expands from 1497 – 3978mm long
- 610mm wide roller area
- 690 – 1000mm height range
- 48mm diameter rollers
- Powdercoat finish

Order Code	Description
CCS-RW-3900	Expandable Conveyor with Rollers



Expandable Conveyors with Skate Wheels

- Expands, retracts, twists and turns
- 150Kg capacity p/m steel skates, 85Kg capacity p/m plastic skates
- Expands from 1016 – 3978mm long (steel skates)
- Expands from 960 – 3930mm long (plastic skates)
- 690 – 1000mm height range
- 610mm wide skate area
- 48mm diameter rollers
- Powdercoat finish

Order Code	Description
CCS-GSW-3900	Expandable Conveyor with Steel Skates
CCS-PSW-3900	Expandable Conveyor with Black Plastic Skates





Powered Expandable Conveyors with rollers

- 130Kg capacity per metre
- Expands, retracts, twists and turns
- Expands from 1550 – 4000mm long
- 610mm wide roller area
- 690 – 1000mm height range
- 48mm diameter rollers
- Powdercoat finish
- Single phase powered, electric drive



Order Code	Description
CCS-PRW-3900	Powdered Expandable Conveyor with Rollers



Modular Conveyor System

- 150Kg capacity per metre (at 75mm pitch)
- Modular – join to suit your needs – also connect to our expandable conveyors
- 715 – 1015mm height range
- Powdercoat finish
- 610mm roller area

Order Code	Description
CCS-AS	Adjustable conveyor support stand
CCS-3000	3000mm long roller frame (no rollers included – can be placed every 75mm)
CCS-48R	48mm diameter steel roller
CCS-AG	2025mm Access gate module with gas strut opening
CCS-BT	610mm square, 75mm pitch ball transfer table (fits inside end of roller frame)
CCS-90D	90 degree corner modular roller frame (no rollers included)
CCS-90DG	Guard to suit 90 degree module to prevent cartons falling off

