

BUY DIRECT & SAVE

WAREHOUSE & WORKSHOP EQUIPMENT

| | | | |
|---|-----|---|-----|
| 2000kg Capacity Rated Adjustable Trestle System | 216 | Stackable Plastic Parts Bins | 234 |
| 5000kg Capacity Rated Adjustable Trestle System | 217 | Rigging Hanging Racks | 235 |
| 3m 5000Kg Heavy Duty Workbench | 218 | 3500kg Rated Heavy Duty Pallet Table | 235 |
| 2.3m 5000Kg Heavy Duty Workbench | 219 | Battery Powered Strapper & Accessories | 236 |
| 1010 Series Storeman® Storage Cabinet | 220 | Reusable Pallet Wrap | 237 |
| Storeman® Heavy Duty Locker Station | 221 | Order Picking Cage | 238 |
| Heavy Duty Poly Lockers | 221 | Order Picking Cage with Shelving | 239 |
| Longspan Workbench | 222 | Forklift Work Platform | 240 |
| Stock Picking Trolleys | 222 | Forklift Extension Slippers | 241 |
| 2 Tier Warehouse Trolley | 223 | Self Tipping Waste Bin | 242 |
| Rollcage Trolley | 224 | Self Tipping Waste Bin with Castors | 242 |
| Lockable Warehouse Trolley | 225 | Small Tipping Bin | 243 |
| Maintenance & Service Trolley | 226 | Wheelie Bin Tippers | 243 |
| 5 Tier Heavy Duty Storage Trolley | 227 | 2500Kg Forklift Telescopic Jibs | 244 |
| Kanban Trolley | 228 | 4500Kg Forklift Telescopic Jibs | 245 |
| 1870 Logistics & Storage Cage with Single Point Castor Lock | 229 | Forklift Container Ramps | 246 |
| 1800 Logistics & Storage Cage with Centre Dividing Panel | 230 | 3m and 6m Expandable Barriers | 247 |
| 1360 Logistics & Storage Cage with Single Point Castor Lock | 231 | Multi Bay Expandable Barriers | 247 |
| Attached Lid Containers | 232 | Heavy Duty Mobile Bollard for Retractable Belt Barriers | 248 |
| Soft Tread Anti Fatigue Matting | 233 | Heavy Duty Retractable Safety Barrier | 249 |
| Grease Proof Super Tread Matting | 233 | 4.5m Wall Mount Retractable Belt Barrier | 250 |
| Storeman® Louvre Panels | 234 | 9m Magnetic/Suction Mount Retractable Belt Barrier | 250 |
| | | Permanent Bollards | 251 |
| | | Removable Surface Mount Bollards | 251 |



2000kg Capacity Rated Adjustable Trestle System

This trestle is a highly versatile solution for heavy duty applications such as workshop and maintenance areas. With multiple height locations available and a reversible top bar to allow tabs or no tabs at the end this unit has been designed with flexible use in mind.

- Powdercoated safety yellow with zinc plated top bar
- Easily adjustable with pre-installed fasteners
- Adjustable in 50mm increments
- Reversible top bar depending on your end locator requirements

| Order Code | Description | Dimensions (mm) | WLL (UDL) |
|------------|-----------------------|---------------------------|-----------|
| CTR-2000A | Adjustable 2T Trestle | 1120W x 632D 655-1055H | 2000Kg |



5000kg Capacity Rated Adjustable Trestle System

This heavy duty trestle is designed for heavy duty applications such as workshop and maintenance areas. Our pre engineered trestles give you peace of mind that your team is using rated equipment.

- Powdercoated safety yellow with zinc plated top bar
- Reversible top bar depending on your end locator requirements



| Order Code | Description | Dimensions (mm) | WLL (UDL) |
|------------|-------------|---------------------|-----------|
| CTR-5000 | 5T Trestle | 1120W x 837D x 900H | 5000Kg |





3m 5000Kg Heavy Duty Workbench

This extra heavy duty workbench has been designed with optimum versatility in mind. Available with or without lockable doors which are fitted to both front and rear. The 15.8mm thick worktop allows this bench to be used in extra heavy duty applications and the Underbench shelf allows storage of heavy duty items close at hand.

All the details have been considered including easy to slide latches which can be closed or opened even with welding gloves, padlock holder when doors are unlocked, earth holder, handpiece holder and more!

| Order Code | Description | Dimensions (mm) | WLL (UDL) |
|------------|----------------------------------|----------------------|-----------|
| CHWB-3000 | 3m Workbench | 3000L x 1500D x 997H | 5000Kg |
| CHWB-3000D | 3m Workbench with Lockable Doors | 3000L x 1500D x 997H | 5000Kg |



2.3m 5000Kg Heavy Duty Workbench

This extra heavy duty workbench has been designed with optimum versatility in mind. Available with or without lockable doors which are fitted to both front and rear. The 15.8mm thick worktop allows this bench to be used in extra heavy duty applications and the Underbench shelf allows storage of heavy duty items close at hand.

All the details have been considered including easy to slide latches which can be closed or opened even with welding gloves, padlock holder when doors are unlocked, earth holder, handpiece holder and more!

| Order Code | Description | Dimensions (mm) | WLL (UDL) |
|------------|------------------------------------|----------------------|-----------|
| CHWB-2300 | 2.3m Workbench | 2300L x 1200D x 997H | 5000Kg |
| CHWB-2300D | 2.3m Workbench with Lockable Doors | 2300L x 1200D x 997H | 5000Kg |





1010 Series Storeman® Storage Cabinet

This quality storage cabinet allows smart storage of your tools to assist in your 5S and lean programs. Organised tool storage assists in increased productivity.

- Includes 4 adjustable shelves + base level
- Lockable
- High quality powdercoat finish & workmanship

| Order Code | Description | Dimensions (mm) |
|------------|--|----------------------------|
| CW0D4-C | Storage Cupboard with clear doors & 4 shelves + base | 1010W x 485D x 2000mm High |
| CW0D4-S | Storage Cupboard with steel doors & 4 shelves + base | 1010W x 485D x 2000mm High |
| CW-ES | Extra shelf for storage cupboard | |
| CHD-STW | Optional Sloping top roof | 200mm High |



Storeman® Heavy Duty Locker Station

This quality locker system is ideal for storage of equipment for personnel and different shift crews. Ensure that your equipment is where you need it when you need it!

- Each of the 4 lockers include 1 adjustable shelf
- Forklift base for easy positioning
- High quality powdercoat finish & workmanship
- Lockable



ENSURE YOUR EQUIPMENT IS WHERE YOU NEED IT, WHEN YOU IT



| Order Code | Description | Dimensions (mm) |
|------------|---|----------------------------|
| CHD-4LS | Storeman Heavy Duty Locker Station with Steel Doors | 2020L x 700D x 1650mm High |
| CHD-4LC | Storeman Heavy Duty Locker Station with Clear Doors | 2020L x 700D x 1620mm High |

Heavy Duty Poly Lockers

These heavy duty poly lockers are ideal for work environments that need lockers to last. This large range of lockers have generous internal sizing making them suitable for many environments ranging from mines to processing plants.

- Grey body with blue door
- Heavy duty
- UV stabilised
- Easy to clean
- Manufactured from high density polyethylene (rotationally moulded into one piece with no joins)
- Water resistant



UV STABILISED

| Order Code | Description | Dimensions W x D x H (mm) |
|------------|----------------------------------|----------------------------------|
| CPL-880B1 | 1 door small locker | 380W x 450D x 880mm high |
| CPL-1980B1 | 1 Door large Locker | 380W x 450D x 1980mm high |
| CPL-1720B2 | 2 Door Locker | 380W x 450D x 1720mm high |
| CPL-1930B3 | 3 Door Locker | 380W x 450D x 1930mm high |
| CPL-KB | Kick base to suit poly lockers | 380W x 450D x 100mm High |
| CPL-SST | Sloping top to suit poly lockers | 230mm High back, 35mm High Front |





Longspan Workbench

These workbenches are ideal for use in warehouses, workshops and containers etc. They are suitable for many uses such as packing, despatch, assembly and other general uses. Includes underbench shelf for storage. Both levels include heavy duty 18mm MDF board.

| Order Code | Description | Dimensions W x D x H (mm) |
|------------|---|---------------------------|
| CL-WB | Longspan Workbench | 2000 x 750 x 920 High |
| CL-WB-C | Longspan Workbench with 100mm Ø castors | 2000 x 750 x 1045 High |



Stock Picking Trolleys

Stock picking trolleys are designed for picking small parts from shelving, high density drawer cabinets etc. These trolleys are easy to manoeuvre around aisles. The handle allows a place to write on your stock picking sheet.

| Order Code | Description | Dimensions W x D x H (mm) |
|------------|---|--|
| CTSIB-52-1 | Stock picking trolley with 1 x 52L crate | 960 x 420 x 970H (1300H including handle board) |
| CTSIB-52-2 | Stock picking trolley with 2 x 52L crate | 960 x 420 x 970H (1300H including handle board) |
| CTSIB-68-1 | Stock picking trolley with 1 x 682L crate | 960 x 420 x 970H (1300H including handle board) |
| CTSIB-32-1 | Stock picking trolley with 1 x 32L crate | 960 x 420 x 970H (1300H including handle board) |
| CTSIB-32-2 | Stock picking trolley with 2 x 32L crate | 960 x 420 x 970H (1300H including handle board) |

MAKE STOCK PICKING EASY



ECONOMICAL

2 Tier Warehouse Trolley

The utility warehouse trolley is designed for general use in your warehouse. This unit comes standard with a board which is ideal for writing on for stock control or your order picking checklist and can hold a laptop or tablet.

The top and bottom shelves included an angled lip making cleaning of your trolley easy and assist in ergonomic sliding of boxes onto shelves, conveyors etc.

- Blue powdercoat finish
- Supplied flatpacked
- Includes 4 blue rubbers castors (2 swivel brake & 2 fixed)
- Includes storage tray under handle
- Top & bottom decks include angled side lips to assist in easy picking/cleaning




| Order Code | Description | Dimensions L x D x H (mm) |
|------------|--------------------------|---|
| CWT-2T | 2 Tier Warehouse Trolley | 1000L (1276 inc. handle) x 600mmW - Top deck platform height is 845mm |



ANGLED LIP
ALLOWS FOR
EASY CLEANING
& PICKING





Rollcage Trolley

This rollcage trolley is ideally suited to industrial applications such as stock picking and replenishment tasks. With a mid height shelf these units are versatile in terms of the style of picking operation you wish to setup, whether that be large boxes and the shelf folded away or small boxes split by the mid shelf for picking and replenishment so the 2 tasks types don't get mixed.

When not in use it's base design allows these trolleys to be nested for space saving in your workspace.

- Front split opening door
- Rear full panel door
- Zinc plated finish
- Mid height shelf
- Blue rubber castors (100mm front, 125mm rear)
- Front castors include brakes

| Order Code | Description | Dimensions W x D x H (mm) |
|------------|-------------------|------------------------------|
| CWT-R3D | Roll Cage Trolley | 704W x 840D x 1767High |



Lockable Warehouse Trolley

These trolleys are a great addition for every warehouse. In addition to being safe and easy to use these units are also economical.

- Ideal for stock picking & parts distribution
- Nests for space saving
- 4 castors (2 swivel, 2 fixed with brakes)
- Lockable gates
- Zinc plated finish

| Order Code | Description | Dimensions L x D x H (mm) |
|------------|----------------------------|------------------------------|
| CLZMT | Lockable warehouse trolley | 1180 x 780 x 1920mm High |





600mm DEPTH
ALLOWS IT TO
FIT THROUGH
DOORWAYS

Maintenance & Service Trolley

These unique trolleys allow you to store all your equipment in 1 secure organised location! At 600mm depth this unit can also fit through standard doorways allowing easy access to the specific area where you need to work.

Keep your equipment secure & organised so it's there when you need it next! We offer a full range of Storeman® tool holders for maximizing your tool storage.

- Allows easy viewing of tools whilst keeping them secure
- Store all the items required for your maintenance or service task
- Quality powdercoat finish
- Quality castors allowing easy movement
- Padlockable
- Includes 4 castors, 2 swivel brake & 2 fixed
- Full range of tool holders available

| Order Code | Description | Dimensions (mm) W x D x H |
|------------|---|------------------------------|
| CMT-3STB | Maintenance trolley with 2 shelves + tool panel | 1200W x 600D x 1900High |
| CMT-5S | Maintenance trolley with 4 shelves + base level | 1200W x 600D x 1900High |



5 Tier Heavy Duty Storage Trolley

These storage trolleys are ideal for storage of stock, parts & tools. Their open design allows access from both sides making picking easy as you move them through your packing line or workshop area.

- Quality powdercoat finish
- Quality castors allowing easy movement

| Order Code | Description | Dimensions (mm) W x D x H |
|------------|-----------------------------------|------------------------------|
| C4TST | 5 Tier Heavy Duty Storage Trolley | 1280W x 800D x 2000High |



FULL RANGE OF BUCKETS AVAILABLE CALL US TO DISCUSS





Kanban Trolley

This Kanban trolley is ideal for assisting in your lean manufacturing process. This trolley is ideally setup for smart storage of your inventory, allowing easy restocking and access.

- Quality powdercoat finish
- Quality castors allowing easy movement
- Includes 4 sloping shelves

| Order Code | Description | Dimensions (mm) W x D x H |
|------------|----------------|------------------------------|
| CSKT | Kanban Trolley | 1280W x 800D x 2000High |

FULL RANGE
OF BUCKETS
AVAILABLE
CALL US TO
DISCUSS



1870 Logistics & Storage Cage with Single Point Castor Lock

This patented unit includes a foot brake which automatically locks 4 castors! No longer do you need to individually lock/unlock separate castors – A huge efficiency saving!

This patented world first design brings a new exciting concept to many industries including warehousing, manufacturing, processing & transport. The special design allows this unit to be stored on pallet racking with castors due to its unique base design and castor locking system.

This unit has optional adjustable shelves, which can be adjusted in 50mm increments!

From general transport to assisting in flow of goods through processing plants this unit has the ability to change many processes across multiple industries.

- 2 swing access gates
- Single point castor locking
- Suitable for pallet racking with positive locking base design
- Adjustable shelves adjust in 50mm increments
- 4-way forklift access & 2-way pallet truck entry
- Anti-tipping bars
- Zinc plated finish
- Padlockable

| Order Code | Description | Dimensions (mm) | WLL (UDL) |
|------------|--|---------------------------|-----------|
| CMLSC | 1870 Logistics & Storage Cage with Castors | 1160W x 1170D x 1870 High | 1000Kg |
| CMLSC-FS | Optional Full Depth Shelf (Adjustable) | | |
| CMLSC-S | Optional Steel Sheet Floor | | |



HELPS LEAN OPERATIONS



PATENTED DESIGN





1800 Logistics & Storage Cage with Centre Dividing Panel

This patented world first design includes a centre dividing panel which allows for half depth shelves making this ideal for storage of parts, boxes and much more!

This cage has our world first positive locking base design for storage on pallet racking.




The optional adjustable shelves can be adjusted in 50mm increments!

This unit also has an optional castor/foot brake system which automatically locks the castors! No longer do you need to individually lock/unlock separate castors – a huge efficiency saving!

- 2 swing access gates
- Suitable for pallet racking with positive locking base design
- Adjustable shelves adjust in 50mm increments
- Anti-tipping bars
- Zinc plated finish
- Padlockable



| Order Code | Description | Dimensions (mm) | WLL (UDL) |
|------------|--|---------------------------|-----------|
| CMLSC-CD | 1800 Logistics & Storage Cage with Centre Dividing Panel | 1160W x 1170D x 1800 High | 1000Kg |
| CMLSC-HS | Optional Half Depth Shelf (adjustable) | | |
| CMLSC-SG | Optional Small Shelf Gate | | |
| CMLSC-OCS | Optional Castor/Brake System (adds 70mm to height) | | |
| CMLSC-S | Optional Steel Sheet Floor | | |



1360 Logistics & Storage Cage with Single Point Castor Lock

This patented unit includes a foot brake which automatically locks the castors! No longer do you need to individually lock/unlock separate castors – A huge efficiency saving!

This patented world first design brings a new exciting concept to many industries including warehousing, manufacturing, processing & transport. The special design allows this unit to be stored on pallet racking with castors due to its unique base design and castor locking system.

This unit has optional adjustable shelves, which can be adjusted in 50mm increments!


From general transport to assisting in flow of goods through processing plants this unit has the ability to change many processes across multiple industries.

- 2 swing access gates
- Single point castor locking
- Suitable for pallet racking with positive locking base design
- Adjustable shelves adjust in 50mm increments
- 4-way forklift access & 2-way pallet truck entry
- Anti-tipping bars
- Zinc plated finish
- Padlockable



| Order Code | Description | Dimensions (mm) | WLL (UDL) |
|------------|--|---------------------------|-----------|
| CMLSC-1360 | 1360 Logistics & Storage Cage with Castors | 1160W x 1170D x 1360 High | 1000Kg |
| CMLSC-FS | Optional Full Depth Shelf (Adjustable) | | |
| CMLSC-S | Optional Steel Sheet Floor | | |





Attached Lid Containers

These dust/weather resistant attached lid containers are ideal for small parts storage and distribution. The unique design also allows for an optional security seal which alerts you if someone has accessed or tampered with your goods! Great for stores, workshops, offices, removalists, shutdowns, couriers and more. The ability to stack when full and nest when empty slashes freight costs and saves on space and the attached lids ensure you'll never lose your lids!

- Dust/weather resistant
- Optional security tags available
- Ensures your lids don't go missing
- Ideal for storage on shelving

DUST & WEATHER RESISTANT

| Order Code | Description | Dimensions L x D x H (mm) |
|------------|----------------------------|---------------------------|
| CSLC-6032 | 60L Attached Lid Container | 600 x 400 x 320 High |
| CSLC-60365 | 68L Attached Lid Container | 600 x 400 x 365 High |



NEVER LOSE YOUR LIDS AGAIN

Soft Tread Anti Fatigue Matting

Soft Tread Anti Fatigue Matting is ideal for all dry areas including warehouses and workstations with a slip resistant, hard wearing and chemical resistant surface. The resilient sponge base ensures enhanced comfort. Mats come standard with a yellow border for improved safety Levels.

| Order Code | Description | Dimensions W x D x T (mm) |
|------------|---|---------------------------|
| CSTM-69 | Soft Tread Mat – Black with Yellow Border | 600 x 900 x 14 |
| CSTM-915 | Soft Tread Mat – Black with Yellow Border | 900 x 1500 x 14 |



Grease Proof Super Tread Matting

Not only does this mat provide super high comfort levels it also improves safety levels with a superior slip resistant raised surface which is the ideal solution to greasy conditions. It is formulated to offer maximum grease resistance and the underside profile provides an anti-fatigue cushioning that holds the mat firmly in position. A 50mm beveled edge helps provide a trip-free solution. Suitable for oily industrial environments, abattoirs, dairy, engineering and fishing applications.

| Order Code | Description | Colour | Dimensions W x D x T (mm) |
|------------|----------------------------------|--------|---------------------------|
| CGPSTM-915 | Grease Proof Super Tread Matting | Grey | 900 x 1500 x 18 |



IDEAL FOR WORKSHOPS – GREASE PROOF






Storeman® Louvre Panels

Louvre Panel Boards are designed to hang plastic bins for small parts storage. These panels are easy to fix to wall studs or frames and are supplied in a 1020mm W x 460mm H panel allowing you to configure this system to your exact needs. With these panels any wall surface can be turned into useful parts storage space.

CONFIGURE TO YOUR NEEDS

- Powdercoat finish
- Configure to your needs
- Full Range of buckets available

| Order Code | Description | Dimensions W x H (mm) |
|------------|-------------------------|-----------------------|
| CLHB-10246 | Storeman® Louvre Panels | 1020 x 460 |



PARTS STORAGE MADE EASY



Stackable Plastic Parts Bins

Stackable plastic parts bins are designed for small parts storage. These strong plastic bins withstand the heavy workloads of everyday workshop environments. Commonly used on shelving and the larger sizes can have dividers inserted for split storage.

HAVE YOUR PARTS WHERE YOU NEED THEM, WHEN YOU NEED THEM

| Order Code | Description | Dimensions W x D x H (mm) |
|---------------|---|---------------------------|
| CIH1000 - N5 | Yellow Plastic Parts Bin | 100 x 120 x 60 |
| CIH1001 - N10 | Blue Plastic Parts Bin | 100 x 178 x 85 |
| CIH1002 - N20 | Red Plastic Parts Bin | 135 x 225 x 125 |
| CIH1003 - N30 | Yellow Plastic Parts Bin | 205 x 280 x 165 |
| CIH1004 - N40 | Blue Plastic Parts Bin | 410 x 280 x 165 |
| CIH1006 - N60 | Red Plastic Parts Bin | 440 x 410 x 210 |
| CIH1015 | Plastic Divider to suit CIH1003-N30 and CIH1004-N40 | |
| CIH1020 | Plastic Divider to suit CIH1006-N60 | |

Rigging Hanging Racks

These heavy duty rigging storage racks are ideal for storage of chains, slings etc. You can now better organise your rigging storage area allowing faster picking so your team can focus on other tasks.

- Heavy duty
- 10mm diameter hooks
- Yellow powdercoated finish



| Order Code | Description | Dimensions |
|------------|---|-------------|
| CHB-1100 | 1100 Rigging Hanging Rack with 11 hooks | 1100mm long |
| CHB-2200 | 2200 Rigging Hanging Rack with 22 hooks | 2200mm long |

3500kg Rated Heavy Duty Pallet Table

This extra heavy duty pallet table is ideal for having heavy pallets at a workable height for access or strapping.

- Fits standard 1165mm square pallet on top
- Includes blocks in corner to prevent standard pallet sliding off
- Yellow Painted Finish



| Order Code | Description | Dimensions W x D x H (mm) |
|------------|-------------------------|---------------------------|
| CHPT-3500 | Heavy Duty Pallet Table | 1240 x 1240 x 750mm High |





Battery Powered Strapper & Accessories

These quality lightweight battery powered combination tools (4.05kg) are ergonomically designed to reduce operator fatigue. These strapping machines are designed for use with 19mm PET strapping and are supplied with a charger and 1 battery.

Each strapper is supplied with a spare parts kit common wear parts to reduce waiting time and cost of sending to a servicing centre.

This quality Strapping Dispenser is designed for dispensing our PET strapping. It includes a strap brake system and a heavy duty tray big enough to fit a battery powered strapping tool.

PET Strapping is great for loads that require either high or low tension. It can strap items such as; timber, palletised boxes, bricks, and other general goods. Some advantages of PET strap include: Impact resistance, high retained tension, no sharp edges, UV resistance, temperature sensitivity and easy to handle.

CS19 Features:

- 3 mode selections; Manual, Semi-Automatic and Fully Automatic
- Soft & hard tension modes
- Auto lock operation panel if no operation status for over 30 seconds and enters sleep state if no operation for 120 seconds
- Functionality to adjust tension force as well as welding time to ensure optimum tension and weld



| Order Code | Description |
|------------|--|
| CS19 | Batter strapper, charger, battery & spare parts kit |
| CS19-BATT | Extra battery for CS19 |
| C-H84 | PET Strapping Dispenser |
| PET-S19 | Green PET Strapping – 19mm x 1mm x 800m – 700Kg Minimum Break Strain |

Reusable Pallet Wrap

This revolutionary reusable pallet wrap series is an innovative way to reduce single use plastics in your operation.

Designed to reduce your environmental impact as well as improve safety outcomes in your facility. Not only does this wrap provide a continuous layer of security around your products it also has straps to secure the wrap to the pallet.

Ideal for applications where pallet cages are not required. We look forward to talking to you about reducing your single use plastic usage.



| Order Code | Description | Dimensions (mm) |
|------------|---------------------------|---------------------------|
| CRPW-1000 | 1m Reusable Pallet Wrap | 1165 x 1165 x 1000mm High |
| CRPW-1200 | 1.2m Reusable Pallet Wrap | 1165 x 1165 x 1200mm High |





Order Picking Cage

The order picker cage is a heavy duty warehouse solution designed to assist with efficient and safe order picking, packing and viewing of goods in racking situations.

Designed in accordance with Australian Standards AS 5144.3 this cage is only able to be used for dedicated order picker/stock picker forklift truck units and should be discussed with your forklift provider.

- Powdercoated finish
- Castors available to assist with easy moving to storage location
- Chains for securing to order picker forklift truck
- Includes grabber plate

| Order Code | Description | Dimensions (mm) | WLL | Weight |
|------------|--------------------|-----------------------|--------|--------|
| COPC-1000 | Order Picking Cage | 1216W x 1405D x 1150H | 1000Kg | 283Kg |
| COPC-OC | Optional Castors | Add 150mm of height | | |



Order Picking Cage with Shelving

The order picking cage with shelving is designed to allow safer and easier handling of items picked.

Designed in accordance with Australian Standards AS 5144.3 this cage is only able to be used for dedicated order picker/stock picker forklift truck units and should be discussed with your forklift provider.

- Powdercoated finish, shelving mesh/uprights zinc plated
- Adjustable shelving
- Castors available to assist with easy moving to storage location
- Chains for securing to order picker forklift truck
- Includes grabber plate



| Order Code | Description | Dimensions (mm) | WLL | Weight |
|-------------|---------------------------------|-----------------------|--------|--------|
| COPC-1000-S | Order Picking Cage with Shelves | 1216W x 1405D x 2165H | 1000Kg | 411Kg |
| COPC-OC | Optional Castors | Add 150mm of height | | |





Forklift Work Platform

This unit is designed for use with a forklift, to carry out jobs of short duration and for occasional routine tasks such as maintenance or stocktake. Supplied with slipper locking pins, toe boards all round and anchor rings for harnesses. No more than 2 people may be lifted at 1 time.

The usage of a work platform on a forklift truck should not be considered if the capacity of the forklift is less than 1800kg for a counterbalanced style or 1080kg for a reach type forklift. Supplied flatpacked for freight savings. Meets Australian Standards.

- Manufactured to meet Australian Standards AS 2359-1
- Zinc plated finish
- Mesh back safety screen
- Inward opening, self-closing door
- Toe boards all sides with skid resistant floor plate
- Supplied as flatpack for freight savings
- Fork pocket size: 160x60mm
- Include locking pins to secure behind forklift tines



| Order Code | Description | Dimensions (mm) | Increments | Platform Size (mm) |
|------------|------------------------|---|------------|--------------------|
| FWP-250 | Forklift Work Platform | 1155W x 1225D x 2065 High inc. backrest | 250Kg | 160 x 60 |




Forklift Extension Slippers

Designed to extend the length of forklift tines and allow extra applications to be achieved with your forklift. These forklift extensions slippers have been designed with slimline profile to allow increased usability.

- Zinc plated finish
- Includes locking pins for securing to forklift
- Includes load rating plate



| Order Code | WLL | Length (mm) | Load centre | Max Tine Size | Min Tine Length |
|------------|--------|-------------|-------------|---------------|-----------------|
| CFES2-18 | 4000kg | 1780 | 500mm | 130 x 50mm | 1065mm |
| CFES2-24 | 4000kg | 2400 | 500mm | 130 x 50mm | 1435mm |
| CFES4-24 | 8000kg | 2400 | 600mm | 160 x 65mm | 1435mm |





Self Tipping Waste Bin

This range of self tipping bins is suited mainly for waste handling applications. These heavy duty bins are designed to nest for freight savings (lugs included for unloading empty nested bins). Simply load the bins up, take them on the forklift to your main waste bin and dump the load.

- 1000kg WLL
- Painted finish

| Order Code | Description | Capacity | Dimensions L x W x H (mm) | Fork Pocket Size | Fork Pocket Centres |
|------------|--------------------------------|----------|---------------------------|------------------|---------------------|
| CCSD9 | Nesting Self Tipping Waste Bin | 950L | 1570 x 1010 x 1010 | 185W x 73mmH | 340mm |
| CCSD12 | Nesting Self Tipping Waste Bin | 1250L | 1570 x 1310 x 1010 | 185W x 73mmH | 635mm |



Self Tipping Waste Bin with Castors

This range of self tipping bins is suited mainly for waste handling applications. These heavy duty bins are designed to nest for freight savings (lugs included for unloading empty nested bins). Simply load the bins up, take them on the forklift to your main waste bin and dump the load.

The castors allow you to manoeuvre the bin around your work process without getting a forklift.

- 750kg WLL
- Painted finish

| Order Code | Description | Capacity | Dimensions L x W x H (mm) | Fork Pocket Size | Fork Pocket Centres |
|------------|--------------------------------|----------|--|------------------|---------------------|
| CCSD9-C | Nesting Self Tipping Waste Bin | 950L | 1570 x 1010 x 1010 + 190mm for castors | 185W x 73mmH | 340mm |
| CCSD12-C | Nesting Self Tipping Waste Bin | 1250L | 1570 x 1310 x 1010 + 190mm for castors | 185W x 73mmH | 635mm |

Small Tipping Bin

These waste handling bins are ideal for handling of waste in your warehouse or workshop area. The small size bin has a 0.48m³ capacity making it easy to manoeuvre around your work area before emptying into a larger bin once you're ready.

This cage is ideal for storage of low height goods and long and awkward items in pallet racking and stacking in your warehouse. Fully removable front and rear gates allow for fast, easy and safe access and handling of goods.

- Coated in enamel paint

| Order Code | Description | Dimensions (mm) | WLL (UDL) |
|------------|---------------------------------------|------------------------|-----------|
| CCFS9 | Small Waste Handling Bin with Castors | 1045L x 940W x 870High | 350Kg |




Wheelie Bin Tippers

- Allows 180° rotation of standard 240 litre plastic wheelie bins
- Ramp fitted for wheeling bins into position
- Safety chain and backrest used to secure bins in cradle
- Simple tipping action operated from forklift driver's seat
- Slip-on attachment allows quick connection to a forklift
- Ideal for manufacturing and general industry applications
- Zinc finish

| Order Code | Description | WLL |
|------------|------------------------|--------|
| CNWB-T1 | Single 240L Bin Tipper | 500Kg |
| CNWB-T2 | Double 240L Bin Tipper | 1000Kg |






2500Kg Forklift Telescopic Jibs


These 2.5T rated forklift jibs are a versatile solution with multiple lift points (varying lifting capacities). Available in 2 configurations allowing you maximum flexibility.

- Zinc plated finish
- Supplied with swivel hook, chain & shackle
- Includes safety chain for securing to the forklift

| Order Code | Dimensions | WLL |
|------------|-----------------------|--------|
| CFJ-S2500 | 1307L x 375W x 480mmH | 2500Kg |
| CFJ-L2500 | 2097L x 375W x 480mmH | 2500Kg |



| SAFE WORKING LOADS (WLL) PER POSITION | | | | |
|---------------------------------------|------|------|------|------|
| POSITION | 1 | 2 | 3 | 4 |
| EXTENSION (mm) | 790 | 1200 | 1580 | 1960 |
| WLL (kg) | 2500 | 1200 | 900 | 530 |



| SAFE WORKING LOADS (WLL) PER POSITION | | | | | | | | |
|---------------------------------------|------|------|------|------|------|------|------|------|
| POSITION | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| EXTENSION (mm) | 950 | 1410 | 1870 | 2000 | 2380 | 2760 | 3140 | 3520 |
| WLL (kg) | 2500 | 1200 | 900 | 950 | 740 | 500 | 380 | 240 |


4500Kg Forklift Telescopic Jibs

These 4.5T rated forklift jibs are a versatile solution with multiple lift points (varying lifting capacities). Available in 2 configurations allowing you maximum flexibility.


- Zinc plated finish
- Supplied with swivel hook, chain & shackle
- Includes safety chain for securing to the forklift



| Order Code | Dimensions | WLL |
|------------|-----------------------|--------|
| CFJ-S4500 | 1257L x 490W x 240mmH | 4500Kg |
| CFJ-L4500 | 2042L x 490W x 240mmH | 4500Kg |



| SAFE WORKING LOADS (WLL) PER POSITION | | | | |
|---------------------------------------|------|------|------|------|
| POSITION | 1 | 2 | 3 | 4 |
| EXTENSION (mm) | 670 | 1165 | 1545 | 1925 |
| WLL (kg) | 4500 | 2900 | 1300 | 750 |



| SAFE WORKING LOADS (WLL) PER POSITION | | | | | | |
|---------------------------------------|------|------|------|------|------|------|
| POSITION | 1 | 2 | 3 | 4 | 5 | 6 |
| EXTENSION (mm) | 870 | 1945 | 2325 | 2705 | 3085 | 3465 |
| WLL (kg) | 4500 | 1300 | 750 | 560 | 380 | 200 |

Forklift Container Ramps

This range of container ramps are designed for safer and easier unloading of goods from shipping containers at ground level. The fixed container ramp is a more economical solution whilst the CFR-6500 offers increased flexibility with a self levelling lip for use in slightly uneven ground.


- Safety yellow painted finish
- Includes chains for securing to shipping container when in use
- Heavy duty design

| Order Code | Description | Dimensions (mm) | WLL (UDL) |
|------------|--------------------------------------|-----------------|-----------|
| CFR-E6000 | Fixed Container Ramp | 1542 x 2000mm | 6000Kg |
| CFR-6500 | 6500Kg self levelling Container Ramp | 1990 x 2200mm | 6500Kg |



3m and 6m Expandable Barriers

Multi-purpose expandable barriers are highly versatile and can be used either as a freestanding unit or a wall attachment. This unit is 2 units rolled into 1 as they are supplied complete with attachments to fix to the wall and feet if required for portable use! Available in 3m and 6m lengths – Optional castors & mounting posts available.



| Order Code | Description | Dimensions |
|------------|---|-----------------------------|
| CBPG300BY | 3 Metre Black & Yellow Expanding Barrier | 990mm High Expands to 3m |
| CBPG600BY | 6 Metre Black & Yellow Expanding Barrier | 990mm High Expands to 6m |
| CBPG-LC | Optional Locking Castor (2 Units Required Per Barrier Leg) | |
| CBPG29SM | Freestanding Metal Mounting Post | 1m High |



NEW & IMPROVED



EXPANDS OUT TO
3 METRES



EXPANDS OUT TO
6 METRES



Multi Bay Expandable Barriers

Our range of multi bay expandable barriers is ideal for workplaces which need flexibility in their layouts or for cordoning off small areas. These fantastic units are compact for easy manoeuvring around your workplace.

| Order Code | Description | Dimensions |
|------------|---|--|
| CBPG2BY | Black & Yellow 5.4m, 2 Bay Flexible Expandable Barrier | 990mm High expands to 5.4m total |
| CBPGBY | Black & Yellow 7.8m, 3 Bay Flexible Expandable Barrier | 990mm High expands to 7.8m total |
| CBPG-LC | Optional Locking Castor (2 Units Required Per Barrier Leg) | |
| CBPG29SM | Freestanding Metal Mounting post | 1m High |



**OPTIONAL
CASTORS
AVAILABLE**



Heavy Duty Mobile Bollard for Retractable Belt Barriers

The Heavy Duty Mobile Bollards are designed for use with retractable belt barriers making them ideal for outdoor applications where area demarcation and safety are important. These units included adjustable height forklift pockets making them ideal for easy positioning around your laydown yard, warehouse loading areas etc. Ensuring flow of traffic and separation of vehicles and people is critical and this heavy duty series helps ensure you don't leave safety to chance.

- Suits Containit Range of 15 & 25m CRH series retractable belt barriers
- Includes adjustable forklift pockets for easy positioning
- Yellow Powdercoat Finish
- Includes extra optional weight
- Ideal for outdoor applications

| Order Code | Description | Dimensions (mm) |
|------------|---------------------------|---|
| CRM-MBHD | Heavy Duty Mobile Bollard | 450 x 450 x 1300mm high (+eye bolt & castors) |



Heavy Duty Retractable Safety Barrier

These heavy duty retractable safety barriers are ideal for applications where large areas need to be closed off to assist in safety. Ideal for warehouses, workshops, distribution centres and outdoor low wind areas. Various colour tapes & attachments are available to suit your specific application.

- Heavy duty
- Multiple belt colours available to suit your specific application
- Various mounting options available



| Order Code | Barrier Length (all barriers include wall mount receiver clip & wall mount bracket) |
|------------|--|
| CRH-15BY | 15m barrier with Black & Yellow belt |
| CRH-15Y | 15m barrier with Yellow belt |
| CRH-15RW | 15m barrier with Red & White belt |
| CRH-15FY | 15m barrier with Fluro Yellow belt |
| CRH-15FYB | 15m barrier with Fluro Yellow & Black belt |
| CRH-15BW | 15m barrier with Blue & White belt |
| CRH-25BY | 25m barrier with Black & Yellow belt |
| CRH-25Y | 25m barrier with Yellow belt |
| CRH-25RW | 25m barrier with Red & White belt |
| CRH-25FY | 25m barrier with Fluro Yellow belt |
| CRH-25FYB | 25m barrier with Fluro Yellow & Black belt |
| CRH-25BW | 25m barrier with Blue & White belt |
| CRH-BM | 1200mm high Bollard with mounting plate for Heavy Duty Retractable Safety Barrier |





4.5m Wall Mount Retractable Belt Barrier

Our Retractable Belt Barriers are a fantastic and easy to use barrier system designed to make area demarcation easy. These units are ideal for use in warehouses and loading docks for aisle closures etc. and help to provide a safe work environment for personnel. The safety black and yellow belt is an ideal visual demarcation solution. Includes a wall receiver clip.

| Order Code | Description |
|------------|---|
| CRBWM | 4.5 Wall Mount Retractable Belt Barrier |



EASY TO FIT & USE

9m Magnetic/Suction Mount Retractable Belt Barrier

This unique magnetic unit is designed to provide maximum flexibility with a magnetic clip on both the housing unit and the belt allowing easy repositioning. This unit also includes a suction attachment for joining onto non magnetic surfaces. Ideal for use on pallet racking to close off aisles.

| Order Code | Description |
|------------|--|
| CRBMGS | 9m Magnetic/Suction Mount Retractable Belt Barrier |



IDEAL FOR CLOSING OFF WAREHOUSE ISLES



Permanent Bollards

Permanent Bollards assist in traffic control, property protection and area demarcation. Our bollards are finished in a quality yellow powdercoated finish making them highly visible and safe. Ideal for warehouses, factories, distribution centres, car parks and many other general workplace applications. Surface mount bollards include fixings.

| Order Code | Description | Height (mm) | Diameter (mm) |
|------------|---|-------------|----------------|
| SBA0042-4 | Surface Mount Bollard – 200mm square base plate | 1067 | 114 (4mm wall) |



KEEP YOUR AREAS FLEXIBLE

Removable Surface Mount Bollards

These removable bollards have a base mount unit which is bolted to the ground and is detachable from the bollard. The key lock model is designed for high security areas and comes with 2 registered keys and the T-Lock uses a simple lock suited to low or medium security areas.

| Order Code | Description | Height (mm) | Diameter (mm) |
|------------|---|-------------|---------------|
| CSMCL | Removable Surface Mount Bollard with Key | 970 | 90 (5mm wall) |
| CSMTL | Removable Surface Mount Bollard with T-Lock | 970 | 90 (5mm wall) |

