

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110


Extra Strength CBN Tincture

Batch ID or Lot Number: SLT1X-021624	Test: Potency	Reported: 01Apr2024	USDA License: N/A
Matrix: Concentrate	Test ID: T000275503	Started: 28Mar2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Mar2024	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.026	0.074	ND	ND	
Cannabichromenic Acid (CBCA)	0.023	0.068	ND	ND	
Cannabidiol (CBD)	0.092	0.227	ND	ND	
Cannabidiolic Acid (CBDA)	0.094	0.233	ND	ND	
Cannabidivarin (CBDV)	0.022	0.054	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.039	0.097	ND	ND	
Cannabigerol (CBG)	0.015	0.042	ND	ND	
Cannabigerolic Acid (CBGA)	0.061	0.176	ND	ND	
Cannabinol (CBN)	0.019	0.055	2.020	20.20	
Cannabinolic Acid (CBNA)	0.041	0.120	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.072	0.210	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.066	0.190	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.058	0.169	ND	ND	
Tetrahydrocannabivarin (THCV)	0.013	0.038	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.051	0.149	ND	ND	
Total Cannabinoids			2.020	20.20	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
01Apr2024
10:32:00 AM MDT

PREPARED BY / DATE



Phillip Travisano
01Apr2024
10:34:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/65db7f03-831a-491a-bafb-8aca1ec575e2>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
65db7f03831a491abafb8aca1ec575e2.1