

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110

Warming & Cooling Topical

Batch ID or Lot Number: SLMR-091223	Test: Potency	Reported: 11Oct2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000258358	Started: 10Oct2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 06Oct2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.018	0.059	ND	ND	
Cannabichromenic Acid (CBCA)	0.016	0.054	ND	ND	
Cannabidiol (CBD)	0.052	0.156	1.210	12.10	
Cannabidiolic Acid (CBDA)	0.054	0.160	ND	ND	
Cannabidivarin (CBDV)	0.012	0.037	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.022	0.067	ND	ND	
Cannabigerol (CBG)	0.010	0.034	ND	ND	
Cannabigerolic Acid (CBGA)	0.043	0.140	ND	ND	
Cannabinol (CBN)	0.013	0.044	0.290	2.90	
Cannabinolic Acid (CBNA)	0.029	0.096	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.051	0.167	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.046	0.152	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.041	0.135	ND	ND	
Tetrahydrocannabivarin (THCV)	0.009	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.036	0.119	ND	ND	
Total Cannabinoids			1.500	15.00	
Total Potential THC			ND	ND	
Total Potential CBD			1.210	12.10	

Final Approval



Karen Winternheimer
11Oct2023
12:05:00 PM MDT

PREPARED BY / DATE



Sam Smith
11Oct2023
12:08:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/7fbcebbc-c370-4cf7-ace8-ccb567115d57>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
7fbcebbc3704cf7ace8ccb567115d57.1