

## PRODUCT INSTRUCTIONS Model Number: 30M-TB30

Revised January 29, 2019



Bogert Aviation Socata Epsilon TB30 Jack Pad Instruction Manual

## Socata Epsilon TB-30 Jack Pads

Jack pads for the Socata Epsilon military trainer aircraft. These jack pads thread into the wing tie downs and firewall jack points. The pad diameter is 2 inches and features a conical jack point that is compatible with most low wing jacks. These jack pads are heavy duty steel construction and use hardened steel studs.

Sold in set of 4

Model Number	Qty	Description
30M-TB30	4	Socata Epsilon TB-30 Jack Pad



The warnings, precautions, and instructions discussed in this manual cannot cover all possible conditions and situations that may occur. The operator must understand that common sense and caution are factors, which cannot be built into this product, but must be supplied by the operator.

## **Cautions:**

- Support the axle anytime the wheel is removed with a suitable axle stand or blocking. (Bogert Aviation 17M-LGSS, Landing Gear Safety Stand)
- Do not allow anyone to climb on or get into the aircraft while supported by a jack.
- "WARNING" Study, understand and follow all instructions before operating this device.
- Lifting device only.
- Immediately after lifting, support aircraft with appropriate means.
- Do not exceed rated capacity. Use only on hard, level surfaces capable of sustaining rated capacity loads.
- Lift only on those areas of the vehicle as specified by the vehicle manufacturer.
- Ensure that the lift point is properly centered on the jack saddle.
- Always wear safely glasses when using this equipment.

For more information, see our You-Tube Videos at <a href="https://www.youtube.com/user/BogertAviation">https://www.youtube.com/user/BogertAviation</a>
Or search for Bogert Aviation.

climbing on Course Since 1983



BOGERT AVIATION INC. 3606 N Swallow Ave Ste 100 Pasco, WA 99301 USA (509) 736-1513 Phone (800) 627-8088 Toll Free (509) 272-0280 Fax www.bogertaviation.com info@bogert-av.com







**4** Rev 1 29 19