

Dr. Scholl's[®] ClearAway[®] Plantar Wart Remover

The Drug labeling information on this website may differ from the product labeling on purchased product. Please consult your purchased package for information specific to that product.

Drug Facts	
Active ingredient	Purpose
Salicylic acid 40%	Wart remover
Uses • for the removal of plantar warts. The plantar wart is recognized by its bottom of the foot, its tenderness, and the interruption of the footprint pattern	location only on the
<i>Warnings</i> For external use only	
Do not use	
if you are a diabetic	
if you have poor blood circulation	
 on irritated skin or any area that is infected or reddened 	
 on moles, birthmarks, warts with hair growing from them, genital warts, or was 	arts on the face or
mucous membranes	
Stop use and ask a doctor if discomfort lasts	
Keep out of reach of children. If swallowed, get medical help or contact a Po	oison Control Center right
away.	
Directions	
 wash affected area 	
may soak wart in warm water for 5 minutes	
dry area thoroughly	
 if necessary, cut medicated disc to fit wart 	
 apply medicated disc directly over wart 	
 self-adhesive cushioning pads may be used to conceal medicated disc and v 	
 repeat procedure every 48 hours as needed (until wart is removed) for up to 	12 weeks
Other information	
store between 20° to 25°C (68° to 77°F)	
 protect from excessive heat (temperatures above 40°C (104°F)) 	
Inactive ingredients antioxidant (CAS 991-84-4), iron oxides, mineral oil, pe	troleum hydrocarbon resin,
silicon dioxide, synthetic polyisoprene rubber, talc	-
Questions? 1-866-360-3226	