

# Dr. Scholl's® Liquid Corn/Callus Remover

The Drug labeling information on this website may differ from the product labeling on purchased product. Please consult your purchased package for information specific to that product.

# **Drug Facts**

# Active ingredient

Purpose

Salicylic acid 17% w/w......Corn and callus remover

### Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

# Warnings

## For external use only

Flammable: Keep away from fire or flame.

#### Do not use

- if you have diabetes
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened

# When using this product

- if product gets in eyes, flush with water for 15 minutes
- do not inhale vapors
- cap bottle tightly and store at room temperature away from heat

Stop use and ask a doctor if discomfort lasts

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry
- repeat procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal
- protective pads may be used to cushion corn/callus during treatment

# Other information

- store between 20° to 25°C (68° to 77°F)
- · keep tightly closed
- retain card for full labeling

# Inactive ingredients

castor oil, ethyl lactate, flexible collodion, polybutene. (Contains alcohol 18% v/v and ether 53%v/v from flexible collodion).

Questions? 1-866-360-3226