



MICRON PRECISION SCREWS LTD.

STANDARD INDUSTRIAL FASTENERS

Price List No. MPS/75

EFFECTIVE FROM 12th Apr. 2022



Fasteners Division

Selector Guide	Tensile Strength Property Class		Size Range				Equivalent Standards					
			Diameter		Length							
	N/mm ² Min.	Psi Min.	Metric	Inch*	Metric	Inch*	IS	ISO	DIN	BS	ANSI/ASME	JIS
Socket Head Cap Screw	(1220) (12.9)	1,90,000	M5 to M24	3/16 to 1"	4mm to 300mm	3/8" to 10"	2269	4762	912	FOR INCH SERIES BS.2470	B18.3.1 M/ B18.3	B1176
Socket Low Head Cap Screw	(1040) (10.9)	---	M5 to M12	---	10mm to 80mm	---	---	---	6912 7984		---	---
Socket Counter Sunk Head Screw	(1040) (10.9)	---	M5 to M30	1/4" to 1"	10mm to 250mm	1/2" to 4"	6761	10642	7991		B18.3.5M/ B18.3	---
Socket Button Head Cap Screw	(1040)	(10.9)	M5 to M12	---	10mm to 50mm	---	---	7380	9427		B18.3.4M/ B18.3	---
Socket Set Screws Knurled Cap Point	Hardness HRC 45 Min.		M3 to M12	3/16" to 1/2"	3mm to 55mm	3/16" to 1.1/2"	6094	4029	916		B18.3.6M/ B18.3	B 1177
Socket Set Screws Special Points	Hardness HRC 45 Min.		M3 to M16	3/16" to 1/2"	3mm to 55mm	3/16" to 1.1/2"	---	4026 4027 4028	915 916 914		B18.3	
Hex Head Bolts/Screws	800/830 (8.8) 1,040 (10.9)	Grade R, S, V	M5 to M42	1/4" to 1"	8mm to 400mm	3/8" to 1.1/2"	1364	4014 4017	931 933		BSF/BSW BS:1083	B18.21
Hex Nuts	1040 (Proof Stress) (10)	Grade 8 Grade R Grade 5	M4 to M42	5/16" to 1"	---	---	1364	4032	934	UN/UNF BS:1768	B18.2.4.1M/ B18.2.2	B 1181
Special Products	800/830 (8.8) 1,040 (10.9)		M5 to M42	1/4" to 1"	6mm to 400mm	3/8" to 12"	As per customer specifications					



* Thread Type in any of the following inch series BSW, BSF, BA, UNC & UNF
 * All Standards are for latest version.

METRIC PRODUCTS							UNIFIED INCH PRODUCTS				B.S.INCH PRODUCTS					
SIZE	THREAD PITCH & T.P.I.				Major Dia.		SIZE	T.P.I.		Major Dia.	SIZE	T.P.I.		Major Dia	T.P.I.	Major Dia
	COARSE		FINE					UNC	UNF			BSW	BSF			
	PITCH	T.P.I.	PITCH	T.P.I.	mm	inch			inch				inch	BA		
	mm		mm													
M3	0.50	51.00			3.00	0.118	# 5	40	44	0.125	1/8	40		0.125		
							# 6	32	40	0.138	5BA			43.1	0.126	
											4BA			38.5	0.142	
M4	0.70	36.00			4.00	0.157	# 8	32	36	0.164	3BA			34.8	0.161	
M5	0.80	32.00			5.00	0.197	# 10	24	32	0.190	3/16"	24	32	0.187		
											2BA			31.3	0.185	
											1BA			28.2	0.209	
M6	1.00	25.00			6.00	0.236	1/4"	20	28	0.250	0BA			25.4	0.236	
											1/4"	20	26	0.250		
M8	1.25	20.00	1.00	25	8.00	0.315	5/16"	18	24	0.313	5/16"	18	22	0.313		
M10	1.50	17.00	1.25	20	10.00	0.394										
			1.00	25	10.00	0.394	3/8"	16	24	0.375	3/8"	16	20	0.375		
							7/16"	14	20	0.438						
M12	1.75	14.50	1.50	17	12.00	0.472										
			1.25	20	12.00	0.472	1/2"	13	20	0.500	1/2"	12	16	0.500		
(M14)	2.00	12.50	1.50	17	14.00	0.551										
M16	2.00	12.50	1.50	17	16.00	0.630	5/8"	11	18	0.625	5/8"	11	14	0.625		
(M18)	2.50	10.00	1.50	17	18.00	0.709										
M20	2.50	10.00	1.50	17	20.00	0.787	3/4"	10	16	0.750	3/4"	10	12	0.750		
M22	2.50	10.00	1.50	17	22.00	0.866	7/8"	9	14	0.875	7/8"	9	11	0.875		
M24	3.00	8.50	2.00	13	24.00	0.945	1"	8	12	1.000	1"	8	10	1.000		
					24.00	0.945										
M27	3.00	8.50			27.00	1.060	1.1/8"	7	12	1.125	1.1/8"	7	9	1.125		
M30	3.50	7.30			30.00	1.181	1.1/4"	7	12	1.250	1.1/4"	7	9	1.250		
M33	3.50	7.30			33.00	1.299										
M36	4.00	6.30			36.00	1.417	1.1/2"	6	12	1.500	1.1/2"	6	8	1.500		
M42	4.50	5.60			42.00	1.653										

SHCS of size above 1" are either as per ANSI B18.3 OR as per MPS - STANDARD

- Note:**
Surface Finish: All the MPS products, unless otherwise ordered specifically, are supplied in black thermal finish with a coat of rust preventive oil.
Packing: All the 'MPS' products are supplied in standard packing which is mentioned in Price Table.
lating: MPS recommends that no plating should be carried out on Socket Head products & do not stand any guarantee, as plating adds embrittlement to the strength level of product & configuration which may lead to failures in use.

The prices, specifications and other particulars contained in this Price List are subject to change without notice.



**RECOMMENDED CONSUMER NET PRICE IN RUPEES PER 100 PIECES
EXCLUSIVE OF GST**

**METRIC
SERIES**

EFFECTIVE FROM 12th Apr. 2022

DIAMETER / LENGTH mm	M5	M6	M8	M10	M12	M14	M16	M20	M24
4									
5									
6									
8	258	365							
10	205	365	595						
12	208	307	636	1063					
14			573						
16	219	301	589	1063	1914				
18	393	342	677	1064	1914				
20	255	324	618	1022	1603				
22	424	406	708	1200	1882				
25	276	376	661	1091	1663	4866	4780		
30	325	408	734	1274	1746	4482	3837		
35	380	467	783	1364	1841	3620	4039		
40	417	519	889	1443	1986	3711	4330	9005	15919
45	477	554	948	1592	2186	3738	4580	9207	15967
50	523	612	1034	1723	2366	3918	4800	9468	18065
55	633	698	1204	1797	2637	4204	5275	9623	19193
60	828	814	1242	1960	2744	4489	5275	9843	19811
65	1193	893	1366	2107	2944	4794	5702	10295	19984
70	1433	907	1537	2264	3124	5101	6017	10734	20131
75	1701	1098	1755	2334	3303	5346	6249	11957	21325
80	1802	1273	2086	2450	3481	5714	6748	12076	22578
85			2265	2589	3959	6047	7223		23587
90	2414	1514	2277	2645	4108	6428	7579	12771	23582
95			2404	2984	4522	6735	8126		24381
100	3331	1943	2407	2984	4522	6735	8128	14048	22890
105						7551			
110					4954	7551	8767	15111	27437
120					5386	11732	9510	18206	28537
130					6154	13333	10472	19454	31162
140					6765	13668	10987	20742	33596
150					7714	14938	12486	22049	35716
160							17464	25114	43205
170							18112	27443	45689
180							19186	32670	48762
190							20451		
200							21103	39552	59127



- (1) Material : High Grade Alloy Steel
- (2) Threads : IS-4218
- (3) Specifications : IS-2269 DIN 912 ISO-4762
- (4) Mechanical properties : IS-1367 Property Class 12.9
- (5) Shaded size are fully threaded



RECOMMENDED CONSUMER NET PRICE IN RUPEES PER 100 PIECES
EXCLUSIVE OF GST

METRIC
SERIES

EFFECTIVE FROM 12th Apr. 2022

DIAMETER / LENGTH mm	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"
1/4"								
3/8"	340							
1/2"	352	334	562	909				
5/8"	363		562					
3/4"	339	356	578	796	2041			
1"	369	434	645	903	1962	4244		
1.1/4"	471	490	692	1045	2206	3982		
1.1/2"	540	562	812	1194	2444	4188	8017	
1.3/4"	686							
2"	717	718	968	1467	2931	5006	8879	
2.1/4"			1118					
2.1/2"		996	1363	1752	3549	5412	9628	
2.3/4"								
3"		1392	1780	2079	4031	6252	10449	25703
3.1/4"								
3.1/2"		2026	2247	2709	4774	7097	11278	30159
4"		2797	2810	3053	5080	8196	12440	31100
4.1/2"			4494	4604	6118	9884	14515	36495
5"			5662	5613	6634	10818	16160	36508
5.1/2"			6530	6344	7496	12614	18428	
6"			7548		8460	13302	22340	42759
6.1/2"							25302	
7"						20753	29513	
7.1/2"								
8						27018	33724	56085



- (1) Material : High Grade Alloy Steel RC-38-44
- (2) Threads : BS-84 (BSW)
- (3) Specifications : BS-2470
- (4) Mechanical properties : BS-2470
- (5) Shaded size are fully threaded



RECOMMENDED CONSUMER NET PRICE IN RUPEES PER 100 PIECES
EXCLUSIVE OF GST

EFFECTIVE FROM 12th Apr. 2022

METRIC
SERIES

INCH

DIAMETER / LENGTH mm	M5	M6	M8	M10	M12	M16	M20	M24
3								
4								
5								
6								
8	204	259						
10	198	248	697					
12	198	231	431					
16	210	243	454	758				
20	232	267	499	806	1618			
25	266	303	573	918	1386			
30	312	380	632	1056	1659	5638		
35	335	389	731	1175	1782	5381		
40	420	534	794	1344	1978	5124	11786	
45	595	826	1253	1682	2286	5381		
50	675	881	1304	1822	2316	5648	14428	24404
55		1024	1511	1986	2889	5915		
60		1272	1920	2240	2910	6288	15078	21135
65			1970	2415	3622	6823		
70			2355	2591	4034	7253	15735	23284
75			2740		4334	7579	16385	
80					4688	8147	17233	26380
90					5425	9810	19026	28017
100					6280	10484	20815	30171
110					7815	11829	22604	32324
120					8751	12982	24393	34505
130					9688	13835	26182	36658
140					10624	15288	27971	38812
150					11561	16141	29760	42045
160							31727	44414
170							33890	49179
180							36269	52044
190							38885	55196
200							41762	57578

DIAMETER / LENGTH mm	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
3/8"	407					
1/2"	454	540				
3/4"	491	567	869	1984		
1"	556	648	1007	2465	4285	
1.1/4"	632	761	1161	2745	4285	
1.1/2"	886	1042	1579	3098	4797	10606
2"	988	1620	1903	3583	5422	11664
2.1/4"			2158	3927	5830	12722
2.1/2"			2567	3922	7361	12722
3"			3292	4484	8254	15163
3.1/2"			4017	5019	9148	19051
4"			4742	5484	10041	22313



- (1) Material : High Grade Alloy Steel RC-33-38
- (2) Threads : IS-2418 / BS-84
- (3) Specifications : DIN-7991 / BS-2470
- (4) Mechanical properties : IS-1367 / BS-2470
- (5) Shaded size are fully threaded



RECOMMENDED CONSUMER NET PRICE IN RUPEES PER 100 PIECES
EXCLUSIVE OF GST
EFFECTIVE FROM 12th Apr. 2022

**METRIC
SERIES**

DIAMETER / LENGTH mm	M 5	M 6	M 8	M 10	M 12
8	297	302			
10	245	274	446		
12	245	302	442		
16	260	315	535	926	2194
20	267	349	555	977	2237
25	323	402	648	1058	2277
30	385	460	697	1180	2522
35	402	491	736	1301	2811
40	448	558	866	1491	3079
45	601	636	1219	1640	3347
50	622	691	1286	2009	
60		825	1719		



- (1) Material : High Grade Alloy Steel RC-33-38
- (2) Threads : IS-4216
- (3) Specifications : ISO- 7380
- (4) Mechanical properties : IS-1367
- (5) All size are fully threaded



RECOMMENDED CONSUMER NET PRICE IN RUPEES PER 100 PIECES

EXCLUSIVE OF GST

EFFECTIVE FROM 12th Apr. 2022

HARD-EN-31
TOL.m6-
AS (IS 6689)

LENGTH mm	3	4	5	6	8	10	12	16	20
8	404	447							
10	422	474	513	536					
12	438	490	536	536					
14	474	508	566	551					
16	502	532	581	581	744	1117			
18	536	563	627	636	789	1117			
20	566	588	673	689	831	1117	1760		
25	618	652	741	759	933	1301	1760	3198	
30	673	711	820	842	1071	1484	2004	3727	5854
35	734	780	884	887	1209	1683	2234	4293	6686
40	780	849	933	995	1362	1815	2494	4896	7528
45	826	912	967	1102	1515	2004	2772	5465	8384
50	887	979	1025	1203	1652	2188	3036	6044	9333
55	964	1016	1079	1301	1798	2433	3286	6631	10297
60	1025	1071	1203	1454	1974	2705	3573	7283	11261
65	1080	1132	1288	1553	2142	2956	3825	7857	12049
70	1178	1206	1385	1652	2347	3222	4131	8394	12929
75	1264	1301	1487	1747	2525	3481	4575	8941	13831
80	1346	1400	1591	1867	2693	3749	4873	9455	14795
90	1506	1588	1842	2066	3020	4223	5386	10600	16646
100	1683	1784	2127	2280	3351	4774	5991	11686	18467
110			2417	2726	3779	5447	6815	13097	21175
120			2708	3106	4296	6028	7589	14198	23333
125			2892	3338	4566	6350	7980	14719	24388
150				4689	5991	8186	9945	17473	29621



RECOMMENDED CONSUMER NET PRICE IN RUPEES PER 100 PIECES

EXCLUSIVE OF GST

EFFECTIVE FROM 12th Apr. 2022

**METRIC
SERIES**

GRADE
8.8/10.9

DIAMETER / LENGTH mm	M5	M6	M8	M10	M12	M14	M16	M18	M 18 fine pitch
8		189	379						
10	224	209	380						
12	248	222	410						
14	290	241	435						
16	281	256	461	843	1232				
18	337	270	476						
20	333	288	517	926	1350				
22	367	302	545	971					
25	378	341	584	1032	1500	2226			
30		391	669	1132	1648	2435	4195		
35		441	752	1276	1797	2532	4004	4948	5443
40		491	786	1398	2008	2739	3814	5302	5832
45		520	912	1463	2184	3116	4089	5649	6214
50		570	990	1584	2363	3364	4450	6007	6607
55		615	1072	1770	2586	3670	4762	6407	7048
60		662	1152	1894	2769	3930	5085	6763	7439
65		713	1225	2016	2952	4189	5396	7545	8300
70		761	1311	2138	3134	4420	5714	7990	8789
75		809	1393	2267	3317	4665	6028	8429	9272
80		861	1471	2389	3496	4906	6351	8827	9710
85		906	1552	2515	3683	5156	6664	9274	10202
90		954	1632	2639	3862	5407	6978	9713	10685
95		1002	1710	2761		5656	7301	10150	11165
100		1051	1792	2883	4222	5903	7613	10849	11934
105			1884	3007		6156	7935	11301	12431
110			1977	3131	4588	6406	8253	11748	12923
120			2308	3380	4955	6656	8885	12662	13928
125			2392	3502	5140	6907	9197	13032	14335
130			2463	3595	5279	7157	9463	13371	14708
135				3689		7407	9786		
140			2637	3852	5647	7657	10108	14288	15717
150			2816	4098	6007	8157	10733	15191	16710
160			2987	4346	6712	8657	11363	16084	17692
170			3163	5511	7151	9158	11827	16856	18541
180			3340	5807	7607	9658	12641	17892	19681
200			3691	6402	8081	10658	13900	19702	21672
210						11159	14533	20605	22666
220						11659	15166	21508	23659
230						12159	15799	22411	24652
240						12659	16431	23314	25646
250						13159	17064	24217	26639
260							17697	25120	27632
280							18994	26959	29655
300							20292	28799	31678
320									
340									
360									
380									
400									



- (1) Threads : IS-4218
- (2) Specifications : IS - 1364, ISO-4014/4017/4032
- (3) Supply Condition : IS-1367
- (4) Shaded Sizes Are Fully Threaded.



RECOMMENDED CONSUMER NET PRICE IN RUPEES PER 100 PIECES

EXCLUSIVE OF GST

EFFECTIVE FROM 12th Apr. 2022

**METRIC
SERIES**

GRADE
8.8/10.9

DIAMETER / LENGTH mm	M20	M 20 fine pitch	M22	M24	M27	M30	M33	M36	M42
8									
10									
12									
14									
16									
18									
20									
22									
25									
30									
35	6352	7190		10928					
40	6807	7706		11627					
45	7258	8217		12345					
50	7717	8736	10599	13065		43072			
55	8231	9318	11304	13773					
60	8747	9901	12058	14483	28027	38858			
65	9262	10485	12385	15325					
70	9753	11041	12997	16107	28027	38858			
75	10257	11612	13643	16908	30127	38858	52194	69296	
80	10760	12181	14326	17681	30982	38669	55185	64795	
85	11272	12760	14980						
90	11784	13339	15643	19245	33721	41973	58540	66627	104186
95	12286	13908	16287						
100	12796	14485	16685	20824	36486	45170	61794	67079	110177
105	13293	15048	17302						
110	13804	15627	17956	22392	39341	49686	66449	71639	116190
120	14813	16769	19213	23954	40340	50785	68064	73030	117092
125	15323	17346	19940						
130	15755	17836	20532	25535	41670	53071	71733	76854	122035
135									
140	16779	18995	21817	26458	44304	56362	77229	81732	128825
150	17782	20130	23072	28676	46938	60165	80681	85595	135604
160	18808	21291	24387	30222	52773	67350	85462	94054	142382
170	19805	22420	25761	31796					
180	20825	23574	26919	33366	58388	74172	93582	109069	155324
200	22863	25881	29494	36525	63595	80912	101801	118222	162343
210	30366	34376	41897	38097	68801				
220	31656	35836	43648	39672	91427	103524	125995	150320	213129
230	32963	37315	45435	41248					
240	34262	38786	47206	42823	98577	110812	135295	161150	228941
250	35558	40253		44398					
260	36781	41637		47549	105053	118111	145430	171957	244822
280	39228	44407		50700	111499	128331	155525	187051	260663
300	41675	47178		53850	116765	135759	165624	224552	276473
320					122030	165994		308305	339135
340					127295	185914		357633	382297
360						219112		394629	428544
380						258950		431628	474789
400						305428		474789	524118



- (1) Threads : IS-4218
- (2) Specifications : IS - 1364, ISO-4014/4017/4032
- (3) Supply Condition : IS-1367
- (4) Shaded Sizes Are Fully Threaded.



RECOMMENDED CONSUMER NET PRICE IN RUPEES PER 100 PIECES

EXCLUSIVE OF GST

EFFECTIVE FROM 12th Apr. 2022

**INCH
SERIES**

BSW/UNC/UNF
GR.5/ GR.8

DIAMETER / LENGTH / mm	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	3/4"	7/8"	1"
1/2"	338	534								
3/4"	551	487	717	991	1590					
7/8"	342	533	779	1063	1687					
1"	374	581	789	1142	1720					
1-1/8"	410	627	856	1223	1909					
1-1/4"	448	672	923	1306	2032					
1-3/8"	473	721	990	1388	2150					
1-1/2"	507	762	1060	1471	2185	2947	3651	5954	8632	10190
1-5/8"	544	815	1128	1561	2395	3242	3985	6232	8982	10612
1-3/4"	578	858	1259	1640	2513	3420	4181	6509	9337	11006
1-7/8"	607	906	1324	1719	2634	3598	4363	6789	9686	11400
2"	642	949	1339	1804	2652	3661	4381	7066	10038	11791
2-1/8"	680	996	1460	1881	2877	3953	4754	7345	10432	12183
2-1/4"	709	1044	1524	1965	3000	4131	4932	7622	10828	12578
2-3/8"	747	1094	1590	2048	3117	4309	5123	7901	11222	13021
2-1/2"	773	1138	1660	2134	3239	4487	5312	8180	11653	13461
2-5/8"	808	1185	1726	2223	3359	4662	5498	8451	12015	13906
2-3/4"	845	1232	1788	2297	3485	4840	5474	8728	12408	14349
2-7/8"	878	1275	1857	2378	3601	5018	5879	9007	12802	14786
3"	914	1323	1922	2458	3581	5196	5829	9284	13200	15227
3-1/8"	947	1371	1996	2546	3844	5374	6256	9564	13593	15670
3-1/4"	983	1416	2057	2632	3962	5551	6447	9838	13987	16115
3-3/8"	1016	1440	2124	2710	4087	5729	6637	10110	14381	16554
3-1/2"	1049	1511	2193	2791	4206	5907	6819	10393	14778	17000
3-5/8"	1077	1559	2259	2871	4327	6085	7010	10668	15172	17441
3-3/4"	1112	1600	2324	2960	4452	6263	7200	10945	15566	17882
3-7/8"	1148	1647	2393	3039	4574	6440	7387	11226	15963	18328
4"	1180	1698	2461	3119	4694	6618	7283	11499	16357	18766
4-1/8"	1214	1745	2529	3206	4813	6794	7763	11780	16751	19207
4-1/4"		1790	2591	3286	4932	6972	7948	12050	17146	19650
4-3/8"		1837	2659	3366	5053	7150	8147	12336	17542	20096
4-1/2"		1880	2727	3451	5172	7327	8334	12608	17935	20534
4-5/8"		1919	2796	3536	5301	7505	8528	12886	18331	20977
4-3/4"			2935	3712	5566	7880	8954	13531	19248	22026
5"			3082	3898	5844	8274	9402	14207	20210	23128
5-1/4"			3236	4093	6136		9872	14917	21221	24284
5-1/2"			3398	4297	6443		10365	15663	22282	25498
5-3/4"			3568	4512	6765		10884	16446	23396	26773
6"			3746	4738	7103		11428	17269	24565	28112
6-1/4"			3934					18132	25794	29517
6-1/2"			4130					19039	27083	30993
6-3/4"			4337					19991	28438	32543
7"			4554					20990	29859	34170
7-1/4"								22040	31352	35878
7-1/2"								23142	32920	37673
7-3/4"								24299	34566	39556
8"								25514	36295	41534
8-1/2"										43611
9"										45792
9-1/4"										48081
9-1/2"										50485



- (1) Threads : IS-4218
- (2) Specifications : IS - 1364, ISO-4014/4017/4032
- (3) Supply Condition : IS-1367
- (4) Shaded Sizes Are Fully Threaded.



RECOMMENDED CONSUMER NET PRICE IN RUPEES PER 100 PIECES

EXCLUSIVE OF GST

EFFECTIVE FROM 12th Apr. 2022

**METRIC
&
INCH
SERIES**

METRIC SERIES	GR.8	GR.10
SIZE	PRICE	PRICE
M 5	80	
M 6	107	
M 8	207	
M 10	367	
M 12	615	
M 14	1152	1410
M16	1451	1473
M18	2341	2363
M 20	3052	3074
M 22	3742	3763
M 24	5209	5231
M 27		8348
M 30		11660

INCH SERIES	
SIZE	PRICE
1/4"	172
5/16"	262
3/8"	365
7/16"	730
1/2"	920
5/8"	1744
3/4"	3198

SAE	B.S.	I.S. I.S.O. DIN	ULTIMATE TENSILE STRENGTH RANGE			HARDNESS		
			(Kgf/mm ²)	Newtons/mm ²	Pounds/inch ² (P.S.I.)	BHN	HRB	HRC
		4.6	40.8/81.5	400/800	58000/116400	114 238	67 99.5	
GRADE 1			42.2/81.5	414/800	59000/116400	(121) (241)	70 100	
		4.8	42.8/81.5	420/800	59000/116400	124 238	71 99	
		5.6	51/81.5	500/800	72000/116400	147 238	79 99	
GRADE 2			51.3/81.5	502/800	72000/116400	(150) (241)	80 100	
		5.8	53/81.5	520/800	75000/116400	152 238	82 99.5	
	P		55/81.5	579/800	75000/116400	152 240	82 99.5	
		6.8	61/81.5	600/800	87000/116400	181 238	89 99.5	
	R		71/98	696/965	101500/140000	201 285	93	30
	S		79/108	770/1060	112100/154200	223 310		(20/33)
		8.8	81.6/106 84.6/111	800/1040 upto M16 830/1090 above M16	116500/150000 120800/158600	238/304 242/318		22/32 23/34
GRADE 5			87/111	852/1090	124000/158500	253 318		25/34
	T		86/115	840/1127	123000/164000	247/335	--	24/36
	U		93/115	916/1127	132000/164000	271/335		28/36
	V		101/128	995/1255	144000/182000	295/370		31/40
GRADE 8			108/124	1060/1220	154000/177000	312 362		(33/39)
		10.9	106/124	1040/1220	156000/177000	304 362		(32/39)
	W		108/132	1060/1293	154000/190000	312 381		(33/41)
	X		118/146	1156/1430	169000/210000	341 410		(37/44)
		12.9	124/146	1220/1430	177000/210000	362 410		(39/44)
	Y		124/151	1220/1484	177000/216000	362 432		(39/46)
	Z		148/166	1455/1630	210000/237100	425/475		(45/49)

1Kgf = 9.81 Newtons

1kgf/mm² = 1421.7 Psi

All Quotations, Orders of Contracts are subject to the following conditions of Sale. Any qualification of these conditions made by the Purchaser, will not apply unless expressly accepted in writing by Micron Precision Screws Limited (hereinafter called the Company)

1. This price list is effective from 01.04.2018 and it supersedes all previous price lists for the items covered hereunder.
2. **PRICES:-** The prices to be charged at the time of dispatch shall be determined by deducting the discount from the above LP. The percentage of discount from LP shall be communicated separately from time to time. The prices determined as above shall be F.O.R. Rohtak/Destination basis. Sales tax, Excise duty and other taxes shall be charged extra as applicable at the time of dispatch. Any increase in the duties, levies or taxes levied by the Government shall be to the Purchaser's account. The Company reserves the right to amend the price without prior notice.
3. **LOSS OR DAMAGES:-** The Company's responsibility ceases on handling over goods to the carriers. The Company accepts no responsibility for loss or damages to goods in transit.
4. **PACKING:** - Prices quoted are for packing in cartoons.
5. **PAYMENT:** - Documents shall be negotiated through Bank to be honoured on presentation irrespective of whether the goods reach the destination or not. For the period of delay beyond the due date, panel interest @ 18% per annum or at such rates charged by our Bankers will be payable.
6. **DELIVERY:** - All Ex-stock offers are subject to goods remaining unsold at the time of receipt of the Order. For forward delivery dates are given without any guarantee and no responsibility can be accepted by the Company for delay in delivery or failure to deliver due to circumstances beyond the Company's control. Delivery/despatch may be made in one lot or several lots.
7. **FORCE MAJEURE:** - The Company shall not be responsible for failure or delay in delivery of goods or any part thereof (or any consequential damages) due to acts of God, enemies to the Government of India, wars, revolution, embargo, riots, civil or political disturbances, strikes, lockouts, stoppages of labour, shortage of raw material and/or labour, shortage of motive-power, non-availability of shipping spaces or import or export licences, break-down of machinery, restraints imposed on the Company by the Government, municipality or any other cause beyond the Company's control, such failure/delay shall not entitle the Purchaser's to cancel the contract nor is the Company liable to make good any damage arising from such failure to deliver or delay in delivery.
8. **INFRINGEMENT OF PATENT & TRADE MARK:** - When products are forged to customer's drawings/specifications, the responsibility to ensure that these do not result in infringement of any patent or trade mark will lie entirely with the customer concerned who shall be responsible for consequences if any in case of any such infringement.
9. **CONFIRMATION:** - The Company accepts no responsibility for orders booked by Company sales men or agents till it is confirmed in writing by the Company.
10. **ACCEPTANCE & RETURN:** - Wrong despatches should be notified/reported to the Company within 15 days from the date of receipt of the goods along with copy of packing slip and the Company's consent should be obtained in writing before return of such goods.
11. **ROAD PERMITS:** - Applicable as per Government Rules.
12. **CANCELLATION OF ORDERS:** - The Company reserves the right to refuse the cancellation of the order once it has been accepted. Failure on the part of purchaser to accept the delivery and make payments will be considered a breach of contract and the Company shall be entitled to cancel the contract and forfeit the deposit paid by the purchaser, if any.
13. **GUARANTEE:** - We undertake free replacement of goods against manufacturing defects only. The Company shall not be responsible for any contingent or resulting liabilities or loss arising though any defect in goods supplied.
14. Supplies shall be in natural finish unless otherwise specified. For supply in zinc plating etc. the rate shall be extra.
15. The dealer will not deal in fasteners of sub-standard quality bearing deceptively similar monograms as employed on our products. Such an act will deprive the dealer for dealing in our products.
16. Any disputes or claims arising on or out of, or in connection with quotations, orders or contracts for the supply of goods by the Company shall be referred to the sole Arbitrator appointed by the Managing Director of the Company and the award made by such our Arbitrator shall be final and binding on both the parties.



HEAD Office: 8th Milestone, Delhi Road, Rohtak 124001, Haryana
Phone :- +91-8395987100, +91- 7060007325
E-mail: info@mpsfasteners.com, sales@mpsfasteners.com

Delhi Office: 208, 2nd Floor, RG City Centre, Opposite Paharganj
Police Station, Desh Bandu Gupta Road
New Delhi- 110055 | M. : +91- 9310079485
Telefax:- 011-23535349, 49124881
E-mail: delhi@mpsfasteners.com, delhi1@mpsfasteners.com

Bangalore Office : S.P.A Plaza, No. 24&25, Nagarath Pet,
O.T.C Road, Bangalore-560002,
Phone :- +91- 9632912891, +91-9448352521, +91-80-41140470



MICRON PRECISION SCREWS LTD.

Thank you!

