

Safety Data Sheet (SDS)

SECTION 1: PRODUCT AND COMPANY INFORMATION

SUPPLIER / DISTRIBUTOR

Owners Pride
4859 S. 136th Street
Omaha, NE 68137
Telephone: 402-715-9749
Emergency Telephone: CHEMTREC
800-424-9300

PRODUCT IDENTIFIER

660 – Super Wash

OTHER COMMON NAMES OR SYNONYMS

Section 2: Hazard(s) Identification

GHS CLASSIFICATION

HEALTH HAZARDS

Serious Eye Damage/Eye Irritation - Category 2A

UNKNOWN TOXICITY

Acute toxicity, oral - 0.0 %

Acute toxicity, dermal - 0.0 %

Acute toxicity, inhalation, vapor - 6.6 %

Acute toxicity, inhalation, dust or mist - 6.6

GHS LABEL ELEMENTS



Signal word: **DANGER!**

HAZARD STATEMENT(S)

Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

PREVENTION

Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

RESPONSE

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If exposed or concerned: Get medical advice/attention.

STORAGE

Store locked up

DISPOSAL

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

OTHER HAZARDS

None identified.

Section 3: Composition/Information on Ingredients

The identity of individual components of this mixture is proprietary information and is regarded to be a trade secret and is withheld in accordance with paragraph (i) of §1910.1200.

Ingredient	% by Wt.
Water	2-10%
Surfactant Blend	90-98%

Section 4: First-Aid Measures

GENERAL: If exposed or concerned: Get medical advice/attention.

INGESTION: Rinse mouth. Get medical attention if symptoms occur.

INHALATION: Remove exposed person to fresh air if adverse effects are observed.

SKIN CONTACT: Take off contaminated clothing and wash before re-use. Wash with soap and water. If skin irritation occurs, get medical attention.

EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Most important symptoms/effects, acute and delayed:

SYMPTOMS

Symptoms may be delayed.

Indication of immediate medical attention and special treatment needed

TREATMENT

Treat symptomatically.

Section 5: Fire-Fighting Measures

GENERAL FIRE HAZARDS: No unusual fire or explosion hazards noted.

SUITABLE EXTINGUISHING MEDIA: Use extinguishing agents appropriate for surrounding fire.

UNSUITABLE EXTINGUISHING MEDIA: Not determined.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: See section 10 for additional information. Material will not burn until water has been evaporated. Container may rupture on heating. Water or foam may cause frothing. Avoid solid streams of water. Use water spray.

SPECIAL FIRE FIGHTING PROCEDURES: No data available.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: Recommend wearing self-contained breathing apparatus.

Section 6: Accidental Release Measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Ventilate area if spilled in confined space or other poorly ventilated areas. Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Wash area with soap and water. Spilled liquid and dried film are slippery. Use care to avoid falls. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas.

ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

Section 7: Handling and Storage

PRECAUTIONS FOR SAFE HANDLING

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid contact with eyes. Observe good industrial hygiene practices. Provide adequate ventilation. Use personal protective equipment as required. Wash hands thoroughly after handling. Launder contaminated clothing before reuse. Avoid environmental contamination.

Avoid contact with eyes and prolonged or repeated contact with skin. Avoid breathing mists or vapors. When using do not eat, drink or smoke. Stir well before use. Keep containers closed when not in use. Minimize contact with air to reduce contamination with mold, fungus, or other organisms which could cause decomposition or spoilage. Wash thoroughly after handling.

MAXIMUM HANDLING TEMPERATURE

Not determined.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store away from incompatible materials. See section 10 for incompatible materials. Keep from freezing. Do not store in open, unlabeled or mislabeled containers.

MAXIMUM STORAGE TEMPERATURE

Not determined.

Section 8: Exposure Controls/Personal Protection

CONTROL PARAMETERS

OCCUPATIONAL EXPOSURE LIMITS

None of the components have assigned exposure limits.

APPROPRIATE ENGINEERING CONTROLS

Use material in well ventilated area only. Adequate ventilation should be provided so that exposure limits are not exceeded. Mechanical ventilation or local exhaust ventilation may be required.

INDIVIDUAL PROTECTION MEASURES

GENERAL INFORMATION

Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust

ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

EYE/FACE PROTECTION

If contact is likely, safety glasses with side shields are recommended.

SKIN PROTECTION / HAND PROTECTION

Suitable gloves can be recommended by the glove supplier. Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur wear chemically protective gloves.

OTHER

Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material.

RESPIRATORY PROTECTION

A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Under normal use conditions, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.

HYGIENE MEASURES

Observe good industrial hygiene practices. Avoid contact with eyes. Wash hands before breaks and immediately after handling the product.

Section 9: Physical and Chemical Properties

PHYSICAL STATE Liquid	FLASH POINT Material will not burn.	VAPOR DENSITY No data available.
FORM Liquid	EVAPORATION RATE No data available.	RELATIVE DENSITY 1 - 1.01 68 °F (20 °C)
COLOR Colorless to white	FLAMMABILITY (SOLID, GAS) No data available.	SOLUBILITY IN WATER Insoluble in water
ODOR Slight	FLAMMABILITY LIMIT - UPPER (%) No data available.	SOLUBILITY (OTHER) No data available.
ODOR THRESHOLD No data available.	FLAMMABILITY LIMIT - LOWER (%) No data available.	PARTITION COEFFICIENT (N- OCTANOL/WATER) No data available.
PH No data available.	EXPLOSIVE LIMIT - UPPER (%) No data available.	AUTO-IGNITION TEMPERATURE No data available.
FREEZING POINT No data available.	EXPLOSIVE LIMIT - LOWER (%) No data available.	DECOMPOSITION TEMPERATURE No data available.
BOILING POINT Approximate 212 °F (100 °C)	VAPOR PRESSURE No data available.	VISCOSITY No data available.

Section 10: Stability and Reactivity

REACTIVITY

No data available.

CHEMICAL STABILITY

Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS

Will not occur.

CONDITIONS TO AVOID

Do not freeze.

INCOMPATIBLE MATERIALS

Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids.

Section 11: Toxicological Information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

ROUTES OF EXPOSURE

INHALATION: No data available.

INGESTION: No data available.

SKIN CONTACT: Causes mild skin irritation.

EYE CONTACT: Causes serious eye irritation.

TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

ORAL: ATEmix > 10.000 mg/kg.

DERMAL: Not classified for acute toxicity based on available data.

INHALATION: Not classified for acute toxicity based on available data.

SKIN CORROSION/IRRITATION: Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin. Remarks: Causes mild skin irritation.

SERIOUS EYE DAMAGE/EYE IRRITATION: Causes serious eye irritation.

RESPIRATORY SENSITIZATION

Formaldehyde - (Literature) May cause skin sensitization in sensitive individuals.

SKIN SENSITIZATION:

Coconut diethanolamide - Not a skin sensitizer.

Formaldehyde - May cause sensitization by skin contact. (Literature)

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE:

Alkanolamide - If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Ammonium laureth sulfate - If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Sodium lauryl ether sulfate - If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Coconut diethanolamide - May cause irritation to the mucous membranes and upper respiratory tract.

Formaldehyde - May cause respiratory irritation.

ASPIRATION HAZARD: No data available

CHRONIC EFFECTS

This product contains 0.09% or less of Formaldehyde, which is below the cut off for categorization as a carcinogen.

CARCINOGENICITY:

Butyl cellosolve - A National Toxicology Program (NTP) chronic inhalation study revealed some evidence of carcinogenic activity in male and female mice, equivocal evidence in female rats. and no evidence in male rats.

IARC MONOGRAPHS ON THE EVALUATION OF CARCINOGENIC RISKS TO HUMANS:

Formaldehyde - Overall evaluation: 1. Carcinogenic to humans.

US. NATIONAL TOXICOLOGY PROGRAM (NTP) REPORT ON CARCINOGENS:

Formaldehyde - Known To Be Human Carcinogen.

US. OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1050):

Formaldehyde - Cancer

GERM CELL MUTAGENICITY:

Alkanolamide - The Ames Salmonella test for mutagenicity was negative for this product.

REPRODUCTIVE TOXICITY: No data available

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE:

Formaldehyde - Unknown: Target Organ(s): Central nervous system.

Section 12: Ecological Information (non-mandatory)

Fish

Ammonium laureth sulfate	LC 50 (Zebra Fish, 4 d): 1 - 10 mg/l
Sodium lauryl ether sulfate	LC 50 (Zebra Fish, 4 d): > 1 - 10 mg/l
Coconut diethanolamide	LC 50 (Zebra Fish, 4 d): 3.6 mg/l
Formaldehyde	LC 50 (Striped Bass, 4 Days): 6.7 mg/l

Aquatic Invertebrates

Ammonium laureth sulfate	EC 50 (Water flea (<i>Daphnia magna</i>), 48 h): 1 - 10 mg/l NOEC (Water flea (<i>Daphnia magna</i>), 21 d): 0.1 - 1 mg/l
Sodium lauryl ether sulfate	EC 50 (Water flea (<i>Daphnia magna</i>), 48 h): > 1 - 10 mg/l NOEC (Water flea (<i>Daphnia magna</i>), 21 d): > 0.1 - 1 mg/l
Coconut diethanolamide	EC 50 (Water flea (<i>Daphnia magna</i>), 2 d): 2.39 mg/l EC 50 (Water flea (<i>Daphnia magna</i>), 21 d): > 2.7 mg/l NOEC (Water flea (<i>Daphnia magna</i>), 21 d): 0.9 mg/l
Formaldehyde	EC 50 (Water flea (<i>Daphnia pulex</i>), 2 d): 5.8 mg/l

Toxicity to Aquatic Plants

Ammonium laureth sulfate	EC 50 (Green algae (<i>Selenastrum capricornutum</i>), 72 h): 10 - 100 mg/l
Sodium lauryl ether sulfate	EC 50 (Green algae (<i>Selenastrum capricornutum</i>), 3 h): > 10 - 100 mg/l
Coconut diethanolamide	EC 50 (Alga, 3 d): 2.2 mg/l
Formaldehyde	EC 50 (Green algae (<i>Scenedesmus quadricauda</i>), 3 Days): 4.89 mg/l

Toxicity to soil dwelling organisms No data available

Sediment Toxicity No data available

Toxicity to Terrestrial Plants No data available

Toxicity to Above-Ground Organisms No data available

Persistence and Degradability

Biodegradation

Ammonium laureth sulfate	OECD TG 301 B, > 85 %, 28 d, Readily biodegradable
Sodium lauryl ether sulfate	OECD TG 301 B, > 90 %, 28 d, Readily biodegradable
Coconut diethanolamide	OECD TG 301 D, 71 %, 30 d, Readily biodegradable
Formaldehyde	OECD TG 301 D, 90 %, 28 d, Readily biodegradable OECD TG 301 C, 91 %, 14 d, Readily biodegradable

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Formaldehyde	Bioconcentration Factor (BCF): 1 (Measured)
--------------	---

Partition Coefficient n-octanol / water (log Kow)

Formaldehyde	Log Kow: 0.35 (Read across)
--------------	-----------------------------

Mobility: No data available.

Other Adverse Effects: No data available.

Section 13: Disposal Considerations (non-mandatory)

Section 14: Transport Information (non-mandatory)

Section 15: Regulatory Information (non-mandatory)

Section 16: Other Information

PREPARATION / REVISION DATE

05/14/2015

OTHER INFORMATION

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

DISCLAIMER

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.