Safety Data Sheet



Issue Date: 9-January 2022 Revision Date: New SDS Version: 1.0

1. IDENTIFICATION

Product Identifier

Product Name Evans Collectors Choice Waterless Engine Coolant

Product Number EC31001

Other means of identification

SDS # 009

Recommended use of the chemical and restrictions on use

Recommended Use Coolant.

Details of the supplier of the safety data sheet

Manufacturer Address Evans Cooling Systems, Inc. 68 Bridge St, Suite 214 Suffield, CT 06078 www.evanscooling.com

Emergency Telephone Number

Company Phone Number 860-668-1114

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Yellow liquid Physical State Liquid Odor Faint sweet

Classification

| Acute toxicity - Oral | Category 4 |
|--|------------|
| Reproductive toxicity | Category 2 |
| Specific Target Organ Toxicity – Repeated Exposure | Category 2 |

Signal Word Warning

Hazard Statements

Harmful if swallowed

Suspected of damaging fertility or the unborn child

May cause damage to kidneys through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Do not breathe mist or vapor

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|----------------------------|------------|----------|
| Ethylene glycol | 107-21-1 | 74-90% |
| Diethylene Glycol | 111-46-6 | 5-15% |
| 1,3 Propanediol | 504-63-2 | 1-10% |
| Potassium 2-Ethylhexanoate | 3164-85-0 | <4% |
| Potassium Neodecanoate | 26761-42-2 | <2% |
| Denatonium Benzoate | 3734-33-6 | 40 ppm |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse thoroughly with plenty of water for several minutes, lifting lower and upper eyelids.

Get medical attention if irritation persists.

Skin Contact Remove contaminated clothing. Wash off immediately with plenty of soap and water. Get

medical attention if irritation persists.

Inhalation Remove to fresh air. If irritation develops or breathing is difficult, get medical attention.

Ingestion Rinse mouth with water. Do not induce vomiting unless directed by medical personnel. Get

medical attention.

Most important symptoms and effects

Symptoms Contact with eyes may cause slight transient irritation. Prolonged or repeated contact with

skin may cause irritation. If significant vapors or mists are inhaled, exposure may result in irritation to the upper respiratory system. Harmful if swallowed. Ingestion of ethylene glycol may cause abdominal pain, nausea, vomiting and central nervous system effects. Severe kidney injury may occur. Suspected of causing reproductive effects based on animal data.

Indication of any immediate medical attention and special treatment needed

No immediate medical attention is required.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, /NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Spread granular absorbent. Sweep up and place in container for disposal. Comply with spill

all local notification requirements. All response activities must comply with HAZWOPER (29CFR 1910.120). Dispose of contents/container to an approved waste disposal plant.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash face, hands, and any exposed skin thoroughly after

handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up.

Incompatible Materials Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------------|---|------------------|------------------|
| Ethylene glycol 107-21-1 | 25 ppm TWA, 50 ppm STEL (as vapor), 10 mg/m³ STEL (as inhalable fraction of the aerosol) (vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m³ None Establis | | None Established |
| Diethylene glycol 111-46-6 | None Established | None Established | None Established |
| 1,3 Propanediol 504-63-2 | None Established | None Established | None Established |
| Potassium 2-Ethylhexanoate 3164-85-0 | None Established | None Established | None Established |
| Potassium Neodecanoate 26761-42-2 | None Established | None Established | None Established |
| Denatonium Benzoate 3734-33-6 | None Established | None Established | None Established |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Showers.

Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Eye protection must be provided in accordance with OSHA regulations (29 CFR 1910.133),

ANSI Z87.1, or European Standard EN 166, as applicable.

Skin and Body Protection Rubber or PVC gloves. Suitable protective clothing.

Respiratory Protection Not normally needed during intended usage and handling. However, if exposure causes

irritation during routine or non-routine application of product, use NIOSH approved

respiratory protection (refer to 29CFR 1910.134).

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceYellow LiquidOdorFaint sweetColorYellowOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined
Melting Point/Freezing Point
Boiling Point/Boiling Range
Flash Point
Evaporation Rate
Flammability (Solid, Gas)
Not determined
190.6 °C / 375 °F
120 °C / 248 °F
Not determined
Liquid- Not Applicable

Upper Flammability Limits 22%

Lower Flammability Limit 3%

Vapor Pressure 0.7 mm Hg @ 20° C (60°F)

Vapor Density >1 (Air=1)

Specific Gravity Not determined **Water Solubility** Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined **Density** 1.008 @ 20°C

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

None known.

Incompatible Materials

Avoid oxidizing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye ContactContact with eyes may cause slight transient irritation seen as excessive redness.

Skin Contact Prolonged or repeated contact with skin may cause flaking, tenderness and softening of the

skin.

Inhalation No adverse inhalation effects are expected under normal use conditions. If significant

vapors or mists are inhaled, exposure may result in irritation to the upper respiratory

system.

Ingestion Harmful if swallowed. Ingestion of ethylene glycol may cause abdominal pain, nausea,

vomiting, dizziness, drowsiness, weakness, blurring of vision, irritability, back pain, decrease in urine output, kidney failure, and central nervous system effects, including irregular eye movements, convulsions and coma. Severe kidney injury may occur. May be

fatal if large amounts are swallowed.

Information on physical, chemical and toxicological effects

Symptoms

Contact with eyes may cause slight transient irritation seen as excessive redness. Prolonged or repeated contact with skin may cause flaking, tenderness and softening of the skin. No adverse inhalation effects are expected under normal use conditions. If significant vapors or mists are inhaled, exposure may result in irritation to the upper respiratory system. Harmful if swallowed. Ingestion of ethylene glycol may cause abdominal pain, nausea, vomiting, dizziness, drowsiness, weakness, blurring of vision, irritability, back pain, decrease in urine output, kidney failure, and central nervous system effects, including irregular eye movements, convulsions and coma. Severe kidney injury may occur. May be fatal if large amounts are swallowed. Suspected of causing reproductive effects based on animal data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

None of the other components in this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, ACGIH or OSHA.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|------|-----|------|
| N/A | | | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Chronic Exposure Ingestion of ethylene glycol may damage the kidneys.

Reproductive toxicity Ethylene glycol has been shown to produce dose-related teratogenic effects in rats and

mice when given by gavage or in drinking water at high concentrations or doses.

Numerical measures of toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------------|---------------------|----------------------|------------------------------------|
| Ethylene glycol 107-21-1 | 7712 mg/kg (Rat) | >3500 mg/kg (mouse) | >2.5 mg/L/6 hr (rat) |
| Diethylene glycol 111-46-6 | 16500 mg/kg (rat) | No data available | No data available |
| 1,3 Propanediol 504-63-2 | 10,500 mg/kg (rat) | >4200 mg/kg (rat) | >5 mg/L/4 hr (rat) |
| Potassium 2-Ethylhexanoate 3164-85-0 | = 2043 mg/kg (rat) | = >2000 mg/kg (rat) | - No data available |
| Potassium Neodecanoate 26761-42-2 | No data available | No data available | No data available |
| Denatonium Benzoate 3734-33-6 | 584 mg/kg (rat) | >2000 mg/kg (rat) | -200 mg/m ³ /4 hr (rat) |

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-------------------------------|---|--|---------------------------------------|
| Ethylene glycol 107-21-1 | 96 h EC50 Pseudokirchneriella subcapitata 6500 – 13000 mg/L | 96 hr LC50 Pimephales promelas 72,860 mg/L | 48 hr EC50 Daphnia magna >100 mg/L |
| Diethylene glycol 111-46-6 | NOEC 100 mg/L | 96 hr LC50 Pimephales promelas 75,200 mg/L | 24 hr EC50 Daphnia magna >10,000 mg/L |
| 1,3 Propanediol 504-63-2 | 72 hr EC50 Freshwater algae >10000 mg/L | 96 hr LC50 freshwater fish <9720 mg/L | 48 hr EC50 Daphnia magna 7417 mg/L |

EC-009 - Evans Collector Choice Waterless Engine Coolant

| Potassium 2-Ethylhexanoate 3164-85-0 | | 96 hr LC50 Oryzias latipes >100 mg/L | 48 h EC50 Daphnia magna 85.4 mg/L |
|--------------------------------------|-------------------|---|-----------------------------------|
| | 3. | S | No data available |
| Denatonium Benzoate 3734-33-6 | No data available | 96 hr LC50 Oncorhynchus mykiss >1000 mg/L | 48 hr EC50 daphnia magna 13 mg/L |

Persistence/Degradability

| Chemical Name | Biodegrradibility |
|---|---------------------------|
| Ethylene glycol 107-21-1 | Readily Biodegradable |
| Potassium 2-Ethylhexanoate 3164-85-0 | Readily Biodegradable |
| Denatonium Benzoate 3734-33-6 | Not Readily Biodegradable |

Bioaccumulation

| Chemical Name | Partition Coefficient |
|-----------------|-----------------------|
| Ethylene glycol | -1.93 |
| 107-21-1 | |

Mobility

Ethylene is highly mobile in soil.

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status | |
|---------------|-----------------------------------|--|
| N/A | | |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT (in container <5000 lbs) Not regulated.

DOT (in container >5000 lbs)UN3082, Environmentally hazardous substance, liquid, n.o.s. (Ethylene glycol), 9 PG III,

RQ

TDG Not regulated.

IATA Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

| TSCA | DSL | EINECS | ENCS | IECSC | KECL | PICCS | AICS | NZIoC | NECI |
|---------|-----|---------|------|-------|------|-------|------|-------|------|
| Present | | Present | | | | | | | |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC New Zealand Inventory of Chemicals

NEIC – Taiwan New and Existing Inventory of Chemicals

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-----------------|--------------------------|----------------|--------------------------|
| Ethylene glycol | 5000 lb | | RQ 5000 lb final RQ |
| 107-21-1 | | | RQ 2270 kg final RQ |

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|----------------------------|----------|----------|----------------------------------|
| Ethylene glycol - 107-21-1 | 107-21-1 | 74-90% | 1.0 |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm if ingested.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------------|------------|---------------|--------------|
| Ethylene glycol 107-21-1 | Х | X | Х |
| Diethylene glycol 111-46-6 | - | - | Х |
| 1,3 Propanediol 504-63-2 | - | - | - |
| Potassium 2-Ethylhexanoate 3164-85-0 | - | - | - |
| Potassium Neodecanoate 26761-42-2 | - | - | - |
| Denatonium Benzoate 3734-33-6 | - | - | - |

16. OTHER INFORMATION

NFPA Health Hazards Flammability Instability Special Hazards

1

<u>HMIS</u> Health Hazards Flammability Physical Hazards Personal Protection

1 0 B

None

Issue Date:9 January, 2022Revision Date:New SDSRevision Note:New SDS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet