## CERTIFICATE OF ANALYSIS



High Lyfe LLC

Customer: 313 West Ansin Blvd,

Hallandale Beach Florida 33009

Batch #: 092022

Laboratory Number: ATL-16371

Report Issue Date: 11/3/2023

Order Date: 11/1/2023

Analysis Date: 11/3/2023

Sample Description:

THCA Gummy - Passion Punch

Unit Weight: 8.1788g / Gummy



Extraction Technician: LL Analytical Chemist: LL

> Kim Dang Laboratory Manager

## **CANNABINOID PROFILE - BASIC**

Analyte	LOQ (mg/g)	Results mg/gummy	%	1	Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D		CBN	<0.011	N/D	N/D
CBG-A	<0.008	N/D	N/D	4	D9-THC	<0.014	35.251	0.30
СВС	<0.007	N/D	N/D	H	D8-THC	<0.005	73.936	0.904
CBD	<0.008	N/D	N/D		9S-D10-THC	<0.005	N/D	N/D
тнсу	<0.008	N/D	N/D		9R-D10-THC	<0.002	N/D	N/D

1	Analyte	LOQ (mg/g)	Results mg/gummy	%
	СВС	<0.009	N/D	N/D
1	СВС-А	<0.005	N/D	N/D
	THC-A	<0.005	N/D	N/D

Max Active THC	mg/gummy 35.25	% 0.30
Max Active CBD	mg/gummy N/D	% N/D

Total Active	mg/gummy	%
Cannabinoids	109.19	1.34
Total	mg/gummy	%
Cannabinoids	109.19	1.34

## NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerolic CBG) Cannabidioli(CBG) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



