CERTIFICATE OF ANALYSIS



High Lyfe LLC Customer: 313 West Ansin Blvd, Hallandale Beach Florida 33009

Batch #:-

Laboratory Number: ATL-15704

Report Issue Date: 9/27/2023

Order Date: 9/27/2023

Analysis Date: 9/27/2023

Sample Description:

THCP, D9 Cartridge 2g (Purple Punch, Pineapple Express, Green Crack)

Unit Weight: 2g / Cartridge



Extraction Technician: LL Analytical Chemist: LL

Kim Dang

CANNABINOID PROFILE-25 COUNTS

Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D

Analyte	(mg/g)	mg/cartridge	%
CBN	<0.011	N/D	N/D
D9-THC	<0.014	300	0.3
D8-THC	<0.005	1020.580	51.029
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D
95-ННС	<0.009	269.640	13.482
9R-HHC	<0.013	315.860	15.793
СВС	<0.009	N/D	N/D
СВС-А	<0.005	N/D	N/D

Regulte

Analyte	LOQ (mg/g)	Results mg/cartridge	%
THC-A	<0.005	N/D	N/D
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	N/D	N/D
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
95-ННСР	<0.010	N/D	N/D
9R-ННСР	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

		mg/cartridge	%
Max Active	THC	300	0.3
Max Active	CBD	mg/cartridge	%
		N/D	N/D

Total Active	mg/cartridge	%
Cannabinoids	1606.08	80.30
Total	mg/cartridge	%
Cannabinoids	1606.08	80.30

Cannabidivarinic Acid(CBDVA) Cannabidivarinic Acid(CBDVA) Cannabidivarinic Acid(CBDVA) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG)Cannabidiol(CBD)

Tetrahydrocannabiorain(THCV) Tetrahydrocannabioralydrocann

Document ID: ATL-225A Revision: 02 Effective Date:8/2/2023

 $Reporting \ Limits \ will vary \ based on sample extraction weight used for the analysis. Accurate \ Test \ Lab, LLC \ utilizes \ based \ upon \ traceable \ Reference \ Standards \ and \ Certified \ Reference \ Material$ to calibrate analytical instruments along with proven analytical methods. The methods are applied inhe most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)





(954) 515 - 0200

info@accuratetestlab.com