



危险物品 DANGEROUS GOODS

航空运输危险性鉴别报告

Identification and Classification Report for Air Transport of Goods

此报告本年度有效 有效期至2024年12月31日

报告编号:

PEKXM202401041774LH360001

生效日期:

Issued No.:

2024. 01. 04

Effective Date:

ASCENT INT' L GROUP CO., LIMITED

Applicant:

委托单位:

ASCENT INT' L GROUP CO., LIMITED

物品名称:

可充电锂离子电池 ABI-H573640 3.7V 900mAh 3.33Wh

Name of Goods:

Rechargeable Li-ion Battery ABI-H573640 3.7V 900mAh 3.33Wh

北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Development Co., Ltd.



报告书使用约定 Terms of the Using of the Report

本公司依据本年度国际航协《危险品规则》以及委托人(托运人或其代理人)提供的物品及其运输信息,确定物品的航空运输危险性并出具此报告书。

The report is issued by DGM China according to IATA *Dangerous Goods Regulations* published in the current year and the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

依据鉴别的需要,本公司要求委托人提供真实、完整的样品及资料。
 According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the goods.

3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。
The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.

4. 本公司仅对委托方所提供样品的鉴别结果负责。
DGM China is only responsible for the identification and classification of the sample provided by the applicant.

5. 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。
This report will be effective only after it is signed by the inspector, checker and approver, and stamped by DGM China.

6. 未经本公司书面批准,不得复制本报告书。
The duplicating of this report is prohibited without the written approval of DGM China.

7. 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。
The report is invalid when anything of the following happens - illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.

8. 为适应国际航协《危险品规则》的年度变化,报告书仅在本年度内有效。
This report is only valid within the year in which the IATA *Dangerous Goods Regulations* is effective.

地址:北京首都国际机场货运北路天竺综合保税区BGS货运楼249室 邮编: 101300

电话: 010-69479673 传真: 010-69479621



北尔迪伊纳	时至还拉木州	· 友有限公司		*			
项目编号 Item No.		PEKXM202401041774	签发日期 Issued Date	2024. 01. 04			
鉴别目的 Identification Purpose		是否属于航空运输危险物品 Dangerous Goods or not restricted	鉴别日期 Identification Date	2024. 01. 04			
	別依据 tion Criteria	IATA DGR 65th, 2024					
物品名称 Name of	中文 Chinese	可充电锂离子电池 ABI-H573640 3.7V 900mAh 3.33Wh					
Goods	英文 English	Rechargeable Li-ion Battery ABI-H573640 3.7V 900mAh 3.33Wh					
生产	广家	深圳长虹聚和源科技有限公司					
	facturer	JUHEYUAN SCIENCE & TECHNOLOGY CO., LTD					
	·数 eces		注:本栏内容为托运人或其代理人在使用本持书时候填写的运输信息,不属于鉴定内容。这				
运单号 Air waybill No.			信息与报告书的关联性以及实际运输货物与报书的一致性由托运人或其代理人保证,如发生何不一致由托运人或其代理人承担全部责任。(请认真填写本栏内容,并盖章)负责人: 联系方式:				
目的港 Destination							
物品信息 Nature of the goods		该样品为银色长方体电池。型号:ABI-H573640 尺寸:42.0mmx37.0mmx5.7mm 每包装件中电池/电芯数量:480 每包装件中电池/电芯数量:480 每包装件中电池/电芯数量:7.83kg 该电池尼子单芯锂电池。 该电池已经做好防短路措施并装入坚固的外包装内。 该理电池不属于召回电池,不属于废弃和回收电池,并按照DGR3.9.2.6.1(e)规定的质量体系进行制造根据委托方所提供的声明:本报告所述锂离子电池(或电芯)交付运输时,其荷电状态不超过设计额定容量的30%。 该电池已固定且不能位移,单个电池样品重量:16.3g。 This sample is silver cuboid battery. Model: ABI-H573640 Size: 42.0mmx37.0mmx5.7mm Number of batteries / cells per package: 480 Net quantity of batteries/cells per package: 7.83kg The batteries belong to single cell lithium batteries. Batteries have been protected so as to prevent short circuits and packed in strong rigid puter packagings. Che lithium batteries don't belong to batteries returned to the manufacturer for safety reasons, are not waste lithium batteries and not lithium batteries being shipped for recycling or disposal, are manufactured under a quality management program as described in 3.9.2.6.1(e). Lithium ion cells and batteries must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated design capacity.					



4	
3(

	姆工 色 汉 不 万	人					*		
项目编号 Item No.		PEKXM2024010	041774						
物品名称 Name of	中文 Chinese	可充电锂离子电池 ABI-H573640 3.7V 900mAh 3.33Wh							
Goods	英文 English	Rechargeable	chargeable Li-ion Battery ABI-H573640 3.7V 900mAh 3.33Wh						
	别结论 clusions	参考有关资料, This goods is battery is of CRITERIA, Part any orientation as to allow con withstanding t	物品为锂离子/聚合物电池,单独包装。额定瓦特小时为3.33Wh。已通过 UN38.3 测试,已通过包装件1.2米跌试验,包装件通过3米堆码试验,每个包装件上均有锂电池标记。 考有关资料,根据DGR有关规定,该物质分类识别为第9类(或项)危险品,UN3480。 is goods is lithium ion/polymer battery, packed individually. Watt-hour rating is 3.33Wh. Each ttery is of a type proved to meet the Requirements of each test in the UN MANUAL OF TESTS AND ITERIA, Part III, sub-section 38.3, Each package is capable of withstanding a 1.2m drop test in y orientation without damage to the cells contained therein, without shifting of the contents so to allow cell to cell contact and without release of contents, The package is capable of thstanding the 3m stack test, Each package is marked with lithium battery mark. cording to IATA DGR this substance is classified as dangerous goods Class (or division)9, UN3480.						
	UN/ID 编号 UN/ID No.	运输专用名称 Proper Shipping Name				类或项 Class or Div. (次要危险性) (Subsidiary Risk)	包装等级 Packing Group		
运输危险 性建议 Suggestion for Transport	UN3480	Lithium ion batteries				9	/		
	包装说		客货机 enger and Cargo Aircraft		Forbidden	dden			
	Packing I		仅限货机 Cargo Aircraft only		965 IB				
	注意事 [‡] Remark	each	每一单电池必须做好防短路措施,并装入坚固外包装内。 each single battery must be packed in such a way as to prevent short circuits under the normal conditions and packed in strong outer packagings.						
主检 Prepare		> 1 VI	审核人	1040	批准人 pproved by	NAME OF THE PARTY			

制单: 林煌



可充电锂离子电池 ABI-H573640 3.7V 900mAh 3.33Wh

PEKXM202401041774













锂电池 UN38. 3 试验概要 Lithium Battery Test Summary

项目编号: PEKXM202401041774

坝日编号: PEKXM	The same of the sa	位信息(Compon	Inform	ation			
 委托单位		一四日心	Company	y miorin	ation			
Consignor		INT'L GROU						
生产单位 Manufacturer	深圳市龙 Qingshui l City, 5181 电话/Tel:	深圳长虹聚和源科技有限公司/ JUHEYUAN SCIENCE & TECHNOLOGY CO., LTD 深圳市龙岗区龙岗街道龙西社区第二工业区天龙巷 3 栋/ No. 3, Tianlong Lane, Qingshui Rd, Longxi Community, Longcheng Street, Longgang District, Shenzhen City, 518116 Guangdong, P. R. China 电话/Tel: +86-755-84516700 邮箱/Mail: eyson@jhypower.com 网址/Website: http://www.jhypower.com						
深圳市通测检测技术有限公司/Shenzhen TCT Testing Technology Co., Ltd. 广东省深圳市宝安区福海街道桥头社区稔山工业区振昌胶粘制品厂 2101、2201/2101 & 2201, Zhenchang Factory, Renshan Industrial Zone, Fuhai Subdistric Bao'an District, Shenzhen, Guangdong, China 电话/Tel: +86-755-27673339 邮箱/Mail: tom@tct-lab.com 网址/Website: http://www.tct-lab.com						2101		
	F	电池信息	Battery	Informa	tion			
名称 Name	Recharge	可充电锂离子电池 Rechargeable Li-ion Battery		电池/电芯类别 ery/Cell Classification		单电芯锂离子电池 Single Cell Li-ion Battery		
型号 Type		ABI-H573640		商标 Trademark		1		
额定电压 Normal Voltage	3.	3.7V		额定容量 Rated Capacity		900mAh		
额定能量 Watt-hour rating	3.33	3.33Wh		外观/Appearance		银色长方体 Silver Cuboid		
质量/Mass	16	16.3g		锂含量/Li Content		不适用 N/A		
		测试信息	. Test In	formatio	n Æ			
测试报告编号 Test Report Number	TCT231	TCT231213B125		测试报告签发日期 Date of Test Report		2023. 12. 14		
测试标准 Edition of UN Manual of Tests and Criteria Used 联合国《关于危险货物运输的建议书-试验和标准手册》(第 6 版修订 1)38.3 UN Recommendations on the Transport of Dangerous Goods Manual of Tests and Criteria ST/SG/AC.10/11/Rev.6/Amend 1/Subsection 38.3					of Tests and			
T.1: 高度模拟	通过	通过 T.2: 温度试验		通过 T.3:		振动	通过	
Altitude Simulation		Thermal Test				ration Pass		
T.4: 冲击	通过	T.5: 外部短路		通过	T.6: 撞	造击/挤压 通过		
Shock	Pass	External Short Circuit		Pass			Pass	
T.7: 过度充电	通过	T.8: 强制放电			通过		/	
Overcharge UN38.3.3(f)		Pass Forced Dis 不适用 N/A		scharge Pass UN38.3.3(g)		\$ \$		
签名 Signatory 职务 Title	松验员	7	签发日 Issued I	期	(g)	2624 1.4	适用 N/A	