



ADVANCED DIAGNOSTICS USA, INC.

# MVP PRO / TCODE PRO 2015 Key Look-Up Guide



2015 Version-5

**ADVANCED**  
**DIAGNOSTICS** USA

# Introduction

## Proper Vehicle Identification is essential!

Always check the VIN to accurately determine the MODEL YEAR of the car you are working on.  
Using the chart below will help you easily verify this information.

10th Digit of the VIN = Model Year	
1996 = T	2007 = 7
1997 = V	2008 = 8
1998 = W	2009 = 9
1999 = X	2010 = A
2000 = Y	2011 = B
2001 = 1	2012 = C
2002 = 2	2013 = D
2003 = 3	2014 = E
2004 = 4	2015 = F
2005 = 5	2016 = G
2006 = 6	2017 = H
Example- 1N4AL3AP0DN451923 D= 2013 model year	

Example-

LOOK AT 10TH POSITION OF THE VIN

## STRONG BATTERY VOLTAGE IS IMPORTANT!

Make sure when programming that  
the vehicle battery is kept at AT LEAST 12 Volts.

**Use a jump pack or jumper cables.**

## KEEP YOUR MVP PRO / T-CODE PRO UPDATED

Frequently updating the software on your unit will make sure you  
always have the latest programming capabilities we have to offer!  
We recommend updating at least once per month or more.

FOR FREE UPDATES TO THIS GUIDE: CHECK [WWW.ADUSA.US](http://WWW.ADUSA.US)

Every attempt is made to insure accuracy however nothings perfect & info is subject to change.

Found an error? Contact Corrections  
Email: [John@adusa.us](mailto:John@adusa.us)

# Table of Contents

SECTION	PAGE
Acura	4-15
Audi	16-21
Buick	62-79
Cadillac	62-79
Chevrolet	62-79
Chrysler	22-35
Dodge	22-35
Fiat	36
Ford	37-61
GMC	62-79
Honda	4-15
Hyundai	80-84
Infiniti	85-99
Isuzu	100
Jaguar	101
Jeep	22-35
Kia	102-107
Lexus	108-113
Lincoln	37-61
Mazda	114-118
Mercury	37-61
Mitsubishi	119-123
Nissan	85-99
Oldsmobile	62-79
Plymouth	22-35
Pontiac	62-79
Saab	124
Saturn	62-79
Scion	125-126
Smart	127
Subaru	128-130
Suzuki	131
Toyota	132-145
Volkswagen	16-21

**READ THIS BEFORE WORKING ON ANY ACURA HONDA VEHICLES THAT MAY HAVE HAD COMPONENTS CHANGED.**

Component matching on ALL Type3 and up systems.

If any computer components such as PCM, Immo ring, etc. have been replaced or swapped out.

(By a body shop for example, when a new steering column has been installed.)

A DEALER TOOL will be required in order to re-match components.

Simply programming the keys with MVP or TCODE will not perform the necessary matching functions!

**2013-2015 ACCORD (HONDA) PROXIMITY TYPE IGNITIONS ADS-193**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote is required		Select by Vehicle	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2013-2015 ACCORD (HONDA) KEY TYPE IGNITIONS ADS-166**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key with "G" stamped on blade is required		Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2008-2012 ACCORD (HONDA) ADS-166**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2003-2007 ACCORD (HONDA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>4</b>	No	Not Needed	Not Needed	<b>C</b> Green

**1998-2002 ACCORD (HONDA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>2A</b> or Type <b>2C</b>	No	Not Needed	Not Needed	<b>*C</b> Green

**Note:** Models with ULEV engine will use Type 2C with Pro "A" Dongle.  
Also, \* In some case's it may be necessary to use Dongle "A" or "C".

**2014 CIVIC (HONDA) PROXIMITY TYPE IGNITIONS ADS-193**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote is required		Select 2013 Accord PROX	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2014 CIVIC (HONDA) KEY TYPE IGNITIONS ADS-193**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key with "G" stamped on blade is required		Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

Acura / Honda

2012-2013 CIVIC (HONDA) ADS-166						
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black
2006-2011 CIVIC (HONDA) ADS-110						
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>7 or 8</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black
2003-2005 CIVIC (HONDA) ADS-110						
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692247	HO01-PT	Type <b>3</b>	No	Not Needed	Not Needed	<b>C</b> Green
2001-2002 CIVIC (HONDA) ADS-110						
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>3</b>	No	Not Needed	Not Needed	<b>C</b> Green
1998-2003 CL (ACURA) ADS-110						
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>2A</b> or Type <b>2C</b>	No	Not Needed	Not Needed	<b>*C</b> Green
<b>Note:</b> * In some case's it may be necessary to use Dongle "A" or "C".						
2006-2010 CSX (CANADA) (ACURA) ADS-110						
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>7 or 8</b>	No	Smart Card or A.D. Webcode required.		<b>A</b> Black
2013-2014 CROSSTOUR (HONDA) PROXIMITY TYPE IGNITIONS ADS-193						
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote is required		Select by Vehicle	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black
2013-2014 CROSSTOUR (HONDA) KEY TYPE IGNITIONS ADS-166						
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key with "G" stamped on blade is required		Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black
<b>Note:</b> Vehicle also uses a Remote Head key from the factory.						

Acura / Honda

**2010-2012 CROSSTOUR (HONDA) KEY TYPE IGNITIONS ADS-166**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2014 CRV (HONDA) KEY TYPE IGNITIONS ADS-166**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key with "G" stamped on blade is required		Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2012-2013 CRV (HONDA) ADS-166**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2007-2011 CRV (HONDA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>10</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2002-2006 CRV (HONDA) ADS-110**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692247	HO01-PT	Type <b>3</b>	No	Not Needed	Not Needed	<b>C</b> Green

**2011-2012 CRZ (HONDA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>10</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2003-2005 EL (CANADA) (ACURA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>3</b>	No	Not Needed	Not Needed	<b>C</b> Green

**2001-2002 EL (CANADA) (ACURA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106-PT	Type <b>3</b>	No	Not Needed	Not Needed	<b>C</b> Green

Acura / Honda

2011-2012 ELEMENT (HONDA)

ADS-166

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**Note:** Some 2011 cars may still use the 2010 system.

2007-2010 ELEMENT (HONDA)

ADS-110

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>11</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue

2006 ELEMENT (SPLIT YEAR) (HONDA)

ADS-110

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>4</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** A few models have been found using Type 3 and HO01PT keys.

2006 ELEMENT (SPLIT YEAR) (HONDA)

ADS-110

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692247	HO01-PT	Type <b>3</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** A few models have been found using Type 3 and HO01PT keys.

2003-2005 ELEMENT (HONDA)

ADS-110

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692247	HO01-PT	Type <b>3</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** 2005 is split year - It could use either system with matching transponder key.

2015 FIT (HONDA) PROXIMITY TYPE IGNITIONS

ADS-193

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
DEALER PROX		Select by Vehicle	YES	Not Needed	Not Needed	<b>A</b> Black

**Note:** Requires the latest BETA at time of printing. Procedures are the same as the 14 Honda Accord Prox.

Split Year

Acura / Honda

2009-2014 FIT (HONDA)

ADS-110

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>10</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**Note:** Ilco or Strattec after-market "V" chip will work as a replacement to the factory "L" chip.  
- You cannot use a factory "V" chip on this car. Also, It may be necessary to use the "A", "C", or "D" dongle

2008 FIT (HONDA)

ADS-110

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>11</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue

**Note:** Some 2008 Fit models may use "H" Chip key and remotes & some will not. Fit models are made in different factories around the world. Different Immobilizers Systems are used. (This is risk you take when programming Fit models.)

2007 FIT (HONDA)

ADS-110

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HO03-PT HD113-PT		Type <b>9</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue
						<b>A</b> Black

Note: Use the Blue dongle, we have seen some cars that need the Black dongle instead.

2015 HR-V (HONDA) KEY TYPE IGNITIONS

ADS-166

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key with "G" stamped on blade is required		Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

2013-2015 ILX - PROXIMITY (ACURA)

ADS-193

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote is required		Select by Vehicle	Yes	Smart Card or A.D. Webcode required.		<b>N</b> Lime Green

2010-2014 INSIGHT (HONDA)

ADS-110

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>10</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**Note:** Ilco or Strattec after-market "V" chip will work as a replacement to the factory "L" chip.  
- You cannot use a factory "V" chip on this car. Also, It may be necessary to use the "A", "C", or "D" dongle

Acura / Honda

Split Year



**2000-2006 INSIGHT (HONDA)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>2A</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** Models with ULEV engine will use Type 2C with Pro "A" Dongle.

**2000-2001 INTEGRA (ACURA)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>2A</b>	No	Not Needed	Not Needed	<b>A or C</b>

**Note:** In some case's it may be necessary to use Pro Dongle "A" or "C".

**2007-2013 MDX (Acura)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>7 or 8</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2001-2006 MDX (Acura)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>2B or 3</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** If no comms under 2B, then try Type 3. In some case's it may be necessary to use Pro Dongle "A" or "C".

**1997-2005 NSX (ACURA)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>1A</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** See Honda Type 1 Section - for more information. Replacement Immobilizer Box may be required.

**2014-2015 ODYSSEY (HONDA) PROXIMITY TYPE IGNITIONS**

**ADS-193**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote is required		Select by Vehicle (or Accord)	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2011-2013 ODYSSEY (HONDA)**

**ADS-166**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

Acura / Honda

2007-2010 ODYSSEY (HONDA)						ADS-110
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>11</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue

2005-2006 ODYSSEY (HONDA)						ADS-110
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>4</b>	No	Not Needed	Not Needed	<b>C</b> Green

2003-2004 ODYSSEY (HONDA)						ADS-110
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692247	HO01-PT	Type <b>2B or 3</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** Some Odyssey models may program with Type 2B using 'A' or 'C' dongles, instead of Type 3.

1998-2002 ODYSSEY (HONDA)						ADS-110
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>2A</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** In some case's it may be necessary to use Pro Dongle "A" or "C".

2009-2014 PILOT (HONDA)						ADS-166
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

2006-2008 PILOT (HONDA)						ADS-110
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>4</b>	No	Not Needed	Not Needed	<b>C</b> Green

Acura / Honda

Split Year

**2005 PILOT (SPLIT YEAR) (HONDA) ADS-110**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692247	HO01-PT	Type <b>2B</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** A few 2005 Pilot models have been found using Type 4 and "V" Chip keys.

**2005 PILOT (SPLIT YEAR) (HONDA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>4</b>	No	Not Needed	Not Needed	<b>C</b> Green

**2003-2004 PILOT (HONDA) ADS-110**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692247	HO01-PT	Type <b>2B</b>	No	Not Needed	Not Needed	<b>C</b> Green

**1997-2001 PRELUDE (HONDA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>1A</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** See Honda Type 1 Section - for more information. Replacement Immobilizer Box may be required.

**2013-2014 RDX - PROXIMITY (ACURA) ADS-193**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote is required		Select by Vehicle	Yes	Smart Card or A.D. Webcode required.		<b>N</b> Lime Green

**2007-2012 RDX (ACURA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>7 or 8</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2009-2014 RIDGELINE (HONDA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>11</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue

Acura / Honda

2006-2008 RIDGELINE (HONDA)						ADS-110
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>4</b>	No	Not Needed	Not Needed	<b>C</b> Green

2010-2012 RL (ACURA) KEY PROGRAMMING						ADS-110
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Key: 35111-SJA-305		Type <b>11</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue
<b>Note:</b> Mechanical Ignition lock can be accessed by removing (un-snap) the Prox "Twist" Knob.						

2005-2009 RL (ACURA) KEY PROGRAMMING						ADS-110
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Key: 35111-SJA-305		Type <b>4</b>	No	Not Needed	Not Needed	<b>C</b> Green
<b>Note:</b> Mechanical Ignition lock can be accessed by removing (un-snap) the Prox "Twist" Knob.						

2007-2012 RL (ACURA) PROXIMITY PROGRAMMING						ADS-193
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
DEALER PROX: 72147-SJA-A01 - Driver #1 72147-SJA-A11 - Driver #2		Select by Vehicle	Yes	Smart Card or A.D. Webcode required.		<b>N</b> Lime Green
This Table refers to the PROX (Program E-Key separately)						

2005-2006 RL (ACURA) PROXIMITY PROGRAMMING						ADS-193
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
DEALER PROX: 72147-SJA-A01 - Driver #1 72147-SJA-A11 - Driver #2		Select by Vehicle	Yes	Smart Card or A.D. Webcode required.		<b>C</b> Green
This Table refers to the PROX (Program E-Key separately)						

2002-2004 RL (ACURA)						ADS-110
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>1C</b>	No	Not Needed	Not Needed	<b>C</b> Green
<b>Note:</b> See Honda Type 1 Section - for more information. Replacement Immobilizer Box may be required.						

Acura / Honda

**2000-2001 RL (ACURA)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>1B</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** See Honda Type 1 Section - for more information. Replacement Immobilizer Box may be required.

**1996-1999 RL (ACURA)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>1A</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** See Honda Type 1 Section - for more information. Replacement Immobilizer Box may be required.

**2002-2006 RSX (ACURA)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>3</b>	No	Not Needed	Not Needed	<b>C</b> Green

**2008-2009 S2000 (HONDA)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>9 or 11</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue

**2006-2007 S2000 (HONDA)**

**ADS-110**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
	HD113-PT	Type <b>9 or 11</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue

**2004-2005 S2000 (HONDA)**

**ADS-110**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692247	HO01-PT	Type <b>2A or 2B</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** It may be necessary to use Pro Dongle A or C. Some models may use TYPE 3 System & Key

**2000-2003 S2000 (HONDA)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>2A or 2B</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** In some case's it may be necessary to use Pro Dongle "A" or "C".

Acura / Honda

**2009-2014 TL (ACURA) PROXIMITY TYPE IGNITIONS ADS-193**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
DEALER PROX: 72147-TK4-A71 - Driver #1 72147-TK4-A81 - Driver #2		Select by Vehicle	Yes	Smart Card or A.D. Webcode required.		<b>N</b> Lime Green

**Note:** Emergency key does Not have a chip in it. It is only used to unlock the door when the battery is low.

**2009-2014 TL (ACURA) KEY TYPE IGNITIONS ADS-166**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2007-2008 TL (ACURA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>11</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue

**2004-2006 TL (ACURA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907552 HD108HPT	HD111-PT	Type <b>4</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** Double sided key with "V" chip. NOT High Security.

**1999-2003 TL (ACURA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692246 HD106HPT	HD106PT	Type <b>2A</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** In some case's it may be necessary to use Pro Dongle "A" or "C".

**2009-2013 TSX (ACURA) ADS-166**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**2007-2008 TSX (ACURA) ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907552 HD108HPT	HD111-PT	Type <b>11</b>	Yes	Smart Card or A.D. Webcode required.		<b>D</b> Blue

**Note:** Double sided key with "V" chip. NOT High Security.

**Acura / Honda**

**2004-2006 TSX (ACURA)**

**ADS-110**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907552 HD108HPT	HD111-PT	Type <b>4</b>	No	Not Needed	Not Needed	<b>C</b> Green

**Note:** Double sided key with "V" chip. *NOT* High Security.

**2010-2013 ZDX (ACURA) PROXIMITY TYPE IGNITIONS**

**ADS-193**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote is required		Select by Vehicle	Yes	Smart Card or A.D. Webcode required.		<b>N</b> Lime Green

**2010-2012 ZDX (ACURA) KEY TYPE IGNITIONS**

**ADS-166**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907553 HD112HPT	HO03-PT	Type <b>13</b>	Yes	Smart Card or A.D. Webcode required.		<b>A</b> Black

**READ THIS BEFORE WORKING ON ANY ACURA HONDA  
VEHICLES THAT MAY HAVE HAD COMPONENTS CHANGED.**

Component matching on ALL Type3 and up systems.  
If any computer components such as PCM, Immo ring, etc. have been replaced or swapped out.  
(By a body shop for example, when a new steering column has been installed.)  
A DEALER TOOL will be required in order to re-match components.

Simply programming the keys with MVP or TCODE will not perform the necessary matching functions!

MID 2005-2008 A4 (AUDI)

ADS-219

NEW KEY & SPARE KEY PROGRAMMING IS POSSIBLE. A programmed key is **not** needed

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Audi CAN	Audi CAN	Select By Vehicle	Yes	NO	Not Needed	A Black

Note: A virgin key (chip) is required, it can be OEM key or an aftermarket key, as long as it is fresh, never used before and in an un-locked condition. OEM remote programming is also supported. (see instructions)

2002 - MID 2005 A4 (AUDI)

ADS-146

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	By Engine Code Use BAA	A Black

Note: 2005 is a split year

2001-2004 A6 / S6 (AUDI)

ADS-115

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	By Engine Code See Note	A Black

Note: For PIN read use VW Beetle BDC on 2.7 engine or VW Touareg BAA on 3.0 engines.

2001 A8 / S8 (AUDI)

ADS-115

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	By Engine Code Use VW Beetle BDC	A Black

2012-2014 BEETLE (VOLKSWAGEN) WITH KEYED IGNITION

ADS-219

NEW KEY & SPARE KEY PROGRAMMING IS POSSIBLE. A programmed key is **not** needed

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T24	HAT9753	UDS Marelli Dash	Yes	NO	Not Needed	A Black

Note: A virgin key (chip) is required, it can be OEM key or an aftermarket key, as long as it is fresh, never used before and in an un-locked condition. OEM remote programming is also supported. (see instructions)

2006-2010 BEETLE (VOLKSWAGEN)

ADS-146

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key ordered by VIN or Pre-Code HU66T24 with AD900	Select by Vehicle VAG Type 3	Yes	Yes	By Engine Code Gas engines use BPR	A Black

2006 Might require Pre-Coding 2007-2010 will require Pre Coding.

AUDI / VOLKSWAGEN

Split Year



**2000-2005 BEETLE (VOLKSWAGEN)**

**ADS-115**

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	By Engine Code See Note	A Black

**Note:** For years '00-'01 with gas engines use MM5. For '02-'04 use Beetle BDC. For '05 use MM5 Beetle 2005+ Type 2.

**2000-2002 CABRIO (VOLKSWAGEN)**

**ADS-115**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer, key varies with VIN	VAG Type 1	Yes	Yes	<b>NO PIN READ</b> by OBD see note	A Black

**Note:** AD-900 or EZ Flasher can read PIN from IMMO box EEPROM. Check Programming Section for more info about Pin Read and Engine codes.

**2007-2008 EOS (VOLKSWAGEN)**

**ADS-146**

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key ordered by VIN or Pre-Code HU66T24 with AD900	Select by Vehicle VAG CAN	Yes	Yes	By Engine Code	A Black

**Note:** Transponder pre-coding can be read on most but not all engine codes.

**2010-2012 GOLF/GTI (VOLKSWAGEN)**

**ADS-219**

**ONLY SPARE KEY PROGRAMMING IS POSSIBLE. CANNOT BE USED IF NO WORKING KEY IS AVAILABLE.**

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T24	HAT9753	UDS VDO Dash	Yes	NO	Not Needed	A Black

**Note:** A virgin key (chip) is required, it can be OEM key or an aftermarket key, as long as it is fresh, never used before and in an un-locked condition. OEM remote programming is also supported. (see instructions)

**2009 GOLF/GTI (VOLKSWAGEN)**

**ADS-146**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key ordered by VIN	Select by Vehicle VAG CAN	Yes	Yes	Use CCTA as Engine Code	A Black

**Note:** Requires OEM key at this time. Transponder pre-coding cannot be read at this time.

**2006-2008 GOLF / RABBIT (VOLKSWAGEN)**

**ADS-146**

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key ordered by VIN or Pre-Code HU66T24 with AD900	Select by Vehicle VAG CAN	Yes	Yes	By Engine Code	A Black

**Note:** 06-08 Transponder pre-coding can be read on most but not all engine codes.

2002-2004 GOLF (VOLKSWAGEN)

ADS-115

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	By Engine Code See Note	A Black

Note: Use Beetle BDC for gas engines.

2000-2001 GOLF (VOLKSWAGEN)

ADS-115

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	Use 1J/1E Auto (Cluster)	A Black

2010-2012 JETTA (VOLKSWAGEN) WITH KEYED IGNITION

ADS-219

ONLY SPARE KEY PROGRAMMING IS POSSIBLE. CANNOT BE USED IF NO WORKING KEY IS AVAILABLE.

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T24	HAT9753	UDS VDO Dash	Yes	NO	Not Needed	A Black

Note: A virgin key (chip) is required, it can be OEM key or an aftermarket key, as long as it is fresh, never used before and in an un-locked condition. OEM remote programming is also supported. (see instructions)

2009 JETTA (VOLKSWAGEN)

ADS-146

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key ordered by VIN	Select by Vehicle VAG CAN	Yes	Yes	Use CCTA as Engine Code gas engines	A Black

Note: Requires pre-coded OEM key at this time. Transponder pre-coding cannot be read at this time.

2006-2008 JETTA (VOLKSWAGEN)

ADS-146

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key ordered by VIN or Pre-Code HU66T24 with AD900	Select by Vehicle VAG CAN	Yes	Yes	By Engine Code	A Black

Note: 06-08 Transponder pre-coding can be read on most but not all engine codes. 06 may or may not require pre-coding.

AUDI / VOLKSWAGEN

Split Year

2005 JETTA (VOLKSWAGEN) NEWER BODY STYLE						ADS-115
ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Key ordered by VIN or Pre-Code HU66T24 with AD900	Select by Vehicle VAG CAN	Yes	Yes	By Engine Code	A Black	
<b>Note:</b> Use CAN Type 1						

2005 JETTA (VOLKSWAGEN) OLD BODY STYLE						ADS-115
ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	Use 1J/1E Auto (Cluster)	A Black
<b>Note:</b> If your not sure if it's the old or newer body style, try and comm under VAG Immo Type 2. If Vag Immo Type 2 Communicates it's the old body style.						

2002-2004 JETTA (VOLKSWAGEN)						ADS-115
ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	By Engine Code See Note	A Black
<b>Note:</b> Use Beetle BDC for gas engines.						

2000-2001 JETTA (VOLKSWAGEN)						ADS-115
ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	Use 1J/1E Auto (Cluster)	A Black

2011-2012 PASSAT (VOLKSWAGEN) WITH KEYED IGNITION						ADS-219
ONLY SPARE KEY PROGRAMMING IS POSSIBLE. CANNOT BE USED IF NO WORKING KEY IS AVAILABLE.						
ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T24	HAT9753	UDS VDO Dash	Yes	NO	Not Needed	A Black
<b>Note:</b> A virgin key (chip) is required, it can be OEM key or an aftermarket key, as long as it is fresh, never used before and in an un-locked condition. OEM remote programming is also supported. (see instructions)						

AUDI / VOLKSWAGEN

## 2006-2008 PASSAT (VOLKSWAGEN)

ADS-146

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key ordered by VIN	Select by Vehicle VAG CAN	Yes	Yes	By Engine Code See Note	<b>A</b> Black

**Note:** If no working key is available, it is difficult vehicle to read the PIN. The ECU must be powered on. This can be done carefully through the fuse box using a fuse lead.

## 2001-2005 PASSAT (VOLKSWAGEN)

ADS-115

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	Yes	Yes	By Engine Code See Note	<b>A</b> Black

**Note:** Try using VDO Dash Read, Beetle BDC, or Touareg BAA.

## 2006-2008 RABBIT (VOLKSWAGEN)

ADS-146

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key ordered by VIN or Pre-Code HU66T24 with AD900	Select by Vehicle VAG CAN	Yes	Yes	By Engine Code	<b>A</b> Black

**Note:** 06-08 Transponder pre-coding can be read on most but not all engine codes.  
06 may not require pre-coding.

## 2011-2014 ROUTAN (VOLKSWAGEN)

ADS-173

OEM / STRATTEC / HATA / ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBK or use POD Key 5909874 / HAT3740 / Y170-PT	Fobik B	Yes	Yes 4-Digit PIN	Possible See Note	<b>G</b> Tan

**Note:** This vehicle is made by Chrysler. You can use Chrysler FOBKs or Chrysler pod key for the keys.

## 2010 ROUTAN (VOLKSWAGEN)

ADS-173

OEM / STRATTEC / HATA / ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBK or use POD Key 5909874 / HAT3740 / Y170-PT	FOBK A or B	Yes	Yes 4-Digit PIN	Possible See Note	<b>G</b> Tan

**Note:** This vehicle is made by Chrysler. You can use Chrysler FOBKs or Chrysler pod key for the keys.

## 2009 ROUTAN (VOLKSWAGEN)

ADS-173

OEM / STRATTEC / HATA / ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBK or use POD Key 5909874 / HAT3740 / Y170-PT	FOBK	Yes	Yes 4-Digit PIN	Possible See Note	<b>A</b> Black

**Note:** This vehicle is made by Chrysler. You can use Chrysler FOBKs or Chrysler pod key for the keys.

AUDI / VOLKSWAGEN

**2002 - MID 2005 S4 (AUDI)      ADS-146**

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	<b>Yes</b>	<b>Yes</b>	By Engine Code See Note	<b>A</b> Black

**Note:** 2005 is a split year, NEWER body style vehicles CANNOT be programmed at this time. For PIN read - use VW Beetle BDC on 2.7 engine or VW Touareg BAA on 3.0 engines.

**2004-2006 TOUAREG (VOLKSWAGEN)      ADS-146**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer ordered key required	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	By Engine Code See Note	<b>A</b> Black

**Note:** If no working key is available, it is a difficult vehicle to read the PIN. The ECU must be powered on. This can be done carefully through the fuse box using a fused lead.

**MID 2005 TT (AUDI)      ADS-146**

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	<b>Yes</b>	<b>Yes</b>	By Engine Code	<b>A</b> Black

**MID 2001-2005 TT (AUDI)      ADS-115**

ILCO	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HU66T6	HU67HPT	Select by Vehicle VAG Type 2	<b>Yes</b>	<b>Yes</b>	By Engine Code	<b>A</b> Black

**AUDI / VOLKSWAGEN**

**A note about our newest ADS-219 software:**

**Currently enhancements to VAG ADS-219 are being made that should make doing many older models easier ADS-219 will continue to add more models and functionality as time goes on.**

Beware of component mis-match on AUDI / VW..  
 If any computer components such as Engine Control Module or Dashboard have been replaced or swapped DEALER EQUIPMENT is required in order to re-match components.  
 Simply programming the keys will not perform the necessary matching functions!

**CHRYSLER / DODGE / JEEP / PLYMOUTH**

**2011-2014 200 (CHRYSLER) ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 2	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**Note:** Vehicle also uses a Remote Head key from the factory.

**2011-2014 300 / 300C (CHRYSLER) ADS-178**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Fob FCC ID = M3N40821302		PROX GEN 4	Yes	Yes	Yes	<b>G</b> Tan

**2009-2010 300 / 300C (CHRYSLER) ADS-173**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B	Yes	Yes	with FOBIK Software	<b>G</b> Tan

**2008 300 / 300C (CHRYSLER) ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik Original	Yes	Yes	with FOBIK Software	<b>G</b> Tan

**MID 2006-2007 300 / 300C (CHRYSLER) ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 5	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**Note:** A few models may use CAN 4. Vehicle also uses a Remote Head key from the factory.

**2005 TO EARLY 2006 300 / 300C (CHRYSLER) ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 1	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**Note:** Overlapping mid-year change for 2006. Vehicle also uses a Remote Head key from the factory.

**1999-2004 300M (CHRYSLER) ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2 VPW	No	Yes	with ADS-157 Software	<b>C</b> Green

**Note:** PIN Read possible on 2001-2004 models only. Use AD-38 for 1999-2000 models.

Split Year

**FOR BEST RESULTS WITH SKIM / PIN CODE READING  
USE BETA 11.99 OR HIGHER**

## 2007-2009 ASPEN (CHRYSLER)

## ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 4	Yes	Yes	with ADS-157 Software	G Tan

**Note:** This vehicle also use's a Dealer Remote Head Key.

## 2008-2014 AVENGER (DODGE)

## ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 2	Yes	Yes	with ADS-157 Software	G Tan

**Note:** Vehicle also uses a Remote Head key from the factory.

## 1999-2000 BREEZE (PLYMOUTH)

## ADS-113

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 1	No	Yes	with AD-38 Tool	C Green

**Note:** Need Dealer PIN or use AD-38 tool for 1999-2000 models. Transponder system was optional.

## 2007-2012 CALIBER (DODGE)

## ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 3	Yes	Yes	with ADS-157 Software	G Tan

## 2011-2015 CARAVAN (DODGE)

## ADS-173

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B	Yes	Yes	with FOBIK Software	G Tan

## 2009-2010 CARAVAN (DODGE)

## ADS-173

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik A or B	Yes	Yes	with FOBIK Software	G Tan

## 2008 CARAVAN (DODGE)

## ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik Original	Yes	Yes	with FOBIK Software	G Tan

**FOR BEST RESULTS WITH SKIM / PIN CODE READING  
USE BETA 11.99 OR HIGHER**

CHRYSLER / DODGE / JEEP / PLYMOUTH

## 2004-2007 CARAVAN (DODGE)

ADS-113

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	PACIFICA	No	Yes	NO PIN READ AVAILABLE	C Green

**Note:** Need Dealer PIN. This van may also use a Remote Head Key. Transponder system was optional.

## 2001-2003 CARAVAN (DODGE)

ADS-113

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2 VPW	No	Yes	with ADS-157 Software	C Green

**Note:** Transponder system was optional.

## 2008-2014 CHALLENGER FOBIK TYPE IGNITIONS (DODGE)

ADS-173

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B	Yes	Yes	with FOBIK Software	G Tan

**Note:** Some Challenger models may be equipped with an option called "Keyless Go" that includes a "Push-to-Start" button ignition. For programming the "Button" is removed and a Fobik Ignition is behind it.

## 2009-2014 CHALLENGER PROXIMITY TYPE IGNITIONS (DODGE)

ADS-178

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B / PROX (See Note)	Yes	Yes	with FOBIK Software	G Tan

**Note:** Some Challenger models may be equipped with an option called "Keyless Go" that includes a "Push-to-Start" button ignition. For programming the "Button" is removed and a Fobik Ignition is behind it. Use Proximity Match Keyless-Go as final step.

## 2011-2014 CHARGER (DODGE)

ADS-178

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Fob FCC ID = M3N40821302		PROX GEN 4	Yes	Yes	Yes	G Tan

## 2009-2010 CHARGER (DODGE)

ADS-173

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B	Yes	Yes	with FOBIK Software	G Tan

## 2008 CHARGER (DODGE)

ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik Original	Yes	Yes	with FOBIK Software	G Tan



Split Year

MID 2006-2007 CHARGER (DODGE)						ADS-156
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 5	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan
<b>Note:</b> A few models may use CAN 4. Vehicle also uses a Remote Head key from the factory.						
EARLY 2006 CHARGER (DODGE)						ADS-156
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 1	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan
<b>Note:</b> Overlapping mid-year change for 2006. A few models may use CAN 5. Remote Head key from the factory.						
2014-2015 CHEROKEE & CHEROKEE SPORT (JEEP)						
NOT SUPPORTED AT THIS TIME (Do not confuse with Grand Cherokee)						
1998-2001 CHEROKEE (JEEP)						ADS-113
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 1	No	<b>Yes</b>	with AD-38 Tool	<b>C</b> Green
<b>Note:</b> Need Dealer PIN or use AD-38 tool for 1998-2001 models.						
1999-2000 CIRRUS (CHRYSLER)						ADS-113
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 1	Yes	<b>Yes</b>	with AD-38 Tool	<b>C</b> Green
<b>Note:</b> Need Dealer PIN or use AD-38 tool for 1999-2000 models. Transponder system was optional.						
2009-2010 COMMANDER (JEEP)						ADS-173
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik A or B	Yes	<b>Yes</b>	with FOBIK Software	<b>G</b> Tan
<b>Note:</b> SEED-KEY ERROR on a FOBIK system means the wrong system has been selected.						
2008 COMMANDER (JEEP)						ADS-156
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik Original	Yes	<b>Yes</b>	with FOBIK Software	<b>G</b> Tan

CHRYSLER / DODGE / JEEP / PLYMOUTH

**FOR BEST RESULTS WITH SKIM / PIN CODE READING  
USE BETA 11.99 OR HIGHER**

**2007 COMMANDER (JEEP)****ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 4	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**Note:** A few models may use the CAN 1 System for this year & a Dealer Remote Head Key.

**2006 COMMANDER (JEEP)****ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 1	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**2007-2015 COMPASS (JEEP)****ADS-156**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 3	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**1998-2004 CONCORDE (CHRYSLER)****ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	Yes	Yes	('01-'04) ADS-157 Software	<b>C</b> Green

**Note:** PIN Read possible on 2001-2004 models only. Use AD-38 tool for 1998-2000 models.

**2007-2011 DAKOTA (DODGE)****ADS-156**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 4	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**Note:** This model may be transponder equipped or not. If the car starts with a metal key it is non-transponder. Program non-transponder remote head keys using CAN 4 and select "Program Remotes".

**2005-2006 DAKOTA (DODGE)****ADS-156**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 1	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**Note:** This model may be transponder equipped or not. If the car starts with a metal key it is non-transponder. Program non-transponder remote head keys using CAN 1 and select "Program Remotes".

**2001-2004 DAKOTA (DODGE)****ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	Yes	with ADS-157 Software	<b>C</b> Green

CHRYSLER / DODGE / JEEP / PLYMOUTH

2013-2015 DART PROXIMITY TYPE IGNITIONS (DODGE)						ADS-195
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Fob required		Select by Vehicle	Yes	Yes	NO PIN READ AVAILABLE	G Tan

2013-2015 DART FOBIK TYPE IGNITIONS (DODGE)						ADS-195
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Select by Vehicle	Yes	Yes	NO PIN READ AVAILABLE	G Tan

2014-2015 DURANGO (DODGE)						ADS-195
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Fob Required		Select 14 JEEP G. CHERO-KEE	Yes	Yes	NO PIN READ AVAILABLE	G Tan

2011-2013 DURANGO (Dodge)						ADS-178
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Keyless GO FOBIK FCC ID: IYZ-C01C POD Key 5909874		Fobik B / PROX (See Note)	Yes	Yes	with FOBIK Software	G Tan

Note: 2011+ Durango models are equipped with an option called "Keyless Go" that includes a "Push-to-Start" button ignition. For programming the "Button" is removed and a Fobik Ignition is behind it. Use Proximity Match Keyless-Go as final step.

2007-2009 DURANGO (Dodge)						ADS-156
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 4	Yes	Yes	with ADS-157 Software	G Tan

**Note:** This vehicle may also use a Dealer Remote Head Key.

2005- mid 2006 DURANGO (Dodge)						ADS-156
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 1	Yes	Yes	with ADS-157 Software	G Tan

**Note:** This vehicle may also use a Dealer Remote Head Key. Transponder system is optional

We have noticed some 2005 Vin Durango's that like the 2004 model will only accept a Dealer Remote Head Key.

2004 DURANGO (Dodge)						ADS-156
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM REMOTE KEY ONLY (A non-remote head key can not be used)		CAN 1	Yes	Yes	with ADS-157 Software	G Tan

**Note:** This vehicle requires a Dealer Remote Head Key only for 2004 models. Transponder system is optional

CHRYSLER / DODGE / JEEP / PLYMOUTH

## 2001-2003 DURANGO (Dodge)

ADS-113

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	Yes	with ADS-157 Software	<b>C</b> Green

## 2014 GRAND CHEROKEE (JEEP)

ADS-195

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Fob Required		Select by Vehicle	Yes	Yes	NO PIN READ AVAILABLE	<b>G</b> Tan

## 2011-2013 GRAND CHEROKEE (JEEP)

ADS-178

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Keyless GO FOBIK or POD Key 5909874 / HAT3740 Y170-PT		Fobik B / PROX (See Note)	Yes	Yes	with FOBIK Software	<b>G</b> Tan

Note: 2011+ Grand Cherokee models are equipped with an option called "Keyless Go" that includes a "Push-to-Start" button ignition. For programming the "Button" is removed and a Fobik Ignition is behind it. Use Proximity Match Keyless-Go as final step.

## 2009-2010 GRAND CHEROKEE (JEEP)

ADS-173

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		FOBIK A or B	Yes	Yes	with FOBIK Software	<b>G</b> Tan

Note: A Emergency "POD" key may be substituted for the FOBIK remote.

## 2008 GRAND CHEROKEE (JEEP)

ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik Original	Yes	Yes	with FOBIK Software	<b>G</b> Tan

Note: A Emergency "POD" key may be substituted for the FOBIK remote.

## 2007 GRAND CHEROKEE (JEEP)

ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 4	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

Note: This vehicle also use's a Dealer Remote Head Key.

## 2005-2006 GRAND CHEROKEE (JEEP)

ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 1	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

Note: This vehicle also use's a Dealer Remote Head Key.

**1999-2004 GRAND CHEROKEE (JEEP)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	<b>Yes</b>	('01-'04) ADS-157 Software	<b>C</b> Green

**Note:** PIN Read possible on 2001-2004 models only. Use AD-38 tool for 1999-2000 models.

**1998-2004 INTREPID (DODGE)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	<b>Yes</b>	('01-'04) ADS-157 Software	<b>C</b> Green

**Note:** PIN Read possible on 2001-2004 models only. Use AD-38 tool for 1998-2000 models.

**2011-2014 JOURNEY (DODGE)**

**ADS-178**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Fob FCC ID = M3N40821302		PROX GEN 4	Yes	<b>Yes</b>	Yes	<b>G</b> Tan

**2009-2010 JOURNEY (DODGE)**

**ADS-173**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B	Yes	<b>Yes</b>	with FOBIK Software	<b>G</b> Tan

**Note:** Base models with no option packages do not come with Remotes - only POD keys from the factory.

**1999-2001 LHS (CHRYSLER)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	Yes	<b>Yes</b>	(2001) ADS-157 Software	<b>C</b> Green

**Note:** PIN Read possible on 2001 model only. Use AD-38 tool for 1999-2000 models.

**2008-2013 LIBERTY (JEEP)**

**ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 3	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan

**2005-2007 LIBERTY (JEEP)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	PACIFICA	No	<b>Yes</b>	<b>NO PIN READ AVAILABLE</b>	<b>C</b> Green

**Note:** Need Dealer PIN. No PIN Read. This van may also use a Remote Head Key.

**CHRYSLER / DODGE / JEEP / PLYMOUTH**

**2002-2004 LIBERTY (JEEP)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	<b>Yes</b>	with ADS-157 Software	<b>C</b> Green

**Note:** Transponder system was optional.

**2008 MAGNUM (DODGE)**

**ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik Original	Yes	<b>Yes</b>	with FOBIK Software	<b>G</b> Tan

**MID 2006-2007 MAGNUM (DODGE)**

**ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 5	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan

**Note:** A few models may use CAN 4. Vehicle also uses a Remote Head key from the factory.

**2005 TO EARLY 2006 MAGNUM (DODGE)**

**ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 1	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan

**Note:** Overlapping mid-year change for 2006. A few models may use CAN 5. Remote Head key from the factory.

**2000-2005 NEON (DODGE)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	<b>Yes</b>	('01-'05) ADS-157 Software	<b>C</b> Green

**Note:** PIN Read possible on 2001-2005 models only. Use AD-38 tool for 2000 model. Transponder optional.

**2007-2012 NITRO (DODGE)**

**ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 3	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan

**2004-2008 PACIFICA (CHRYSLER)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	PACIFICA	No	<b>Yes</b>	<b>NO PIN READ AVAILABLE</b>	<b>C</b> Green

**Note:** Need Dealer PIN. No PIN Read. This van may also use a Remote Head Key.

**CHRYSLER / DODGE / JEEP / PLYMOUTH**

**Split Year**

**2007-2015 PATRIOT (JEEP)**

**ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 3	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan

**Note:** This vehicle also use's a Dealer Remote Head Key.

**2006-2010 PT CRUISER (CHRYSLER)**

**ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 2	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan

**Note:** This vehicle also use's a Dealer Remote Head Key.

**2001-2005 PT CRUISER (CHRYSLER)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	<b>Yes</b>	with ADS-157 Software	<b>C</b> Green

**Note:** Transponder system was optional.

**2013-2014 RAM PICK UP PROXIMITY TYPE IGNITIONS (DODGE)**

**ADS-195**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Fob required		Select by Vehicle	Yes	<b>Yes</b>	NO PIN READ AVAILABLE	<b>G</b> Tan

**Note:** Need Dealer PIN. No PIN Read.

**2013-2015 RAM PICK UP FOBIK TYPE IGNITIONS (DODGE)**

**ADS-195**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Select by Vehicle	Yes	<b>Yes</b>	NO PIN READ AVAILABLE	<b>G</b> Tan

**2009-2012 RAM 1500 PICK UP (DODGE) FOBIK WITH POWER WINDOWS & LOCKS**

**ADS-173**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B	Yes	<b>Yes</b>	with FOBIK Software	<b>G</b> Tan

**2009-2011 RAM 1500 PICK UP (DODGE) No POWER LOCKS OR WINDOWS**

**ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
POD Key 5909874 / HAT3740 Y170-PT		CAN 2	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan

**Note:** We have a seen a few of these models with Fobik B type systems.

**CHRYSLER / DODGE / JEEP / PLYMOUTH**

**2006-2008 RAM 1500 PICK UP (DODGE) ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 2	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**Note:** We have a seen a few of these models with Fobik B type systems.

**2002-2005 RAM 1500 PICK UP (DODGE) ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	Yes	with ADS-157 Software	<b>C</b> Green

**Note:** Transponder system was optional.

**2011-2012 RAM 2500/3500 PICK UP (DODGE) ADS-173**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B	Yes	Yes	Yes	<b>G</b> Tan

**2009-2010 RAM 2500/3500 PICK UP (DODGE) ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 2	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**2001-2006 SEBRING 2 DR HARDTOP (CHRYSLER) ADS-113**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692353	Y165PT	Sebring 2Dr Htp	Yes	No	Not Needed	<b>G</b> Tan

**Note:** This vehicle can also be programmed as a Mitsubishi Eclipse.

**2007-2010 SEBRING 4-DR HARDTOP (CHRYSLER) ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 2	Yes	Yes	with ADS-157 Software	<b>G</b> Tan

**2001-2006 SEBRING 4-DR HARDTOP (CHRYSLER) ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	Yes	Yes	with ADS-157 Software	<b>C</b> Green

**Note:** Transponder system was optional.

**CHRYSLER / DODGE / JEEP / PLYMOUTH**



**2007-2010 SEBRING CONVERTIBLE (CHRYSLER) ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 2	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan

**Note:** This vehicle also use's a Dealer Remote Head Key.

**2001-2006 SEBRING CONVERTIBLE (CHRYSLER) ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	<b>Yes</b>	with ADS-157 Software	<b>C</b> Green

**Note:** Transponder system was optional.

**1998-2000 SEBRING CONVERTIBLE (CHRYSLER) ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 1	No	<b>Yes</b>	with AD-38 Tool	<b>C</b> Green

**Note:** Need Dealer PIN or use AD-38 tool for 1998-2000 models. Transponder system was optional.

**2003-2006 SPRINTER (DODGE) ADS-137**

DEALER	SYSTEM	SMART Card	PIN Required	PRO Dongle
Bianchi: BYS15TK1 or Dealer Key Required	Select by Vehicle	Yes	A code conversion is required from the dealer while you are plugged into the vehicle, to program keys.	<b>D</b> Blue

**Note:** If using anfermarket non-remote key - make sure it is pre-cloned first or it will not work.

**2001-2005 STRATUS 2 DR HARDTOP (DODGE) ADS-113**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692353	Y165PT	Sebring 2Dr Htp	Yes	No	Not Needed	<b>G</b> Tan

**Note:** This vehicle can also be programmed as a Mitsubishi Eclipse.

**2001-2006 STRATUS 4-DR HARDTOP (DODGE) ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	<b>Yes</b>	with ADS-157 Software	<b>C</b> Green

**Note:** Transponder system was optional.

**CHRYSLER / DODGE / JEEP / PLYMOUTH**

**FOR BEST RESULTS WITH SKIM / PIN CODE READING  
USE BETA 11.99 OR HIGHER**

## 1999-2000 STRATUS 4-DR HARDTOP (DODGE)

ADS-113

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 1	No	Yes	with AD-38 Tool	<b>C</b> Green

**Note:** Need Dealer PIN or use AD-38 tool for 1999-2000 models. Transponder system was optional.

## 2011-2014 TOWN &amp; COUNTRY LIMITED WITH OPTIONAL PROXIMITY

ADS-178

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B / PROX (See Note)	Yes	Yes	Yes	<b>G</b> Tan

Note: 2011+ Town & Country "LIMITED" models may be equipped with an option called "Keyless Go" that includes a "Push-to-Start" button ignition. For programming the "Button" is removed and a Fobik Ignition is behind it. Use Proximity Match Keyless-Go as final step.

## 2011-2014 TOWN &amp; COUNTRY (CHRYSLER)

ADS-173

STRATTEC / HATA	ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		Fobik B	Yes	Yes	Yes	<b>G</b> Tan

## 2009-2010 TOWN &amp; COUNTRY (CHRYSLER)

ADS-173

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		FOBIK A or B	Yes	Yes	Yes	<b>G</b> Tan

**Note:** SEED-KEY ERROR on a FOBIK system means the wrong system has been selected.

## 2008 TOWN &amp; COUNTRY (CHRYSLER)

ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM FOBIK or use POD Key 5909874 / HAT3740 / Y170-PT		FOBIK Original	Yes	Yes	Yes	<b>G</b> Tan

## 2004-2007 TOWN &amp; COUNTRY (CHRYSLER)

ADS-113

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	PACIFICA	No	Yes	No	<b>C</b> Green

**Note:** Need Dealer PIN. No PIN Read Available. This van may also use a Remote Head Key.

## 2001-2003 TOWN &amp; COUNTRY (CHRYSLER)

ADS-113

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	Yes	with ADS-157 Software	<b>C</b> Green

**Note:** Transponder system was optional.

CHRYSLER / DODGE / JEEP / PLYMOUTH

**2001-2003 VOYAGER (CHRYSLER)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	<b>Yes</b>	with ADS-157 Software	<b>C</b> Green

**Note:** Transponder system was optional.

**2007-2015 WRANGLER (JEEP) RUBICON / SAHARA / UNLIMITED**

**ADS-156**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 3	Yes	<b>Yes</b>	with ADS-157 Software	<b>G</b> Tan

**Note:** This vehicle also use's a Dealer Remote Head Key.

**2001-2006 WRANGLER (JEEP) RUBICON / SAHARA / UNLIMITED**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 2	No	<b>Yes</b>	with ADS-157 Software	<b>C</b> Green

**Note:** Transponder system was optional.

**1998-2000 WRANGLER (JEEP)**

**ADS-113**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692325 Y160HPT	Y160-PT	Type 1	No	<b>Yes</b>	with AD-38 Tool	<b>C</b> Green

**Note:** Need Dealer PIN or use AD-38 tool. Transponder system was optional.

**CHRYSLER / DODGE / JEEP / PLYMOUTH**

**FOR BEST RESULTS WITH SKIM / PIN CODE READING  
USE BETA 11.99 OR HIGHER**

**2012-2013 500**

**ADS-181**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key Required Ordered by VIN	Select by Vehicle	Yes	YES (5-Digit)	NO	<b>J</b> Purple

Note: Remote programs in along with transponder.

FIAT

**2003-2006 AVIATOR (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2002 BLACKWOOD (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	HEC	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2013-2014 C-MAX (FORD) WITH PROXIMITY START BUTTON IGNITION**

**ADS-209**

PROX	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
OEM 164-R7995 STRATTEC 5923790 HATA-3790	Select by Vehicle	Yes	No	NO	Change between steps

These vehicles require a 2 step procedure- MVP will need 2 tokens, 1 for Transponder, 1 for Prox  
Add & or Erase functions are available, 2 Proximity remotes are required if using erase.

STEP #1	Transponder Functions	NO	Requires 10min	<b>G</b> Tan
STEP #2	Proximity Functions	NO	Requires 10min	<b>L</b> Pink

**VERY IMPORTANT:** Please consult new section of users manual online at [MvpTcodesupport.Com](http://MvpTcodesupport.Com) for proper procedures.

**2013-2014 C-MAX ENERGI (FORD) WITH PROXIMITY START BUTTON IGNITION**

**ADS-209**

PROX	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
OEM 164-R7995 STRATTEC 5923790 HATA-3790	Select by Vehicle	Yes	No	NO	Change between steps

These vehicles require a 2 step procedure- MVP will need 2 tokens, 1 for Transponder, 1 for Prox  
Add & or Erase functions are available, 2 Proximity remotes are required if using erase.

STEP #1	Proximity Functions	NO	Requires 10min	<b>L</b> Pink
STEP #2	Transponder Functions	NO	Requires 10min	<b>G</b> Tan

Perform the L dongle procedure first on C-MAX

**2013-2014 C-MAX (FORD) WITH KEY TYPE IGNITION**

**ADS-209**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5915237 HAT237	H94-PT	Select by Vehicle	Yes	No	NO	<b>G</b> Tan

**1998-2002 CONTINENTAL (LINCOLN) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	VIC	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1999-2000 CONTOUR (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
692055 H73PT	H73-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Transponder optional. Most Contour's with V-6 Engine's have it. Overlapping immobilizer types.

**1997-1998 CONTOUR (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
692055 H73PT	H73-PT	PATS 1	Yes	No	8 MIN Wait	<b>A</b> Black

**Note:** Production Date of 02/02/98 & up models use PCM system. Transponder optional.

**1999-2002 COUGAR (MERCURY) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
692055 H73PT	H73-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2005-2011 CROWN VICTORIA (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Some 2011 Crown Vic's were made. Most were Police Cruisers and do not have a Transponder System.

**2003-2004 CROWN VICTORIA (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1998-2002 CROWN VICTORIA (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

Split Year

Ford - Lincoln - Mercury

**2010-2013 E SERIES VAN (FORD) ECONOLINE**

**ADS-172**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

**Note:** Transponder system was optional.

**2008-2009 E SERIES VAN (FORD) ECONOLINE**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

**Note:** Transponder system was optional.

**2015 EDGE (FORD) WITH PROXIMITY START BUTTON IGNITION**

**ADS-209**

VER. 11.41>

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM PROX REMOTE		Select 13> FUSION	Yes	SEE BELOW	NO	<b>G</b> Tan

**Note:** Erase Only (2 Keys Required)

Requires Web Access, a Advanced-Diagnostics.Com login and a valid NASTF L.S.I.D.

AD Q/R Reader App for Smart Phones is highly recommended. See www.adusa.us for more info & instructions

**2011-2014 EDGE (FORD) WITH PROXIMITY START BUTTON IGNITION**

**ADS-175**

STRATTEC	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5921285 - 4-Btn Prox 5921286 - 5-Btn Prox 5912345 - Emerg Key	Select by Vehicle	Yes	No	10 MIN Wait	<b>L</b> Pink

**Note:** Dealer Prox Remote Fobs are available from Strattec.

**2011-2014 EDGE (FORD) WITH KEY TYPE IGNITION**

**ADS-175**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5913441 (80-Bit) HAT997	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

**2010 EDGE (FORD)**

**ADS- 172**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

**2007-2009 EDGE (FORD)**

**ADS- 100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5 *	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

## 2013-2015 ESCAPE (FORD) WITH PROXIMITY START BUTTON IGNITION

ADS-209

PROX	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
OEM 164-R8048 STRATTEC 5919918 HATA-9918	Select by Vehicle	Yes	No	NO	Change between steps
These vehicles require a 2 step procedure- MVP will need 2 tokens, 1 for Transponder, 1 for Prox Add & or Erase functions are available, 2 Proximity remotes are required if using erase.					
STEP #1	Transponder Functions		NO	Requires 10min	<b>G</b> Tan
STEP #2	Proximity Functions		NO	Requires 10min	<b>L</b> Pink
VERY IMPORTANT: Please consult new section of users manual online at <a href="http://MvpTcodesupport.Com">MvpTcodesupport.Com</a> for proper procedures.					

## 2014-2016 ESCAPE (FORD) WITH KEY TYPE IGNITION

ADS-209

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5915237 HAT237	H94-PT	Select by Vehicle	Yes	No	NO	<b>G</b> Tan

## 2013 ESCAPE (FORD) WITH KEY TYPE IGNITION

ADS-175

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5915237 HAT237	H94-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>G</b> Tan

## 2009-2012 ESCAPE (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	10 MIN Wait	<b>A</b> Black

## 2008-2012 ESCAPE HYBRID (FORD)

ADS-172

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

## 2008 ESCAPE (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5 *	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass



## 2005-2007 ESCAPE (FORD)

## ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

## 2001-2004 ESCAPE (FORD)

## ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
691643 H86HPT	H86-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

## 2000-2005 EXCURSION (FORD)

## ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

## 2015 EXPEDITION (FORD) WITH KEY TYPE IGNITION

## ADS-100

STRATTEC / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5913341 , 5912512 5912560 / HAT997	Select 2013 Taurus Keyed	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** We have found that on these cars ADD-KEY does not work, only use ERASE KEYS.

## 2012-2014 EXPEDITION (FORD)

## ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** We have found that on these cars ADD-KEY does not work, only use ERASE KEYS.

## 2009-2011 EXPEDITION (FORD)

## ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	10 MIN Wait	<b>A</b> Black

## 2007-2008 EXPEDITION (FORD)

## ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5 *	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

**2005-2006 EXPEDITION (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2003-2004 EXPEDITION (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1999-2002 EXPEDITION (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	HEC	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1997-1998 EXPEDITION (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 1	Yes	No	8 MIN Wait	<b>A</b> Black

**2011-2014 EXPLORER (FORD) WITH KEY TYPE IGNITION ADS-175**

STRATTEC / HATA /	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5913341 , 5912512 5912560 / HAT997	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

**Note:** We have found that on these cars ADD-KEY does not work, only use ERASE KEYS.

**2011-2015 EXPLORER (FORD) WITH PROXIMITY START BUTTON IGNITION ADS-175**

STRATTEC	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5921285 - 4-Btn Prox 5921286 - 5-Btn Prox 5912345 - Emerg Key	Select by Vehicle	Yes	No	10 MIN Wait	<b>L</b> Pink

**2010 EXPLORER (FORD) ADS-172**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

**2006-2009 EXPLORER (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

Ford - Lincoln - Mercury

2004-2005 EXPLORER (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

2001-2003 EXPLORER (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**IMPORTANT:** Model Year 2001 is split year - Overlapping immobilizer types & keys. Use the production date. Usually up to 07/2000 production date is PATS 2. After 07/2000 is PCM. (SEE BELOW)

**READ THIS BEFORE CUTTING ANY KEYS!**

Look at the existing original keys to the vehicle.

If the original key is an H84 key, the system to use is PCM.

If the original key is an H-72 key then the system is PATS 2.

**IF NO KEY IS AVAILABLE WE SUGGEST DOING THIS:**

Have at least 2 of each H72 and H84 Key Blanks ready but DO NOT CUT THEM YET.

- A. Cut and use **only a metal non transponder work key**.
- B. Using the PROD DATE (see above) use the system you "think it should be" based on the PROD DATE.
- C. **Before doing any programming look at "KEYS PROGRAMMED" on the special functions menu.** (should show at least 2 keys)
- D. **Use "CLEAR ERASE PATS"** and then look at the "KEYS PROGRAMMED" info again to see if the keys have been erased. (should now show 0 KEYS PROGRAMMED). If keys have not erased use the other system. IE PATS 2 or PCM.
- E. **When you have determined which system will ERASE the keys you then will know which type of keys to cut. Now cut and cycle them in to program.**
- F. If PATS 2 system then simply cut and cycle 2 H72 Keys. If PCM system cut and cycle 2 H84 keys.

1998-2001 EXPLORER (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Model Year 2001 is split year - Overlapping immobilizer types & keys. Use the production date. Usually up to 07/2000 production date is PATS 2. After 07/2000 is PCM. (SEE ABOVE)

2010 EXPLORER SPORT TRAC (FORD)

ADS-172

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

Split Year

Ford - Lincoln - Mercury

2006-2009 EXPLORER SPORT TRAC (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

2001-2005 EXPLORER SPORT TRAC (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**IMPORTANT:** Model Year 2001 is split year - Overlapping immobilizer types & keys. Use the production date. Usually up to 07/2000 production date is PATS 2. After 07/2000 is PCM. (SEE BELOW)

**READ THIS BEFORE CUTTING ANY KEYS!**

Look at the existing original keys to the vehicle.  
If the original key is an H84 key, the system to use is PCM.  
If the original key is an H-72 key then the system is PATS 2.

**IF NO KEY IS AVAILABLE WE SUGGEST DOING THIS:**

Have at least 2 of each H72 and H84 Key Blanks ready but DO NOT CUT THEM YET.

- A. Cut and use **only a metal non transponder work key.**
- B. Using the PROD DATE (see above) use the system you “think it should be” based on the PROD DATE.
- C. **Before doing any programming look at “KEYS PROGRAMMED” on the special functions menu.** (should show at least 2 keys)
- D. **Use “CLEAR ERASE PATS”** and then look at the “KEYS PROGRAMMED” info again to see if the keys have been erased. (should now show 0 KEYS PROGRAMMED). If keys have not erased use the other system. IE PATS 2 or PCM.
- E. **When you have determined which system will ERASE the keys you then will know which type of keys to cut. Now cut and cycle them in to program.**
- F. If PATS 2 system then simply cut and cycle 2 H72 Keys. If PCM system cut and cycle 2 H84 keys.

EARLY 2001 EXPLORER SPORT TRAC (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Model Year 2001 is split year - Overlapping immobilizer types & keys. Use the production date. Usually up to 07/2000 production date is PATS 2. After 07/2000 is PCM.

2015 F150 (FORD) WITH KEYED IGNITION OR PROXIMITY START BUTTON IGNITION

ADS-209

VER. 11.41>

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM KEY OR PROX REMOTE		FUSION 2013-14	Yes	SEE BELOW	NO	<b>G</b> Tan

**Note:** Erase Only (2 Keys Required)  
Requires Web Access, a Advanced-Diagnostics.Com login and a valid NASTF L.S.I.D.  
AD Q/R Reader App for Smart Phones is highly recommended. See [www.adusa.us](http://www.adusa.us) for more info & instructions

Ford - Lincoln - Mercury

Split Year

2011-2014 F150 (FORD)						ADS-175
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5913441 (80-Bit) HAT997	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black
<b>Note: ON-BOARD PROGRAMMING A SEPARATE REMOTE IS NEEDED IF FACTORY ALARM IS ACTIVATED</b>						
2009-2010 F150 (FORD)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2004-2008 F150 (FORD)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2004 F150 HERITAGE (FORD)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	HEC	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2001-2003 F150 (FORD)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	HEC	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
1999-2000 F150 / F250 (FORD)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	HEC	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2011-2014 F250 / F350 / F450 / F550 SUPER DUTY (FORD)						ADS-175
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5913441 (80-Bit) HAT997	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black
2015- F250 Super Duty has been reported as unchanged from 2014.						

Ford - Lincoln - Mercury

## 2010 F250 / F350 / F450 / F550 SUPER DUTY (FORD)

ADS-172

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

**Note:** Transponder system was optional.

## 2009 F250 / F350 / F450 SUPER DUTY (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Optional Transponder System - Not found on Fleet models - Models without chip still have Security Light in dash. If transponder equipped - it may program under PATS 4 or PATS 5.

## 2008 F250 / F350 / F450 SUPER DUTY (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Optional Transponder System - Not found on Fleet models - Models without chip still have Security Light in dash. If transponder equipped - \*Select PATS 5 if using Bypass

## 2014-2015 FIESTA (FORD) WITH PROXIMITY START BUTTON IGNITION

ADS-209

PROX	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
OEM 164-R8048 STRATTEC 5919918 HATA-9918	Select by Vehicle	Yes	No	NO	<b>L</b> Pink

14 Fiesta Prox is a 1 step procedure- MVP will need just 1 token for both the Transponder & the Prox. Add & or Erase functions are available, 2 Proximity remotes are required if using erase.

**VERY IMPORTANT:** Please consult new section of users manual online at [MvpTcodesupport.Com](http://MvpTcodesupport.Com) for proper procedures.

## 2011-2013 FIESTA (FORD) WITH PROXIMITY START BUTTON IGNITION

ADS-175

PROX	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
OEM 164-R8048 STRATTEC 5919918 HATA-9918	Select by Vehicle	Yes	No	Yes with SMC & ADS133	<b>L</b> Pink

**Note:** This vehicle requires SmartCard Calculator (SMC) Enabled, but is not used.

## 2014-2015 FIESTA (FORD) WITH KEY TYPE IGNITION

ADS-209

STRATTEC / HATA /	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5915237 HAT237	H94-PT	Select by Vehicle	Yes	No	NO	<b>G</b> Tan

2011-2013 FIESTA (FORD) WITH KEY TYPE IGNITION						ADS-175
STRATTEC /	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle	
5915237 - Non Rmt Master 5913139 - Remote Section 5912976 - Key Section	Select by Vehicle	Yes	No	Yes with SMC & ADS133	<b>A</b> Black	
<b>Note:</b> This vehicle also use's a Dealer Remote Head Key. High Security 2-Track keyway. This vehicle also requires SmartCard Calculator (SMC) Enabled, but is not used.						
2005-2007 FIVE HUNDRED (500) (FORD)					ADS-100	
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2013-2014 FLEX (FORD) WITH PROXIMITY START BUTTON IGNITION						ADS- 175
STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
5921285 - 4-Btn Prox 5921286 - 5-Btn Prox 5912345 - Emerg Key	Select by Vehicle	Yes	No	10 MIN Wait	<b>L</b> Pink	
2013-2014 FLEX (FORD) WITH KEY TYPE IGNITION						ADS- 175
STRATTEC / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
5913441 or 5918897 (80-Bit) HAT997	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black	
2010-2012 FLEX (FORD)						ADS-172
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2009 FLEX (FORD)						ADS- 100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
*Select PATS 5 if using Bypass						

**Ford - Lincoln - Mercury**

## 2014-2015 FOCUS (FORD) WITH PROXIMITY START BUTTON IGNITION

ADS-209

PROX	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
OEM 164-R7995 STRATTEC 5923790 HATA-3790	Select by Vehicle	Yes	No	NO	Change between steps
These vehicles require a 2 step procedure- MVP will need 2 tokens, 1 for Transponder, 1 for Prox Add & or Erase functions are available, 2 Proximity remotes are required if using erase.					
STEP #1	Transponder Functions		NO	Requires 10min	<b>G</b> Tan
STEP #2	Proximity Functions		NO	Requires 10min	<b>L</b> Pink
VERY IMPORTANT: Please consult new section of users manual online at <a href="http://MvpTcodesupport.Com">MvpTcodesupport.Com</a> for proper procedures.					

## 2012-2013 FOCUS (FORD) WITH PROXIMITY START BUTTON IGNITION

ADS-209

PROX	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
OEM 164-R8048 STRATTEC 5919918 HATA-9918	Select by Vehicle	Yes	No	NO	Change between steps
These vehicles require a 2 step procedure- MVP will need 2 tokens, 1 for Transponder, 1 for Prox Add & or Erase functions are available, 2 Proximity remotes are required if using erase.					
STEP #1	Transponder Functions		NO	Requires 10min	<b>G</b> Tan
STEP #2	Proximity Functions		NO	Requires 10min	<b>L</b> Pink
VERY IMPORTANT: Please consult new section of users manual online at <a href="http://MvpTcodesupport.Com">MvpTcodesupport.Com</a> for proper procedures.					

## 2014-2015 FOCUS (FORD) WITH KEY TYPE IGNITION

ADS-209

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
5915237 HAT237	H94-PT	Select by Vehicle	Yes	No	NO	<b>G</b> Tan

## 2012-2013 FOCUS (FORD) WITH KEY TYPE IGNITION

ADS-175

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5915237 HAT237	H94-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>G</b> Tan

## 2008-2011 FOCUS (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	10 MIN Wait	<b>A</b> Black



**2006-2007 FOCUS (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2005 FOCUS (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
691643 H86HPT	H86-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2003-2004 FOCUS (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
691643 H86HPT	H86-PT	See Notes	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** PCM system for 2.0 litre Engines (Non PZEV)

**Note:** PATS 3 system for 2.3 litre Engines (PZEV)

**2000-2002 FOCUS (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
691643 H86HPT	H86-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2004-2007 FREESTAR (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	2004-05 PCM ----- 2006-07 PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2005-2007 FREESTYLE (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	2004-05 PCM ----- 2006-07 PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2013-2015 FUSION (LINCOLN) WITH KEY TYPE IGNITION**

**ADS-209**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM REMOTE HEAD KEY		Select by Vehicle	Yes	SEE BELOW	NO	<b>G</b> Tan

**Note:** Erase Only (2 Keys Required)

Requires Web Access, a Advanced-Diagnostics.Com login and a valid NASTF L.S.I.D.

AD Q/R Reader App for Smart Phones is highly recommended. See [www.adusa.us](http://www.adusa.us) for more info & instructions

## 2013-2015 FUSION (LINCOLN) WITH PROXIMITY START BUTTON IGNITION

ADS-209

VER. 11.41&gt;

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM PROX REMOTE		Select by Vehicle	Yes	SEE BELOW	NO	<b>G</b> Tan

**Note:** Erase Only (2 Keys Required)

Requires Web Access, a Advanced-Diagnostics.Com login and a valid NASTF L.S.I.D.

AD Q/R Reader App for Smart Phones is highly recommended. See [www.adusa.us](http://www.adusa.us) for more info & instructions

## 2010-2012 FUSION (FORD)

ADS-172

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

## 2010-2012 FUSION HYBRID (FORD)

ADS-172

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

## 2006-2009 FUSION (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

## 2005-2011 GRAND MARQUIS (MERCURY)

ADS- 100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

## 2003-2004 GRAND MARQUIS (MERCURY)

ADS- 100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

## 1998-2002 GRAND MARQUIS (MERCURY)

ADS- 100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

2005-2006 FORD GT (FORD)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2003-2006 LS (LINCOLN)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	ICM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2000-2002 LS (LINCOLN)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
691643 H86HPT	H74-PT	ICM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2003-2004 MARAUDER (MERCURY)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2009-2011 MARINER (MERCURY)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
2008 MARINER (MERCURY)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
*Select PATS 5 if using Bypass						
2005-2007 MARINER (MERCURY)						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

Ford - Lincoln - Mercury

## 2008-2008 MARK LT (LINCOLN)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

## 2006-2007 MARK LT (LINCOLN)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

## 1997-1998 MARK VIII (8) (LINCOLN)

ADS-100

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
691641	N/A	SCIL	Yes	No	8 MIN Wait	<b>A</b> Black

**Note:** See 'Special Note' about programming the MARK VIII - in Manual. You must use the Strattec 691641 - there is no substitute.

## 2010-2011 MILAN (MERCURY) HYBRID

ADS-172

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select FORD FUSION 2010 HYBRID	Yes	No	10 MIN Wait	<b>A</b> Black

## 2010-2011 MILAN (MERCURY) W/ GASOLINE ENGINE

ADS-172

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

## 2006-2009 MILAN (MERCURY)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	10 MIN Wait	<b>A</b> Black

\*Select PATS 5 if using Bypass

## 2015 MKC (LINCOLN) WITH PROXIMITY START BUTTON IGNITION

ADS-209

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM PROX REMOTE		Select 14-15 FUSION	Yes	SEE BELOW	NO	<b>G</b> Tan

**Note:** Requires Web Access, including a Advanced-Diagnostics.com login & a valid NASTF L.S.I.D.  
Advanced Diagnostics Q/R Reader app recommended. See [www.adusa.us](http://www.adusa.us) for more info & instructions

**2010-2013 MKS (LINCOLN) WITH PROXIMITY START BUTTON IGNITION**

**ADS-172**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7012479 - Prox & Key 5912477 - Prox 5911175 - Key	Select by Vehicle	Yes	No	10 MIN Wait	L Pink

**2009 MKS (LINCOLN) WITH KEY TYPE IGNITION**

**ADS-172**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5913441 (80-Bit) HAT997	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	A Black

**2010-2012 MKT (LINCOLN) WITH PROXIMITY START BUTTON IGNITION**

**ADS-172**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7012479 - Prox & Key 5912477 - Prox 5911175 - Key	Select by Vehicle	Yes	No	10 MIN Wait	L Pink

**Note:** All MKT are Prox.

**2011-2014 MKX (LINCOLN) WITH PROXIMITY START BUTTON IGNITION**

**ADS-172**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5921288 - Prox Remote 5912345 - Emerg Key	Select by Vehicle	Yes	No	10 MIN Wait	L Pink

**2007-2010 MKX (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	A Black

\*Select PATS 5 if using Bypass

**2013-2015 MKZ (LINCOLN) WITH PROXIMITY START BUTTON IGNITION**

**ADS-209**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM PROX REMOTE	Select by Vehicle	Yes	SEE BELOW	NO	G Tan	

**Note:** Requires Web Access, including a Advanced-Diagnostics.com login & a valid NASTF L.S.I.D. Advanced Diagnostics Q/R Reader app recommended. See [www.adusa.us](http://www.adusa.us) for more info & instructions

**2010-2012 MKZ (LINCOLN)**

**ADS-172**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	A Black

**Ford - Lincoln - Mercury**

<b>2007-2009 MKZ (LINCOLN)</b>						<b>ADS-100</b>
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
*Select PATS 5 if using Bypass						

<b>2005-2007 MONTEGO (MERCURY)</b>						<b>ADS-100</b>
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	2005-06 PATS 3 ----- 2007 PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
*2007-Select PATS 5 if using Bypass						

<b>2004-2007 MONTEREY (MERCURY)</b>						<b>ADS-100</b>
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	2004-05 PCM ----- 2006-2007 PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

<b>2010-2010 MOUNTAINEER (MERCURY)</b>						<b>ADS-172</b>
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

<b>2004-2009 MOUNTAINEER (MERCURY)</b>						<b>ADS-100</b>
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	2004-05 PATS 3 ----- 2006-09 PATS 4	Yes	No	Yes with SMC & ADS133	<b>A</b> Black
*2006-2009-Select PATS 5 if using Bypass						

Ford - Lincoln - Mercury

Split Year

**2001-2003 MOUNTAINEER (MERCURY)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**IMPORTANT:** Model Year 2001 is split year - Overlapping immobilizer types & keys. Use the production date. Usually up to 07/2000 production date is PATS 2. After 07/2000 is PCM. (SEE BELOW)

**READ THIS BEFORE CUTTING ANY KEYS!**

Look at the existing original keys to the vehicle.  
If the original key is an H84 key, the system to use is PCM.  
If the original key is an H-72 key then the system is PATS 2.

**IF NO KEY IS AVAILABLE WE SUGGEST DOING THIS:**

- A. Cut and use **only a metal non transponder work key**.
- B. Using the PROD DATE (see not above) use the system you "think it should be" based on the PROD DATE.
- C. **Before doing any programming look at "KEYS PROGRAMMED" on the special functions menu.** (should show at least 2 keys)
- D. Use **"CLEAR ERASE PATS"** and then look at the "KEYS PROGRAMMED" info again to see if the keys have been erased. (should now show 0 KEYS PROGRAMMED).
- E. **When you have determined which system will ERASE the keys you then will know which type of keys to cut.**
- F. If PATS 2 then cut and cycle 2 H72 Keys. If PCM cut and cycle 2 H84 keys.

**1998-2001 MOUNTAINEER (MERCURY)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Model Year 2001 is split year - Overlapping immobilizer types & keys. Use the production date. Usually up to 07/2000 production date is PATS 2. After 07/2000 is PCM.

**2015 MUSTANG (FORD) WITH PROXIMITY START BUTTON IGNITION**

**ADS-209**

VER. 11.41>

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM KEY OR PROX REMOTE		FUSION 2013-14	Yes	SEE BELOW	NO	<b>G</b> Tan

**Note:** Erase Only (2 Keys Required)  
Requires Web Access, a Advanced-Diagnostics.Com login and a valid NASTF L.S.I.D.  
AD Q/R Reader App for Smart Phones is highly recommended. See [www.adusa.us](http://www.adusa.us) for more info & instructions

**2010-2014 MUSTANG (FORD)**

**ADS-172**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5913441 599114 HAT997	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

**Note:** Keys supplied from the factory are "HA" or "SA" (80-bit).

Ford - Lincoln - Mercury

**2005-2009 MUSTANG (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1999-2004 MUSTANG (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	HEC	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1998 MUSTANG (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1996-1997 MUSTANG (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
598333 H72HPT	H72-PT	PATS 1	Yes	No	8 MIN Wait	<b>A</b> Black

**Note:** 1996 is split year - It could use either type of transponder keyway. (8-cut or 10-cut) Optional System.

**1996 MUSTANG (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692055 H73PT	H73-PT	PATS 1	Yes	No	8 MIN Wait	<b>A</b> Black

**Note:** 1996 is split year - It could use either type of transponder keyway. (8-cut or 10-cut) Optional System.

**1999-2000 MYSTIQUE (MERCURY)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
692055 H73PT	H73-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Transponder optional. Most Contour's with V-6 Engine's have it. Overlapping immobilizer types.

**1997-1998 MYSTIQUE (MERCURY)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
692055 H73PT	H73-PT	PATS 1	Yes	No	8 MIN Wait	<b>A</b> Black

**Note:** Production Date of 02/02/98 & up models use PCM system. Transponder optional.

**Ford - Lincoln - Mercury**

Split Year

Split Year



**2015 NAVIGATOR (LINCOLN) WITH PROXIMITY START BUTTON IGNITION**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
OEM PROX REMOTE		Select 2013 Explorer PROX	Yes	No	NO	L Pink

**2012-2014 NAVIGATOR (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	Yes with SMC & ADS133	A Black

**Note: We have found that on these cars ADD-KEY does not work, only use ERASE KEYS.**

**2009-2011 NAVIGATOR (LINCOLN)**

**ADS-172**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	A Black

**2007-2008 NAVIGATOR (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 *5	Yes	No	Yes with SMC & ADS133	A Black

\*Select PATS 5 if using Bypass

**2005-2006 NAVIGATOR (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	A Black

**2003-2004 NAVIGATOR (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	A Black

**1999-2002 NAVIGATOR (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	HEC	Yes	No	Yes with SMC & ADS133	A Black

**1998 NAVIGATOR (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 1	Yes	No	8 MIN Wait	A Black

## 2007-2011 RANGER (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

## 2001-2006 RANGER (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note 1:** Transponder system is optional. Some models came with 599114 but are not transponder equipped.**Note 2:** Most 2005 models do not have a Transponder system.

## 1999-2000 RANGER (FORD)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Transponder system is optional.

## 2008-2009 SABLE (MERCURY)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

## 2004-2007 SABLE (MERCURY)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

## 2000-2003 SABLE (MERCURY)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

## 1998-1999 SABLE (MERCURY)

ADS-100

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Transponder system is optional.

**1996-1997 SABLE (MERCURY)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
598333 H72HPT	H72-PT	PATS 1	Yes	No	8 MIN Wait	<b>A</b> Black

**Note:** Transponder system is optional.

**2013-2015 TAURUS (FORD) WITH PROXIMITY START BUTTON IGNITION**

**ADS-172**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
<i>Prox- 5921285 (4BTN) 5921286 (5BTN) 5912345 - Key</i>	Select by Vehicle	Yes	No	10 MIN Wait	<b>L</b> Pink

**2010-2012 TAURUS (FORD) WITH PROXIMITY START BUTTON IGNITION**

**ADS-172**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5914119 - <i>Prox &amp; Key</i> 5914118 - <i>Prox</i> 5911175 - <i>Key</i>	Select by Vehicle	Yes	No	10 MIN Wait	<b>L</b> Pink

**2013-2014 TAURUS (FORD) WITH KEY TYPE IGNITION**

**ADS-175**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5913441 (80-Bit) HAT997	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

**2010-2012 TAURUS (FORD) WITH KEY TYPE IGNITION**

**ADS-172**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
599114 HAT9114	H92-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>A</b> Black

**2008-2009 TAURUS (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5 *	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

**2008-2009 TAURUS X (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 5	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Ford - Lincoln - Mercury**

**2004-2007 TAURUS (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2000-2003 TAURUS (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1998-1999 TAURUS (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	PATS 2	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Note:** Transponder system is optional.

**1996-1997 TAURUS (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
598333 H72HPT	H72-PT	PATS 1	Yes	No	8 MIN Wait	<b>A</b> Black

**Note:** Transponder system is optional.

**2003-2005 THUNDERBIRD (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	ICM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2002 THUNDERBIRD (FORD)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
691643 H86HPT	H74-PT	HEC	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2005-2011 TOWN CAR (LINCOLN)**

**ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 3	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**Ford - Lincoln - Mercury**

**2003-2004 TOWN CAR (LINCOLN) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1998-2002 TOWN CAR (LINCOLN) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	HEC	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2014-2015 TRANSIT CONNECT (FORD) ADS-209**

		SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key		Select by Vehicle (BETA)	Yes	No	10 MIN Wait	<b>G</b> Tan

**Note:** Transponder system is optional.  
Look for transponder "Ring" around ignition lock.

**2010-2013 TRANSIT CONNECT (FORD) ADS-172**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5914577	H91-PT	Select by Vehicle	Yes	No	10 MIN Wait	<b>G</b> Tan

**Note:** Transponder system is optional. XLT models with power locks and power windows are usually equipped.  
Look for transponder "Ring" around ignition lock. High Security TIBBE keyway.

**2001-2003 WINDSTAR (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PCM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**1999-2000 WINDSTAR (FORD) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	ICM	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

**2006 ZEPHYR (LINCOLN) ADS-100**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	PATS 4 / 5*	Yes	No	Yes with SMC & ADS133	<b>A</b> Black

\*Select PATS 5 if using Bypass

**Ford - Lincoln - Mercury**

## 2007-2015 ACADIA (GMC)

ADS-139

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
B111-PT B107CP	Select by Vehicle Type 4	Yes	No	Not Needed	<b>K</b> Brown

## 2008 ASTRA (SATURN)

ADS-139

OEM	HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key GM Part# 93192428 HAT2428	Select by Vehicle	Yes	Yes	Dealer Pin Required		<b>A</b> Black

Note: PIN Read possible using (E) Yellow, 50/50, otherwise obtain from dealer or NASTF.

## 2013-2015 ATS WITH PROX (CADILLAC)

ADS-223

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible on Most Gas Engines	<b>K</b> Brown

See [www.advanced-diagnostics.com](http://www.advanced-diagnostics.com) I/Q App for more info on Pin Reading

## 2007-2009 AURA (SATURN)

ADS-139

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693127⊕ B111-PT B107CP	Select by Vehicle Type 5	Yes	No	Not Needed	<b>K</b> Brown

## 2001-2003 AURORA (OLDSMOBILE)

ADS-138

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690898 B99HPT	B99-PT	Type 1	Yes	No	Not Needed	<b>C</b> Green

Note: At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

## 2007-2013 AVALANCHE (CHEVY)

ADS-139

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	Yes	No	Not Needed	<b>K</b> Brown

## 2001-2005 AZTEK (PONTIAC)

ADS-138

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692954 B99HPT	B99-PT	Type 1	Yes	No	Not Needed	<b>C</b> Green

**Programming Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

**2000-2005 BONNEVILLE (PONTIAC)**

**ADS-138**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692954 B99HPT	B99-PT	Type 1	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Programming Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

**2013-2014 CAMARO WITH KEYED IGN. (CHEVROLET)**

**ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible on Most Gas Engines	<b>K</b> Brown

See [www.advanced-diagnostics.com](http://www.advanced-diagnostics.com) I/Q App for more info on Pin Reading

**2012 CAMARO (CHEVY)**

**ADS-187**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible on Most Gas Engines	<b>K</b> Brown

**2010-2011 CAMARO (CHEVY)**

**ADS-187**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible except on 3.6L V6	<b>K</b> Brown

**2015 CANYON WITH KEYED IGN. (GMC)**

**ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible on Most Gas Engines	<b>K</b> Brown

See [www.advanced-diagnostics.com](http://www.advanced-diagnostics.com) I/Q App for more info on Pin Reading

**2012-2015 CAPTIVA (CHEVY)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7011685 ⊕ B114-PT HAT4220	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**1997-2001 CATERA (CADILLAC)**

**ADS-100**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key is Required GM Part# 90541902	Catera	<b>Yes</b>	<b>Yes</b>	Optional Software ADS-129	<b>A</b> Black	

**GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn**

**2006-2010 COBALT (CHEVY)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2014-2015 CORVETTE STINGRAY WITH PROX (BUICK)**

**ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	<b>Possible on Most Gas Engines</b>	<b>K</b> Brown

See [www.advanced-diagnostics.com](http://www.advanced-diagnostics.com) I/Q App for more info on Pin Reading

**2005-2013 CORVETTE WITH PROX (CHEVY)**

**ADS-187**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
2005-2007 OEM 10372540,10372542 2008-2012 OEM 25926479 (#1)	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**2014-2015 CRUZE WITH PROX (CHEVY)**

**ADS-223**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button PEPS: 5912872 5 Button PEPS: 5912873 Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible	<b>K</b> Brown

**Note: Immo system changed in 2014. For Prox programming select 2014-15 from V11.85 or higher, if using a lower version, select Cadillac ATS / Program Prox. Pin read is same as earlier years.**

**2012-2013 CRUZE WITH PROX (CHEVY)**

**ADS-187**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button PEPS: 5912872 5 Button PEPS: 5912873 Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible	<b>K</b> Brown

**2011-2015 CRUZE WITH KEYED IGN. (CHEVY)**

**ADS-187**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button Rem. Key: 5912543 ----- 5 Button Rem. Key: 5912545	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible	<b>K</b> Brown

**2014-2015 CTS WITH PROX (CADILLAC)**

**ADS-223**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	<b>Possible on Most Gas Engines</b>	<b>K</b> Brown

**2008-2013 CTS WITH PROX (CADILLAC)**

**ADS-187**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn



**2008-2013 CTS WITH MECHANICAL IGNITION (CADILLAC)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692933 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2003-2007 CTS (CADILLAC)**

**ADS-139**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5912114 HAT320PK	B112-PT	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2006-2011 DTS (CADILLAC)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692933 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2008-2015 ENCLAVE (BUICK)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693126 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2010-2015 EQUINOX (CHEVY)**

**ADS-187\***

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button Rem. Key: 5912543 5 Button Rem. Key: 5912545 Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible on Most Gas Engines	<b>K</b> Brown

**\*Note: 2014-2015** Pin reading may require recent Beta update & ADS-223

**2007-2009 EQUINOX (CHEVY)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692933⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2015 ESCALADE WITH PROX (CADILLAC)**

**ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible on Most Gas Engines	<b>K</b> Brown

See [www.advanced-diagnostics.com](http://www.advanced-diagnostics.com) I/Q App for more info on Pin Reading

**GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn**

**2007-2014 ESCALADE (CADILLAC)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692933 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2008-2014 EXPRESS VAN (CHEVY)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2007-2010 G5 (PONTIAC)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693121 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2005-2010 G6 (PONTIAC)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693121 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2008-2009 G8 (PONTIAC)**

**ADS-139**

OEM / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Head Key HAT2789	Type 4	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2004-2008 GRAND PRIX (PONTIAC)**

**ADS-139**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5902386 HAT367	PT04-PT	Type 3	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**2000-2003 GRAND PRIX (PONTIAC)**

**ADS-138**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690556	BT03-PT	Type 1	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Programming Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

2004-2006 GTO (PONTIAC)					ADS-139
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM Remote head 92123129 OEM Key blade 94860087 OEM Screws 92138596	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Use PIN READ Function	<b>D</b> Blue
2008-2009 H2 (HUMMER)					ADS-139
STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693254 ⊕ B111-PT B107CP	Type 2	<b>Yes</b>	No	Not Needed	<b>C</b> Green
2006-2011 HHR (CHEVY)					ADS-139
STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692933 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown
2014-2015 IMPALA WITH KEYED IGN. (CHEVROLET)					ADS-223
STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible on Most Gas Engines	<b>K</b> Brown
See www.advanced-diagnostics.com I/Q App for more info on Pin Reading					
2014-2015 IMPALA WITH PROX (CHEVROLET)					ADS-223
STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible on Most Gas Engines	<b>K</b> Brown
See www.advanced-diagnostics.com I/Q App for more info on Pin Reading					
2006-2013 IMPALA (CHEVY)					ADS-139
STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown
2013-2015 LACROSSE WITH PROX (BUICK)					ADS-223
STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible on Most Gas Engines	<b>K</b> Brown
See www.advanced-diagnostics.com I/Q App for more info on Pin Reading					

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

2013-2015 LACROSSE WITH KEYED IGN. (BUICK)					ADS-223
STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible on Most Gas Engines	K Brown
See www.advanced-diagnostics.com I/Q App for more info on Pin Reading					

2010-2012 LACROSSE WITH PROX (BUICK)					ADS-187
OEM	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button PEPS: 5912558 5 Button PEPS: 5912559 Check with dealer or HATA for correct part to use	Select by Vehicle	Yes	Yes	Possible except V4 1.2L	K Brown

2010-2012 LACROSSE WITH KEYED IGN (BUICK)					ADS-187
STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button Rem. Key: 5912555 5 Button Rem. Key: 5912556 Check with dealer or HATA for correct part to use	Select by Vehicle	Yes	Yes	Possible except V4 1.2L	K Brown

2005-2009 LACROSSE (BUICK)					ADS-139	
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5902386 HAT367	PT04-PT	Select by Vehicle	Yes	No	Not Needed	K Brown

2000-2005 LESABRE (BUICK)					ADS-138	
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692952 B99HPT	B99-PT	Type 1	Yes	No	Not Needed	C Green

**Programming Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

2006-2011 LUCERNE (BUICK)					ADS-139
STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693126 ⊕ B111-PT B107CP	Select by Vehicle	Yes	No	Not Needed	K Brown

2013-2015 MALIBU WITH KEYED IGN. (CHEVROLET)					ADS-223
STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button Rem. Key: 5912543 5 Button Rem. Key: 5912545 Check with dealer or HATA for correct part to use	Select By Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible on Most Gas Engines	K Brown
See www.advanced-diagnostics.com I/Q App for more info on Pin Reading					

**2013 MALIBU CLASSIC (CHEVY) (2012 BODY STYLE) ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	Yes	No	Not Needed	K Brown

**2004-2012 MALIBU (CHEVY) ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	Yes	No	Not Needed	K Brown

**2005-2008 MONTANA SV6 (PONTIAC) ADS-139**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690552 B97-PT	B97-PT	Type 3	Yes	No	Not Needed	K Brown

**Note:** Check model for keyway used.

**2005-2008 MONTANA SV6 (PONTIAC) ADS-139**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5902386 HAT367	PT04-PT	Select by Vehicle	Yes	No	Not Needed	K Brown

**Note:** Check model for keyway used.

**1999-2004 MONTANA (PONTIAC) ADS-138**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690552 B97-PT	B97-PT	Type 1	Yes	No	Not Needed	C Green

**Programming Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

**2006-2007 MONTE CARLO (CHEVY) ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	Yes	No	Not Needed	K Brown

**2007-2009 OUTLOOK (SATURN) ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693127 ⊕ B111-PT / B107CP	Select by Vehicle Type 4	Yes	No	Not Needed	K Brown

Split Year

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

1997-2005 PARK AVE (BUICK)

ADS-138

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690552 B97-PT	B97-PT	Type 1	Yes	No	Not Needed	C Green

**Programming Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

2013-2015 REGAL WITH PROX (BUICK)

ADS-223

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible on Most Gas Engines	K Brown
Engine Type (8th Digit of Vin)					

2013-2015 REGAL WITH KEYED IGN. (BUICK)

ADS-223

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible on Most Gas Engines	K Brown

See www.advanced-diagnostics.com I/Q App for more info on Pin Reading

2011-2012 REGAL WITH PROX (BUICK)

ADS-187

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button PEPS: 5912558 5 Button PEPS: 5912559 Check with dealer or HATA for correct part to use	Select by Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible	K Brown

2011-2012 REGAL WITH KEYED IGN. (BUICK)

ADS-187

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button Rem. Key: 5912555 5 Button Rem. Key: 5912556 Check with dealer or HATA for correct part to use	Select by Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible except V4 1.2L	K Brown

2005-2007 RELAY (SATURN)

ADS-139

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690552 B97-PT	B97-PT	Select by Vehicle Type 3	Yes	No	Not Needed	K Brown

**Note:** Check model for keyway used.

2005-2007 RELAY (SATURN)

ADS-139

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5902386 HAT367	PT04-PT	Select by Vehicle	Yes	No	Not Needed	K Brown

**Note:** Check model for keyway used.

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

Split Year

**2002-2007 RENDEZVOUS (BUICK)**

**ADS-138**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692952 B99HPT	B99-PT	Type 1	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Programming Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

**2008-2013 SAVANA (GMC)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**1998-2004 SEVILLE (CADILLAC)**

**ADS-138**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690898 B99HPT	B99-PT	Type 1	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

**2014-2015 SIERRA 1500 WITH KEYED IGN. (GMC)**

**ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	<b>Possible on Most Gas Engines</b>	<b>K</b> Brown

See [www.advanced-diagnostics.com](http://www.advanced-diagnostics.com) I/Q App for more info on Pin Reading

**2007-2013 SIERRA (GMC)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
B111-PT B107CP	Select by Vehicle Type 4	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**1999-2004 SILHOUETTE (OLDSMOBILE)**

**ADS-138**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690552	B97-PT	Type 1	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

**GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn**

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

**2014-2015 SILVERADO 1500 WITH KEYED IGN. (CHEVROLET) ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	<b>Possible on Most Gas Engines</b>	<b>K Brown</b>

See [www.advanced-diagnostics.com](http://www.advanced-diagnostics.com) I/Q App for more info on Pin Reading

**2007-2013 SILVERADO (CHEVY) ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K Brown</b>

**2007-2009 SKY (SATURN) ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692927 ⊕ B111-PT B107CP	Select by Vehicle Type 6	<b>Yes</b>	No	Not Needed	<b>K Brown</b>

**2006-2009 SOLSTICE (PONTIAC) ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693121 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K Brown</b>

**2012-2015 SONIC (CHEVY) ADS-187**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
3 Button Key: 5913598 4 Button Key: 5912543 5 Button Key: 5912545	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible	<b>K Brown</b>

**2013-2014 SPARK (CHEVY) ADS-187**

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key HAT3524	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible	<b>K Brown</b>

**2013-2015 SRX WITH PROX (CADILLAC) ADS-223**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	<b>Possible on Most Gas Engines</b>	<b>K Brown</b>

**Note:** PIN Read may only be possible using a recent BETA update.

**2010-2012 SRX WITH PROX (CADILLAC) ADS-187**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	<b>Possible on Most Gas Engines</b>	<b>K Brown</b>



**2007-2009 SRX (CADILLAC)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692933 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2004-2006 SRX (CADILLAC)**

**ADS-138**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692383		Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**2005-2011 STS WITH PROX (CADILLAC)**

**ADS-187**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2015 SUBURBAN WITH KEYED IGN. (CHEVROLET)**

**ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	<b>Possible on Most Gas Engines</b>	<b>K</b> Brown

See www.advanced-diagnostics.com I/Q App for more info on Pin Reading

**2007-2013 SUBURBAN (CHEVY)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2015 SUBURBAN WITH PROX (CHEVROLET)**

**ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	<b>Possible on Most Gas Engines</b>	<b>K</b> Brown

See www.advanced-diagnostics.com I/Q App for more info on Pin Reading

**2015 TAHOE WITH KEYED IGN. (CHEVROLET)**

**ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	<b>Possible on Most Gas Engines</b>	<b>K</b> Brown

See www.advanced-diagnostics.com I/Q App for more info on Pin Reading

**GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn**

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

2015 TAHOE WITH PROX (CHEVROLET)					ADS-223
STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible on Most Gas Engines	<b>K</b> Brown
See www.advanced-diagnostics.com I/Q App for more info on Pin Reading					

2007-2013 TAHOE (CHEVY)					ADS-139
STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT / B107CP	Select by Vehicle	Yes	No	Not Needed	<b>K</b> Brown

2010-2013 TERRAIN (GMC)					ADS-187
STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button Key: 5912547 5 Button Key: 5912548 Check with dealer or HATA for correct part to use	Select by Vehicle	Yes	Yes	Possible	<b>K</b> Brown

2005-2007 TERRAZA (BUICK)						ADS-139
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690552	B97-PT	Select by Vehicle	Yes	No	Not Needed	<b>K</b> Brown

**Note:** 12 minute security wait. Check model for which keyway used.

2005-2007 TERRAZA (BUICK)						ADS-139
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5902386 HAT367	PT04-PT	Select by Vehicle	Yes	No	Not Needed	<b>K</b> Brown

**Note:** 12 minute security wait. Check model for which keyway used.

2007-2009 TORRENT (PONTIAC)					ADS-139
STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693121 ⊕ B111-PT B107CP	Type 4	Yes	No	Not Needed	<b>K</b> Brown

2009-2013 TRAVERSE (CHEVY)					ADS-139
STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692931 ⊕ B111-PT B107CP	Select by Vehicle	Yes	No	Not Needed	<b>K</b> Brown

Split Year

Split Year

**2005-2008 UPLANDER (CHEVY) ADS-139**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690552 B97-PT	B97-PT	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**Note:** Check model for which keyway used.

**2005-2008 UPLANDER (CHEVY) ADS-139**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5902386 HAT367	PT04-PT	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**Note:** Check model for which keyway used.

**1999-2005 VENTURE (CHEVY) ADS-138**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690552	B97-PT	Type 1	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Programming Note:** At the start of the procedure when the tester asks you to turn the ignition OFF then back on a couple of times, just leave the ignition ON as you go thru these screens & press ENTER. Otherwise, communication will fail.

**2014 VERANO WITH PROX (BUICK) ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible on Most Gas Engines	<b>K</b> Brown

See [www.advanced-diagnostics.com](http://www.advanced-diagnostics.com) I/Q App for more info on Pin Reading

**2012-2013 VERANO WITH PROX (BUICK) ADS-187**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5 Button PEPS: 5912559	Select by Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible	<b>K</b> Brown

**2012-2013 VERANO WITH MECHANICAL IGNITION (BUICK) ADS-187**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button Rem. Key: 5912555 ----- 5 Button Rem. Key: 5912556	Select by Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	Possible	<b>K</b> Brown

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

**2008-2010 VIBE (PONTIAC) ADS-150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	TOYOTA IMMO TYPE 2	<b>Yes</b>	No	Not Needed	<b>A</b> Black

TRANSPONDER SYSTEM IS OPTIONAL

**Note:** Dealer Non-Remote Key: 89785-08020 (USA) - See Corolla - Toyota 2007 Software

**2014-2015 VOLT WITH PROX (CHEVY) ADS-223**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5 Button 315 MHz: 5920157 ----- 5 Button 433 MHz: 5922037	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible	<b>K</b> Brown

**Prox Learning slot is located in compartment center of dash.**

**2011-2013 VOLT WITH PROX (CHEVY) ADS-187**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5 Button 315 MHz: 5920157 ----- 5 Button 433 MHz: 5922037	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible	<b>K</b> Brown

**Prox Learning slot is located in compartment center of dash.**

**2008-2009 VUE (SATURN) ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7011685 ⊕ B114-PT HAT4220	Select by Vehicle Type 4	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**Note:** Daewoo keyway with Circle Plus chip. : DW47 / ILCO: DWO5AP

**2004-2009 XLR WITH PROX (CADILLAC) ADS-187**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
2004-07 OEM 15212512 2008-09 OEM 25854923 Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**2007-2009 XL7 (SUZUKI) ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 5903089 B111-PT B107CP	BY SYSTEM TYPE 4	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2013-2015 XTS WITH PROX (CADILLAC) ADS-223**

STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with Dealer for proper Key or Prox	Select By Vehicle	<b>Yes</b>	<b>4 Digit Pin &amp; 12 Minute Wait</b>	<b>Depends on Engine Type- See below</b>	<b>K</b> Brown

See [www.advanced-diagnostics.com](http://www.advanced-diagnostics.com) I/Q App for more info on Pin Reading

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

2015 YUKON WITH KEYED IGN. (GMC)					ADS-223
STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible on Most Gas Engines	K Brown
See www.advanced-diagnostics.com I/Q App for more info on Pin Reading					
2015 YUKON WITH PROX (GMC)					ADS-223
STRATTEC / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer or HATA for correct part to use	Select By Vehicle	Yes	4 Digit Pin & 12 Minute Wait	Possible on Most Gas Engines	K Brown
See www.advanced-diagnostics.com I/Q App for more info on Pin Reading					
2007-2014 YUKON (GMC)					ADS-139
STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 692932 ⊕ B111-PT B107CP	Select by Vehicle Type 4	Yes	No	Not Needed	K Brown
2008-2013 3500 (GMC)					ADS-139
STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
B111-PT B107CP	Select by Vehicle Type 4	Yes	No	Not Needed	K Brown

GM - Buick / Cad / Chevy / GMC / Olds / Pontiac / Saturn

**2010 ALLURE WITH PROX (BUICK) - CANADA**

**ADS-187**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button PEPS: 5912558 5 Button PEPS: 5912559 Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible	<b>K</b> Brown

**Note:** This is for Canadian models.

**2010 ALLURE WITH MECHANICAL IGNITION (BUICK) - CANADA**

**ADS-187**

STRATTEC	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
4 Button Rem. Key: 5912555 5 Button Rem. Key: 5912556 Check with dealer or HATA for correct part to use	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	Possible	<b>K</b> Brown

**Note:** This is for Canadian models.

**2005-2009 ALLURE (BUICK)**

**ADS-139**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
691205 HAT367	PT04-PT	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**Note:** This is for Canadian models.

**2008-2012 CANYON (GMC)**

**ADS-139**

HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HAT7217	N/A	Select by Vehicle Type 4	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Note:** U.S. Models are not transponder equipped.

**2008-2012 COLORADO (CHEVY)**

**ADS-139**

HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HAT7217	N/A	Select by Vehicle Type 2	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Note:** U.S. Models are not transponder equipped.

**2008-2009 ENVOY (GMC)**

**ADS-138**

DEALER	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM15770619	N/A	Type 2 or 3	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Note:** U.S. Models are not transponder equipped.

**GM - Canadian Models**

**2008-2009 H3 (HUMMER)**

**ADS-138**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key is Required GM Part# 19167217 (Chevrolet Logo)	Type 2	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Note:** U.S. Models are not transponder equipped.

**2006-2009 PURSUIT (PONTIAC)**

**ADS-139**

STRATTEC / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Strattec: 693121 ⊕B111-PT / B107CP	Select by Vehicle	<b>Yes</b>	No	Not Needed	<b>K</b> Brown

**2008-2009 TRAILBLAZER (CHEVY)**

**ADS-139**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM 15770619	Type 2	<b>Yes</b>	No	Not Needed	<b>C</b> Green

**Note:** U.S. Models are not transponder equipped.

**GM - Canadian Models**

**WARNING!**

Prox keys that are not BRAND NEW (have been used on another car) cannot be re-used.  
 There are lots of so-called "unlocked" Prox fobs being peddled on the internet.  
 Be careful as you sometimes "get what you pay for".  
**TOKEN WARNING:** MVP will go all the way thru and use a token even if the Prox is not accepted.  
 Brand new keys from a reputable dealer program in 100% without issue.  
 2010 & 2011 models only accept 2 Prox max.  
 Some 2013 models may accept up to 3 Prox max.

**2012-2015 AZERA WITH PROXIMITY START BUTTON IGNITION ADS-196**

DEALER / ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM DEALER PROX	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith.

**2006-2011 AZERA ADS-147**

DEALER / ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM: 81996-3L010 HY20PT	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith.

**2011-2013 ELANTRA WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-196**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai PROX: 95440-3X200	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith.

**2011-2012 EQUUS WITH PROXIMITY START BUTTON IGNITION ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai PROX: 95440-3N200	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith.

**2013 GENESIS 4 DOOR WITH PROXIMITY START BUTTON IGNITION ADS-196**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith.

HYUNDAI



**2009-2013 GENESIS 4 DOOR WITH PROXIMITY START BUTTON IGNITION ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai PROX: 95440-3M100 Emergency Key: 81999-3M020	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith.

**2010-2013 GENESIS COUPE WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai PROX: 95440-2M300 Emergency Key: 81996-2M020	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Optional proximity system.

**2013-2014 SANTA FE WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-196**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
DEALER PROX	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith.

**2014-2015 SONATA HYBRID WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
DEALER PROX	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Optional proximity system.

**2011-2013 SONATA WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai PROX: 95440-3Q000 Emergency Key: 81996-3S020	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Optional proximity system.

**HYUNDAI**

## 2012-2013 VELOSTER WITH OPTIONAL PROXIMITY START BUTTON IGNITION

ADS-196

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai PROX: 95440-2V100 Emergency Key: 81996-1R020	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Optional proximity system.

## 2007-2012 VERACRUZ WITH OPTIONAL PROXIMITY TWIST IGNITION

ADS-147

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai PROX: 95440-3J600 Emergency Key: 81996-2B020	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Optional proximity system.

HYUNDAI

**2012-2013 ACCENT**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle CAN 3	Yes	Yes	No	A Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Canadian models only.

**2006-2011 ACCENT**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle CAN 4	Yes	Yes	No	A Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Canadian models only.

**2012-2013 ELANTRA GT WITH OPTIONAL PROXIMITY START BUTTON IGNITION**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox	Select by Vehicle	Yes	Yes	No	A Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith.

**2006-2013 ELANTRA**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle CAN 3	Yes	Yes	No	A Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Canadian models only.

**2006-2010 ENTOURAGE**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle CAN 3	Yes	Yes	No	A Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Canadian models only.

**2010-2013 GENESIS COUPE WITH KEY IGNITION**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai Key: 81996-2B010	Select by Vehicle	Yes	Yes	No	A Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith.

HYUNDAI (CANADIAN MARKET)

## 2013 SANTA FE WITH KEY IGNITION

ADS-196

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Optional transponder system.

## 2007-2012 SANTA FE WITH KEY IGNITION

ADS-147

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai Key: 81996-2B010	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Canadian models only.

## 2011-2013 SONATA WITH KEY IGNITION

ADS-147

DEALER / ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Hyundai Key: 81996-3S010 / HY20PT	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Canadian models only.

## 2006-2008 TIBURON

ADS-147

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle CAN 3	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Canadian models only.

## 2003-2005 TIBURON

ADS-147

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle Type 2	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Canadian models only.

## 2007-2011 VERACRUZ

ADS-147

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle Type 2	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from Hyundai dealer or NASTF approved locksmith. Canadian models only.

HYUNDAI (CANADIAN MARKET)

## Infiniti - Nissan

# Covert BCM numbers to Pin Codes quickly & easily using our ADC-198 dongle on your PRO.



*(optional equipment)*

### ADC-198 DONGLE

FOR MVP PRO  
&  
T-CODE PRO

NISSAN / INFINITI  
BCM CONVERSION  
DONGLE  
Covers 2003-2012  
OLD/NEW



Infiniti - Nissan

### MAJOR INFINITI-NISSAN UPGRADE ON 11.70 BETA

Most of our Infiniti-Nissan systems have recently received a major upgrade to make them much more user friendly. The new upgrades can be accessed by selecting BETA / USA / BY VEHICLE and then picking the vehicle you are working on.

The new software will walk you thru the procedures, step by step. Carefully follow the prompts and perform each step as you go.

**MID 2007-2009 350Z (NISSAN) ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

**Note:** 2007 was a split year. Some 2007 models are TYPE 4 and some are TYPE 9 CAN.

**2003- MID 2007 350Z (NISSAN) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>A</b> Black

**Note:** 2007 was a split year. Some 2007 models are TYPE 4 and some are TYPE 9 CAN.

**2009-2015 370Z (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2013-2015 ALTIMA 4-DOOR (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-197**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	<b>20-Digit Rolling Code</b>	NO	<b>G</b> Tan

This model uses a NEW system that requires a DEALER PIN CODE available thru N.A.S.T.F.

**2013-2014 ALTIMA 2-DOOR (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

2-Door models of 2013-2014 Altima still use the older system.

If the vehicle has a programming port it uses the 2007-2012 BCM System.

**2007-2012 ALTIMA (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

**2005-2006 ALTIMA (NISSAN) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>A</b> Black

Infiniti - Nissan

**2001-2004 ALTIMA (NISSAN)**

**ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	PIN: 5523	Not Needed	<b>A</b> Black

**2000 ALTIMA (NISSAN)**

**ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	Type 3	No	No	Not Needed	<b>F</b> White

**2007-2011 ALTIMA HYBRID (NISSAN) WITH PROXIMITY START BUTTON IGNITION**

**ADS-169**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G</b> Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2008-2013 ARMADA (NISSAN) WITH PROXIMITY TWIST IGNITION**

**ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-ZQ30A FCC # CWTWBU624	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G</b> Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2008-2013 ARMADA (NISSAN) WITH KEY IGNITION**

**ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G</b> Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2004-2007 ARMADA (NISSAN)**

**ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>A</b> Black

**2009-2015 CUBE (NISSAN) WITH PROXIMITY START BUTTON IGNITION**

**ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G</b> Tan

**2009-2015 CUBE (NISSAN) WITH KEY IGNITION**

**ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2008-2012 EX35 (INFINITI) WITH PROXIMITY START BUTTON IGNITION**

**ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2013 EX37 (INFINITI) WITH PROXIMITY START BUTTON IGNITION**

**ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2005-2015 FRONTIER (NISSAN)**

**ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	A / G

**Note:** LATER MODELS USE G DONGLE. Transponder is *optional*. Most do not have it.

**2002-2004 FRONTIER (NISSAN)**

**ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	PIN: 5523	A Black

**Note:** Transponder is *optional*. Most do not have it.

**2009-2013 FX35 / FX37 / FX50 (INFINITI) WITH PROXIMITY START BUTTON IGNITION**

**ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

BCM CONVERSION - Infiniti & Nissan models require a PIN CODE converted from the vehicles BCM serial number. Use Advanced Diagnostics "Code Wizard PC Software" or ADC-198 BCM Code Dongle for PRO units. (shown on right)



Infiniti - Nissan



**2003-2008 FX35 / FX45 (INFINITI) WITH PROXIMITY TWIST IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**Note:** 2003-2007 Models use TYPE 4 immobilizer to program the E-KEY/S.

**2008 FX35 / FX45 (INFINITI) WITH KEY IGNITION ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**2003-2007 FX35 / FX45 (INFINITI) WITH KEY IGNITION ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	A Black

**2000-2002 G20 (INFINITI) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	PIN: 5523	Not Needed	A Black

**2011-2012 G25 (INFINITI) ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**2009+** models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2005-2007 G35 2-DOOR (INFINITI) WITH PROXIMITY TWIST IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**2003-2007 G35 2-DOOR (INFINITI) WITH KEY IGNITION ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	A Black

**2007-2008 G35 4-DOOR (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

Infiniti - Nissan

**2005-2006 G35 4-DOOR (INFINITI) WITH PROXIMITY TWIST IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

**Note:** 2005-2006 Models use TYPE 4 immobilizer to program the E-KEY/S.

**2003-2006 G35 4-DOOR (INFINITI) WITH KEY IGNITION ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>A</b> Black

**2008-2014 G37 (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

**2009+** models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2007-2014 GTR (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

**2009+** models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2000-2004 I30 / I35 (INFINITI) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	PIN: 5523	Not Needed	<b>A</b> Black

**1999 I30 (INFINITI) ADS-112**

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
ILCO: NSN11T2	Type 3	No	No	Not Needed	<b>B</b> Red

**Note: Special Cable Required** - ADC-118 or 136 for Classic & Pro. Must use old style OBD1 port.  
\*After-market keys can be used only if they are cloned from any original of the same type FIRST.

**2011-2013 JUKE (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-1KM0D or 285E3-1KM0A FCC# CWTWB1U808	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

Infiniti - Nissan

**2011-2013 JUKE (NISSAN) WITH KEY IGNITION ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

Note: 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2013-2015 JX35 (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-197**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Random Rolling 20-digit	NO	G Tan

This model uses a NEW system that requires a DEALER PIN CODE available thru N.A.S.T.F.

**2011-2014 LEAF (NISSAN) ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-1KM0D or 285E3-1KM0A FCC# CWTWB1U808	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**2012 M35H (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**2009-2010 M35 / M45 (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**2006-2008 M35 / M45 (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-169**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	Type 12 (See below)	Yes	Yes	Use BCM Conversion	A Black

NOTE: On V11.97 or higher , SELECT BY VEHICLE

**2003-2004 M45 (INFINITI) WITH REMOTE KEY INSERT IGNITION ADS-112**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Key Req. Part# H0561-AR200	USE BETA N. AMERICA BY VEHICLE	Yes	2003 = 5523 2004 = Random	2004 Use BCM Conversion	A Black

**Note:** See Special Instructions under Q45 in Infiniti / Nissan Programming section.

Infiniti - Nissan

**2011-2013 M37 / M56 (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM = 285E3-1MP0D FCC# CWTWB1U787	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

**2009-2014 MAXIMA (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-JA000 285E3-JA02A FCC# KR55WK48903	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2007-2008 MAXIMA (NISSAN) WITH PROXIMITY TWIST IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-EW81D FCC# CWTWBU735	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

Note: Early Production 2007 models may use TYPE 4 for the E-KEY programming.

**2004-2006 MAXIMA (NISSAN) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>A</b> Black

**2000-2003 MAXIMA (NISSAN) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	PIN: 5523	Not Needed	<b>A</b> Black

**1999 MAXIMA (NISSAN) ADS-112**

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
ILCO: NSN11T2	Type 3	Yes	No	Not Needed	<b>B</b> Red

Note: Special Cable Required - ADC-118 or 136 for Classic & Pro. Must use old style OBD1 port. \*After-market keys can be used only if they are pre-cloned. Check w/ distributor, most come this way these days.

**2015 MURANO (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-197**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	TYPE 13	Yes	20-Digit Rolling Code	NO	<b>G</b> Tan

This model uses a NEW system that requires a DEALER PIN CODE available thru N.A.S.T.F.

Infiniti - Nissan

**2009-2014 MURANO (NISSAN)**

**ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G</b> Tan

**Note:** All 2009-2014 Murano models have Push Button Ignition. But models with NO Power Liftgate & NO Prox Buttons on the Door Handles do not have real proximity and require the remote fob to be inserted into the slot on the dash to start the vehicle.  
Some 2009 models may still use the "older" 2004-2008 PIN code conversion.

**2005-2008 MURANO (NISSAN) WITH PROXIMITY TWIST IGNITION**

**ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM = 285E3-CB80D FCC# KBRTN001	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G</b> Tan

**Note:** 2005-2007 Models use TYPE 4 immobilizer to program the E-KEY/S.

**2003-2008 MURANO (NISSAN) WITH KEY IGNITION**

**ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>A</b> Black

**2012-2014 NV VAN (NISSAN)**

**ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G</b> Tan

**Note:** Transponder System was optional.

**2013-2015 PATHFINDER (NISSAN) WITH PROXIMITY START BUTTON IGNITION**

**ADS-197**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	<b>20-Digit Rolling Code</b>	NO	<b>G</b> Tan

This model uses a NEW system that requires a DEALER PIN CODE available thru N.A.S.T.F.

**2008-2012 PATHFINDER (NISSAN) WITH PROXIMITY TWIST IGNITION**

**ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-EM30D FCC# CWTWBU729	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G</b> Tan

**2008-2012 PATHFINDER (NISSAN) WITH KEY IGNITION ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

**2005-2007 PATHFINDER (NISSAN) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>A</b> Black

**2001-2004 PATHFINDER (NISSAN) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	PIN: 5523	Not Needed	<b>A</b> Black

**1999-2000 PATHFINDER (NISSAN) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	Type 3	No	No	Not Needed	<b>B</b> Red

**Note:** Use ADC-136 old style Nissan cable. Key programming must be done with the OLD style port, NOT the OBD2 port.

**2002-2006 Q45 (INFINITI) WITH REMOTE KEY INSERT IGNITION ADS-112**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Key Req. Part# H0561-AR200	USE BETA N. AMERICA BY VEHICLE	Yes	'02 = 5523 '03-04 = Random	2004 Use BCM Conversion	<b>A</b> Black

**Note:** See Special Instructions under Q45 in Infiniti / Nissan Programming section.

**2000-2001 Q45 (INFINITI) ADS-112**

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
INF45-PT	Type 3	Yes	No	Not Needed	<b>F</b> White

**1997-1999 Q45 (INFINITI) ADS-112**

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
INF45-PT	1997 -Type 2 ----- 98-99 -Type 3	Yes	No	Not Needed	<b>B</b> Red

**Note:** Special Cable Required - ADC-118 or 136 for Classic & Pro. Must use old style OBD1 port.

Infiniti - Nissan

**2011-2014 QUEST (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**2008-2010 QUEST (NISSAN) ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2004-2007 QUEST (NISSAN) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	A Black

**2001-2003 QX4 (INFINITI) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	PIN: 5523	Not Needed	A Black

**1999-2000 QX4 (INFINITI) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	Type 3	Yes	No	Not Needed	B Red

**Note:** Use ADC-136 old style Nissan cable. Key programming must be done with the OLD style port, NOT the OBD2 port.

**2014 Q50 / QX50 (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-197**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Random Rolling 20-digit	NO	G Tan

This model uses a NEW system that requires a DEALER PIN CODE available thru N.A.S.T.F.

**2011-2013 QX56 (INFINITI) WITH PROXIMITY START BUTTON IGNITION (No PROG SLOT) ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-1LL0D FCC# KR5S180144014	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

Infiniti - Nissan

**2008-2010 QX56 (INFINITI) WITH PROXIMITY TWIST IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-ZQ30B FCC# CWTWBU624	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2004-2007 QX56 (INFINITI) ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>A</b> Black

**2014 QX60 (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-197**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	20-Digit Rolling Code	NO	<b>G</b> Tan

This model uses a NEW system that requires a DEALER PIN CODE available thru N.A.S.T.F.

**2014-2015 QX70 (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-1LL0D FCC# KR5S180144014	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan

**2014 QX80 (INFINITI) WITH PROXIMITY START BUTTON IGNITION ADS-197**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	20-Digit Rolling Code	NO	<b>G</b> Tan

This model uses a NEW system that requires a DEALER PIN CODE available thru N.A.S.T.F.

**2014-2015 ROGUE (NISSAN) WITH PROXIMITY START BUTTON IGNITION ADS-197**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	SEE BELOW	Yes	20-Digit Rolling Code	NO	<b>G</b> Tan

This model uses a NEW system that requires a DEALER PIN CODE available thru N.A.S.T.F.

Select BY VEHICLE using 11.99 or higher

A 2014-2015 ROGUE "SELECT" MODEL is available, these STILL USE A BCM BASED SYSTEM.

Infiniti - Nissan



**2014-2015 ROGUE (NISSAN) WITH KEY IGNITION** **ADS-197**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	SEE BELOW	Yes	<b>20-Digit Rolling Code</b>	NO	<b>G Tan</b>

This model uses a NEW system that requires a DEALER PIN CODE available thru N.A.S.T.F.

Select BY VEHICLE using 11.99 or higher

A 2014-2015 ROGUE "SELECT" MODEL is available, these STILL USE A BCM BASED SYSTEM.

**2008-2014\* ROGUE (NISSAN) WITH PROXIMITY TWIST IGNITION** **ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
285E3-EM30D FCC# CWTWBU729	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G Tan</b>

A 2014-2015 ROGUE "SELECT" MODEL is available, these STILL USE A BCM BASED SYSTEM.

**2008-2013 ROGUE (NISSAN) WITH KEY IGNITION** **ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G Tan</b>

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2013-2015 SENTRA (NISSAN) WITH PROXIMITY (No PROG SLOT)** **ADS-159**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G Tan</b>

Verify correct part number of Prox with dealer by VIN or match existing working prox if one is available.

Production date prior to 05/13 use 285E3-3AA0A with FCC ID CWTWB1U815

Production date after 05/13 use 285E3-3SG0D with FCC ID CWTWB1U840

**2007-2015 SENTRA (NISSAN) WITH KEY IGNITION** **ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	<b>Yes</b>	Use BCM Conversion	<b>G Tan</b>

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

2007-2012 SENTRA (NISSAN) WITH PROXIMITY TWIST IGNITION						ADS-159
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Proximity Remote & Key Required	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan	
<b>Note:</b> 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.						

2000-2006 SENTRA (NISSAN)						ADS-112
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	PIN: 5523	Not Needed	<b>A</b> Black
<b>Note:</b> Transponder System was optional.						

2008-2015 TITAN (NISSAN)						ADS-159
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan
<b>Note:</b> Transponder System was optional. Some 2009 & up Infiniti's may use the newer BCM conversion.						

2004-2007 TITAN (NISSAN)						ADS-112
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>A</b> Black
<b>Note:</b> Transponder System was optional.						

2013-2015 VERSA (NISSAN) WITH PROXIMITY START BUTTON IGNITION (NO PROG SLOT)						ADS-159
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
285E3-3SG0D FCC# CWTWB1U840	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan	

**2013-2014 VERSA (4 DOOR 1.6L "S" OR "SV") (NISSAN)**

If equipped with a keyed ignition may not be transponder equipped. Check before cutting.

2007-2012 VERSA (NISSAN) WITH PROXIMITY TWIST IGNITION						ADS-159
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
285E3-EM30D FCC# CWTWBU729	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	<b>G</b> Tan	
<b>Note:</b> 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.						

Infiniti - Nissan

**2007-2012 VERSA (NISSAN) WITH KEY IGNITION**

**ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard.

**2008-2014 XTERRA (NISSAN)**

**ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	G Tan

**Note:** 2009+ models use the newer BCM conversion. Convert using ADC-198 dongle or CodeWizard. Transponder system may be optional.

**2005-2007 XTERRA (NISSAN)**

**ADS-159**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	A Black

**Note:** Transponder system is optional and not very common.

**2002-2004 XTERRA (NISSAN)**

**ADS-112**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	PIN: 5523	Not Needed	A Black

**Note:** Transponder system is optional and not very common.

**2005-2006 X-TRAIL (NISSAN) (CANADA)**

**ADS-112**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692061 DA34HPT	N102PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Special conversion of aerial serial num- ber required	A Black

## 2003-2004 AXIOM

## ADS-135

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key #8-97319-552-0 / HAT5520	Select Rodeo	No	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Isuzu.

## 2003-2004 RODEO

## ADS-135

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key #8-97319-552-0 / HAT5520	Select By Vehicle	No	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Isuzu.

**2003-2008 S-TYPE**

**ADS-151**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Tibbe (6-cut)	S-Type	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2000-2002 S-TYPE**

**ADS-100**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Tibbe (6-cut)	HEC Ford	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**NOTE:** Although this is really a FORD system, you cannot use ADD-KEY (Only use ERASE KEYS) and you cannot use the FORD BYPASS (must wait 10min).

**2002-2008 X-TYPE**

**ADS-151**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Tibbe (6-cut)	Select by Vehicle	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**1998-2008 XJ**

**ADS-151**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key Required	Select by Vehicle	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**1997-2006 XK**

**ADS-151**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key Required	Select by Vehicle	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Jaguar**

## Kia

## 2007-2009 AMANTI

ADS-147

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key: 81996-3F050 HAT6310	Select by Vehicle	Yes	Yes	No	A Black

**Note:** PIN Code required from dealer or N.A.S.T.F.

## 2004-2006 AMANTI

ADS-118

DEALER	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
81996-3FA10	KK7-PT	Select by Vehicle	Yes	Yes	No	A Black

**Note:** PIN Code required from Kia dealer or NASTF approved locksmith.

## 2009-2011 BORREGO WITH OPTIONAL PROXIMITY START BUTTON IGNITION

ADS-147

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote & Emergency Key	Select by Vehicle	Yes	Yes	No	A Black

**Note:** PIN Code required from dealer or N.A.S.T.F.

## 2009-2011 BORREGO

ADS-147

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Key: 81996-2J010 / HAT6201	Select by Vehicle	Yes	Yes	No	A Black

**Note:** PIN Code required from dealer or N.A.S.T.F.

## 2014 CADENZA WITH OPTIONAL PROXIMITY START BUTTON IGNITION

ADS-196

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote & Emergency Key	Select by Vehicle	Yes	Yes	No	A Black

**Note:** PIN Code required from dealer or N.A.S.T.F. /

## 2011-2012 FORTE WITH OPTIONAL PROXIMITY START BUTTON IGNITION

ADS-147

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote & Emergency Key	Select by Vehicle	Yes	Yes	No	A Black

**Note:** PIN Code required from dealer or N.A.S.T.F.

KIA

**2010-2012 OPTIMA WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote & Emergency Key	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Kia dealer or NASTF approved locksmith.

**2011-2013 RIO WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-196**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote & Emergency Key	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Kia dealer or NASTF approved locksmith.

**2006-2012 SEDONA WITH OPTIONAL TRANSPONDER ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Key: 81996-4D040	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Kia dealer or NASTF approved locksmith. This is for U.S. models only.

**2011-2012 SORENTO WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Prox Remote: 95440-1U050 Emergency Key: 81996-2J700	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F.

**2011-2013 SOUL WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote & Emergency Key	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Kia dealer or NASTF approved locksmith.

**2011-2012 SPORTAGE WITH OPTIONAL PROXIMITY START BUTTON IGNITION ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote & Emergency Key	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from Kia dealer or NASTF approved locksmith.

**KIA**

**2009-2014 FORTE WITH KEYED IGNITION**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle CAN 3	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2014 K900 WITH PROXIMITY START BUTTON IGNITION**

**ADS-196**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. /

**2008-2010 MAGENTIS**

**ADS-147**

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
2008-09 - Dealer Key / 2010 - HAT6201	Select by Vehicle CAN 3	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2006-2007 MAGENTIS**

**ADS-118**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2006-2012 OPTIMA**

**ADS-147**

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key / 2011-12 HAT6201	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2012-2013 RIO WITH KEYED IGNITION**

**ADS-196**

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

KIA



**2006-2011 RIO WITH KEYED IGNITION**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key HAT6201	Select by Vehicle CAN 4	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2006-2011 RIO 5**

**ADS-147**

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
2006-2009 Dealer Key 2010-2011 HAT6201	Select by Vehicle CAN 4	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2014 RONDO WITH OPTIONAL PROXIMITY START BUTTON IGNITION**

**ADS-196**

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F.

**2007-2013 RONDO**

**ADS-147**

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
2007-2010 Dealer Key 2011-2012 HAT6201	Select by Vehicle CAN 3	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2006-2012 SEDONA WITH KEYED IGNITION**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle CAN 3	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are transponder optional.

**2004-2005 SEDONA**

**ADS-118**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2014 SORENTO WITH PROXIMITY START BUTTON IGNITION****ADS-196**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. /**2006-2014 SORENTO WITH KEYED IGNITION****ADS-147**

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key HAT6201	Select by Vehicle CAN 3	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.**2004-2005 SORENTO****ADS-118**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle Type 1	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.**2010-2012 SOUL WITH KEYED IGNITION****ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle CAN 3	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.**2007-2012 SPECTRA / SPECTRA 5****ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle CAN 3	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.**2004-2006 SPECTRA / SPECTRA 5****ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle	Yes	Yes	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2007-2013 SPORTAGE WITH KEYED IGNITION**

**ADS-147**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
2007-2011 Dealer Key 2012-2013 HAT6201	Select by Vehicle CAN 3	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**2006 SPORTAGE**

**ADS-118**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key	Select by Vehicle	<b>Yes</b>	<b>Yes</b>	No	<b>A</b> Black

**Note:** PIN Code required from dealer or N.A.S.T.F. / U.S. Models are not transponder equipped.

**Used Hyundai & Kia Proximity key warning!**

Prox keys that are not BRAND NEW cannot be used.  
 There are lots of so-called "unlocked" Prox fobs being peddled on the internet.  
 Be careful as you sometimes "get what you pay for".  
 MVP will go all the way thru and use a token even if the Prox is not accepted.  
 Brand new keys from a reputable dealer is what we recommend.  
 These program in 100% without issue.

2010 & 2011 models only accept 2 Prox max.  
 Some 2013 models may accept up to 3 Prox max.

## 2011-2013 CT200H

ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

## 2002-2003 ES300

ADS-125

OEM / ILCO / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
DEALER KEY (4C CHIP) TOY48-BT4 / TR48HPT	TYPE 1	No	No	Not Needed	<b>A</b> Black

## 1998-2001 ES300

Not supported. No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

## 2004-2006 ES330

ADS-125

OEM / ILCO / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key (4D Chip) TOY50-PT / HAT4867	TYPE 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

## 2007-2012 ES350

ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

## 2006 GS300

ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

## 2002-2005 GS300

ADS-125

OEM / ILCO / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
DEALER KEY (4C CHIP) TOY48-BT4 / TR48HPT	TYPE 1	No	No	Not Needed	<b>A</b> Black

## 1998-2001 GS300

Not supported. No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

LEXUS

**2007-2013 GS350**

**ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** If PROX 1 does not communicate, try PROX 2. Also 2013 models may require PROX 6.

**1998-2000 GS400**

Not supported. No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom					
--	--	--	--	--	--

**2006-2007 GS430**

**ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2001-2005 GS430**

**ADS-125**

ILCO / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
TOY48-BT4 TR48HPT	TYPE 1	No	No	Not Needed	<b>A</b> Black

**2007-2010 GS450H**

**ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2008-2010 GS460**

**ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2010-2013 GX460**

**ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2003-2009 GX460**

**ADS-125**

OEM / ILCO / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key (4D Chip) TOY50-PT / HAT4867	TYPE 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details.

**LEXUS**

## 2003-2009 GX470

## ADS-125

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key (4D Chip) TOY50-PT / HAT4867	TYPE 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

## 2010-2013 HS250H

## ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

## 2014-2015 IS250

## ADS-227

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 7	A.D. Webcode required if not using Smart Card		Not Needed	<b>A-Black</b> or <b>Smart Dongle</b>

**New Software: requires using latest BETA**

## 2010-2013 IS250

## ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 2	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** If Prox 2 fails then use PROX 6

## 2006-2010 IS250

## ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 2	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

## 2002-2005 IS300

## ADS-125

ILCO / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
TOY48-BT4 TR48HPT	TYPE 1	No	No	Not Needed	<b>A</b> Black

## 2001 IS300

Not supported. No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

LEXUS

2014-2015 IS350

ADS-227

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 7	A.D. Webcode required if not using Smart Card		Not Needed	A-Black or Smart Dongle

New Software: requires using latest BETA

2006-2013 IS350

ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 2	A.D. Webcode required if not using Smart Card		Not Needed	A Black

1997-2000 LS400

Not supported. No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

2004-2006 LS430 WITH PROXIMITY TWIST IGNITION

ADS-125

ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Smart Access PROX	TYPE 2	No	No	Not Needed	A Black

**Note:** Only the immobilizer can be programmed with the PRO. Use on board programming to program the PROX

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

2004-2006 LS430 - KEYED IGNITION SYSTEMS

ADS-125

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key (4D Chip) TOY50-PT / HAT4867	TYPE 2	No	No	Not Needed	A Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

2001-2003 LS430

ADS-125

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key (4D Chip) TOY50-PT / HAT4867	TYPE 2	A.D. Webcode required if not using Smart Card		Not Needed	A Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

2007-2014 LS460

ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	A Black

LEXUS

## 2008 LS600H

## ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

## 2003-2007 LX470

## ADS-125

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key (4D Chip) TOY50-PT / HAT4867	TYPE 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

## 2001-2002 LX470

## ADS-125

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
DEALER KEY (4C CHIP) TOY48-BT4 / TR48HPT	TYPE 1	No	No	Not Needed	<b>A</b> Black

## 1998-2000 LX470

Not supported. No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

## 2008-2009 LX570

## ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

## 1999-2003 RX300

Not supported. No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

## 2004-2006 RX330

## ADS-125

OEM / ILCO / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key (4D Chip) TOY50-PT / HAT4867	TYPE 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

## 2010-2015 RX350

## ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

LEXUS



2007-2009 RX350 / RX400H

ADS-125

OEM / ILCO / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key (4D Chip) TOY50-PT / HAT4867	TYPE 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

1998-2000 SC300 / SC400

**Not supported.** No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

2002-2010 SC430

ADS-125

OEM / ILCO / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key (4D Chip) TOY50-PT / HAT4867	TYPE 2	No	No	Not Needed	<b>A</b> Black

2010-2011 RX450H

ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Used Toyota/Lexus/Scion Proximity Keys**

Prox keys that are not BRAND NEW cannot be simply ADDED.  
There is a work around trick that will usually allow you to program in an already used prox.

1. Perform an Immobilizer reset introducing the used key first.
2. Once you have the used key programmed and working use PROGRAM PROX to add back in the original working Prox key(s).

MVP users take note: The above method may not always work 100%.  
Brand new keys from a reputable dealer is what we recommend.  
These program in 100% without issue.

**TYPE 2 and TYPE 4  
QUICK RESET**

Quick Reset Immo on the special functions menu for Type 2 and for Type 4 was developed in order to save time!  
It performs the reset in a lost key situation without waiting thru the 16 or 30 minute security delay that is necessary when selecting the regular reset. On type 4 it also performs the ECU reset that when selecting the older reset is necessary as an additional step.

**How to use:**

Carefully watch the security light "theft indicator". Almost instantly after selecting Quick Reset immo, the theft light should go solid indicating that immo is now in the "learn mode". However, the car does not always give the tester back the correct signal so it will sometimes say "trying to communicate" or "Communication Failed" but if you watch the security light you should see that it turns solid, indicating the quick reset worked. You may have to switch the ignition OFF and remove the key before the light goes solid.

2012-2014 MAZDA 2

ADS-133

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer: F1Y1-76-2GX HAT1176	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A</b> Black

2014-2015 MAZDA 3 WITH PUSH TO START PROXIMITY SYSTEM

ADS-225

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PRO Dongle
Fob GJY9-67-5DFY E-Key KDY3-76-201 HAT0967 - (Fob & E-Key Combo)	SELECT BY VEHICLE	Yes	Dealer INCODE Required	<b>G</b> Tan

**Notes:** Rolling code system, get Out-Code from tester and obtain In-code from Dealer or N.A.S.T.F. Keep the tester connected or codes change to new ones and you will have to start over. Both ADD PROX and ERASE PROX are available. 2 PROX are required if using ERASE PROX.

Release date  
Oct 6th, 2014  
On Beta

2010-2013 MAZDA 3 WITH PROXIMITY START BUTTON IGNITION

ADS-133

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A / G</b>

**Note:** See instructions in 2014 Manual

2006-2013 MAZDA 3 WITH KEY IGNITION

ADS-133

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer: F1Y1-76-2GX HAT1176	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A</b> Black

2004-2005 MAZDA 3 WITH KEY IGNITION

ADS-133

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer: F1Y1-76-2GX HAT1176	Select FORD PATS 3	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A</b> Black

2006-2014 MAZDA 5

ADS-133

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer: F1Y1-76-2GX HAT1176	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A</b> Black

2014-2016 MAZDA 6 WITH PUSH TO START PROXIMITY SYSTEM

ADS-225

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PRO Dongle
Fob GJY9-67-5DFY E-Key KDY3-76-201 HAT0967 - (Fob & E-Key Combo)	SELECT BY VEHICLE	Yes	Dealer INCODE Required	<b>G</b> Tan

**Notes:** Rolling code system, get Out-Code from tester and obtain In-code from Dealer or N.A.S.T.F. Keep the tester connected or codes change to new ones and you will have to start over. Both ADD PROX and ERASE PROX are available. 2 PROX are required if using ERASE PROX.

Release date  
Oct 6th, 2014

MAZDA

**2009-2013 MAZDA 6 WITH PROXIMITY START BUTTON IGNITION ADS-133**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
PROX Remote: GYSL-67-5RY Emergency Key: D6Y1-76-2GXB	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A</b> Black

**Note:** See instructions in 2014 Manual

**2006-2008 MAZDA 6 WITH TWIST KNOB PROXIMITY IGNITION ADS-133**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A / G</b>

**Note:** Models with "Card" style Prox use 'G' Dongle - newer models with "Fob" style Prox use 'A' Dongle

**2009-2013 MAZDA 6 WITH KEY IGNITION ADS-133**

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer: F1Y1-76-2GX HAT1176	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>E</b> Yellow

**Note:** Only use ERASE keys, ADD-KEY won't work. We have also seen some of these fail to program using aftermarket keys so make sure to have TWO factory original dealer keys.

**2005-2008 MAZDA 6 WITH KEY IGNITION ADS-133**

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer: F1Y1-76-2GX HAT1176	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A</b> Black

**2003-2004 MAZDA 6 WITH KEY IGNITION ADS-133**

DEALER /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer: GJYA-76-2GX	Select FORD PATS 3	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A</b> Black

**Note:** Models made before 09/22/03 use Dealer Key - Part# GJYA-76-2GX Mazda Key - No substitute.

**2000-2002 626 ADS-126**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key: BJYV-76-2GX	MAZDA PIN	<b>Yes</b>	<b>Yes</b>	IMMO Box Conversion	<b>A</b> Black

**Note:** Transponder system was optional. Most 626 models with V-6 Engine's have it. Programming key procedure is an On-Board method using a PIN Code number converted from the Immobilizer Control Unit serial number. The immobilizer control unit is located under the steering column. See programming section for more details.

MAZDA

1998-1999 626					ADS-126
DEALER /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key: GE4T-76-2GX	MAZDA PIN	Yes	Yes	IMMO Box Conversion	<b>A</b> Black
<b>Note:</b> Transponder system was optional. Most 626 models with V-6 Engine's have it. Programming key procedure is an On-Board method using a PIN Code number converted from the Immobilizer Control Unit serial number. The immobilizer control unit is located under the steering column. See programming section for more details.					

2007-2011 B-SERIES PICK UP's					ADS-100	
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	FORD PATS 4	No	No	Yes with SMC & ADS133	<b>A</b> Black
<b>Note:</b> If using the 10 Min Bypass, you may have to select FORD PATS 5.						

2001-2006 B-SERIES PICK UP's WITH OPTIONAL TRANSPONDER					ADS-100	
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
599114 HAT9114	H92-PT	FORD PCM	No	No	Yes with SMC & ADS133	<b>A</b> Black
<b>Note:</b> Transponder system is optional. Some models came with 690212 but are not transponder equipped.						

1999-2000 B-SERIES PICK UP's WITH OPTIONAL TRANSPONDER					ADS-100	
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
598333 H72HPT	H72-PT	FORD PATS 2	No	No	Yes with SMC & ADS133	<b>A</b> Black
<b>Note:</b> Transponder system is optional.						

2013-2015 CX-5 WITH PUSH TO START PROXIMITY SYSTEM				ADS-225
DEALER / HATA	SYSTEM	SMART Card	PIN Required	PRO Dongle
Fob KDY3-67-5DY E-Key KDY3-76-201 HAT3675 - (Fob & E-Key Combo)	SELECT BY VEHICLE	Yes	Dealer INCODE Required	<b>G</b> Tan
<b>Notes:</b> Rolling code system, get Out-Code from tester and obtain In-code from Dealer or N.A.S.T.F. Keep the tester connected or codes change to new ones and you will have to start over. Both ADD PROX and ERASE PROX are available. 2 PROX are required if using ERASE PROX.				Release date Oct 6th, 2014

2007-2014 CX-7 / CX-9 WITH PROXIMITY IGNITION					ADS-133
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A / G</b>
<b>Note:</b> Models with "Card" style Prox use 'G' Dongle - newer models with "Fob" style Prox use 'A' Dongle					

MAZDA

**2007-2014 CX-7 / CX-9 WITH KEY IGNITION ADS-133**

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer: F1Y1-76-2GX HAT1176	FORD PATS 5	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A</b> Black

**2000-2005 MIATA ADS-126**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key: BJYV-76-2GX	MAZDA PIN	<b>Yes</b>	<b>Yes</b>	IMMO Box Conversion	<b>A</b> Black

**Note:** Programming key procedure is an On-Board method using a PIN Code number converted from the Immobilizer Control Unit serial number. The Immobilizer Control Unit is located under the steering column. See programming section for more details.

**2000-2006 MPV VAN ADS-126**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key: BJYV-76-2GX (‘00-’04 only)	MAZDA PIN	<b>Yes</b>	<b>Yes</b>	IMMO Box Conversion	<b>A</b> Black

**Note:** Programming key procedure is an On-Board method using a PIN Code number converted from the Immobilizer Control Unit serial number. The Immobilizer Control Unit is located under the steering column. See programming section for more details.

**2006-2014 MX-5 MIATA WITH PROXIMITY IGNITION ADS-133**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			<b>A / G</b>

**Note:** Models with “Card” style Prox use ‘G’ Dongle - newer models with “Fob” style Prox use ‘A’ Dongle

**2014 MX-5 MIATA WITH KEY IGNITION ADS-133**

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
OEM Dealer Key	Select by Vehicle	Use SMART CARD PIN Bypass Response Code Required from A.D. Web Site without Smart Card			<b>A</b> Black

**Note:** 2014 now uses an 80 bit chip.

**2006-2013 MX-5 MIATA WITH KEY IGNITION ADS-133**

DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer: F1Y1-76-2GX HAT1176	Select by Vehicle	Use SMART CARD PIN Bypass Response Code Required from A.D. Web Site without Smart Card			<b>A</b> Black

MAZDA

2006-2011 RX-8 WITH PROXIMITY IGNITION						ADS-133
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
PROX Card: NFY7-67-RYB Emergency Key: D4Y1-76-2GXA	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			A / G	
<b>Note:</b> Models with "Card" style Prox use 'G' Dongle - newer models with "Fob" style Prox use 'A' Dongle						

2004-2011 RX-8 WITH KEY IGNITION						ADS-133
DEALER / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer: F1Y1-76-2GX HAT1176	Select by Vehicle	Use SMART CARD PIN Bypass (Response Code Required from A.D. Web Site without a Smart Card.)			A Black	

2009-2011 TRIBUTE						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	10 MIN BYPASS	PRO Dongle
690212 HAT997	H92-PT	FORD PATS 5	No	No	Yes with SMC & ADS133	A Black

2005-2008 TRIBUTE						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690212 HAT997	H92-PT	FORD CAN 3	No	No	Yes with SMC & ADS133	A Black
<b>Note:</b> 2004 is a split year, try PCM and CAN 3 & use the system that communicates. Determine the system before cutting key. 2008 may be PATS 4 and if using the 10Min bypass may need to use PATS 5.						

2001-2004 TRIBUTE						ADS-100
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
691643 H86HPT	H86-PT	FORD PCM	No	No	Yes with SMC & ADS133	A Black
<b>Note:</b> 2004 is a split year, try PCM and CAN 3 & use the system that communicates. Determine the system before cutting key.						

MAZDA

Important Note about Mitsubishi Keys needed on CAN systems:

We ONLY recommend using brand new DEALER REMOTE HEAD KEYS on these vehicles.

There are aftermarket blanks available but from what we have seen they very often will NOT program in successfully, even using dealer equipment.

**ATTENTION MVP USERS: NO LOST TOKENS WILL BE REFUNDED FOR USING IMPROPER KEYS**

Also beware of component mis-match on ALL Mitsubishi.

If components have been swapped or changed DEALER EQUIPMENT. is required to re-match components.

2000-2004 DIAMANTE							ADS-117
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
5907793		Diamante	No	No	Not Needed	<b>A</b> Black	
2007-2012 ECLIPSE							ADS-154
DEALER		SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Remote Key: MN141545 <i>USE OEM KEYS ONLY!</i>		Eclipse CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan	
<b>Note:</b> 2007 model year is Split year. Either MIT3 ('08) or MIT6 ('06) keyway. Check the car!							
2006-2007 ECLIPSE							ADS-154
DEALER		SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Remote Key: MN141381 <i>USE OEM KEYS ONLY!</i>		ECLIPSE CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan	
<b>Note:</b> 2007 model year is Split year. Either MIT3 ('08) or MIT6 ('06) keyway. Check the car!							
2000-2005 ECLIPSE							ADS-117
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
692564 690648 HAT6648	MIT13-PT	ECLIPSE	No	No	Not Needed	<b>A</b> Black	
2007-2011 ENDEAVOR							ADS-154
DEALER		SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Remote Key: 6370A364 <i>USE OEM KEYS ONLY!</i>		ENDEAVOR CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan	
<b>Note:</b> 2007 model year is Split year. Either MIT3 ('08) or MIT6 ('06) keyway. Check the car!							
2006-2007 ENDEAVOR							ADS-154
DEALER		SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Remote Key: MN141383 <i>USE OEM KEYS ONLY!</i>		ENDEAVOR CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan	
<b>Note:</b> Some 2006 models are not CAN and can be programmed like a 2005 model.							

Split Year

Split Year

MITSUBISHI

**2004-2005 ENDEAVOR**

**ADS-117**

STRATTEC /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
690564 (N Chip) ----- 690562 (A Chip)	ENDEAVOR	No	No	Not Needed	<b>A</b> Black

**Note:** Some 2004-2005 Endeavor models use the "N" transponder chip & some use the "A" chip.

**2007-2012 GALANT**

**ADS-154**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Key: MN141545 <i>USE OEM KEYS ONLY!</i>	GALANT CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan

**Note:** 2007 model year is Split year. Either MIT3 ('08) or MIT6 ('06) keyway. Check the car!

Split Year

**2006-2007 GALANT**

**ADS-154**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Key: MN141381 <i>USE OEM KEYS ONLY!</i>	GALANT CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan

**Note:** 2007 model year is Split year. Either MIT3 ('08) or MIT6 ('06) keyway. Check the car!

MITSUBISHI



<b>2004-2005 GALANT</b>						<b>ADS-117</b>
STRATTEC / HATA /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
692562 692020 HAT2020	GALANT 2004	No	No	Not Needed	<b>A</b> Black	
<b>2000-2003 GALANT</b>						<b>ADS-117</b>
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692564 690648 HAT6648	MIT13-PT	GALANT 00-03	No	No	Not Needed	<b>A</b> Black
<b>2008-2014 LANCER WITH PROXIMITY TWIST IGNITION</b>						<b>ADS-154</b>
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Prox Remote: 8637A228 Dealer Key Blade: 6370A770	LANCER CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan	
<b>2008-2013 LANCER WITH KEY IGNITION</b>						<b>ADS-154</b>
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Remote Key: 6370A477 <b>USE OEM KEYS ONLY!</b>	LANCER CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan	
<b>2008-2012 LANCER EVO WITH PROXIMITY TWIST IGNITION</b>						<b>ADS-154</b>
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Prox Remote: 8637A228 Dealer Key Blade: 6370A770	LANCER EVO CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan	
<b>2003-2006 LANCER EVO</b>						<b>ADS-117</b>
DEALER	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
MR587430	MITS14-PT MIT14-ETS-P1	LANCER EVO	No	No	Not Needed	<b>A</b> Black

**MITSUBISHI**

Important Note about Mitsubishi Keys needed on CAN systems:

**We ONLY recommend using brand new DEALER REMOTE HEAD KEYS on these vehicles.**

There are aftermarket blanks available but from what we have seen they very often will NOT program in successfully, even using dealer equipment.

**ATTENTION MVP USERS: NO LOST TOKENS WILL BE REFUNDED FOR USING IMPROPER KEYS**

Also beware of component mis-match on ALL Mitsubishi.

If components have been swapped or changed DEALER EQUIPMENT. is required to re-match components.

2001-2006 MONTERO

ADS-117

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907793 MIT7315	MIT12-PT	MONTERO	No	No	Not Needed	<b>A</b> Black

2000-2004 MONTERO SPORT

ADS-117

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5907793 MIT7315	MIT12-PT	MONTERO SPORT	No	No	Not Needed	<b>A</b> Black

2008-2014 OUTLANDER WITH PROXIMITY TWIST IGNITION

ADS-154

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote: 8637A316 Dealer Key Blade: 6370A770	OUTLANDER CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan

2007 OUTLANDER WITH PROXIMITY TWIST IGNITION

ADS-154

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote: 8637A025 Dealer Key Blade: 6370A362	OUTLANDER CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan

2007-2012 OUTLANDER WITH KEY IGNITION

ADS-154

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Remote Key: 6370A148 Non Remote Key: MN141307	OUTLANDER CAN	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan

2004-2006 OUTLANDER

ADS-117

DEALER /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key: MN141307 <b>USE OEM KEYS ONLY!</b>	OUTLANDER	No	No	Not Needed	<b>A</b> Black

2011-2014 OUTLANDER SPORT

ADS-189

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote	SELECT BY VEHICLE	A.D. Webcode required if not using Smart Card		Not Needed	<b>G</b> Tan

**Note:** This software is currently under development. Currently a NEW prox can only be programmed if you already have a working prox. No programming from an ALL prox keys lost situation. However, this is better than nothing & good for duplicates.

MITSUBISHI

## 2008-2009 RAIDER

## ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 4	Yes	Yes	with ADS-157 Software	A Black

**Note:** This is a DODGE made vehicle. See Dodge Dakota.

## 2006-2007 RAIDER

## ADS-156

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692352 HAT1718	Y164-PT	CAN 1	Yes	Yes	with ADS-157 Software	A Black

**Note:** This is a DODGE made vehicle. See Dodge Dakota.

Important Note about Mitsubishi Keys needed on CAN systems:

**We ONLY recommend using brand new DEALER REMOTE HEAD KEYS on these vehicles.**

There are aftermarket blanks available but from what we have seen they very often will NOT program in successfully, even using dealer equipment.

**ATTENTION MVP USERS: NO LOST TOKENS WILL BE REFUNDED FOR USING IMPROPER KEYS**

Also beware of component mis-match on ALL Mitsubishi.

If components have been swapped or changed DEALER EQUIPMENT. is required to re-match components.

## 1998-2003 9-3 &amp; 9-5

## ADS-144

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key Required	9-3 9-5	Yes	No	Not Needed	<b>A</b> Black

**Note:** If all keys are lost, Immobilizer Box (TWICE module) must be replaced or reflashed.

Also, requires a **PIN CODE** that can be obtained from Advanced-Diagnostics.com (user login required)

## 2003-2010 9-5 SPORT W/ SLOT KEY (STUBBY KEY)

## ADS-144

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key Required	Sport (CAN)	Yes	No	Not Needed	<b>A</b> Black

**Note:** If all keys are lost, Immobilizer Box (CIM module) must be replaced or reflashed.

Requires a **PIN CODE** that can be obtained from Advanced-Diagnostics.com (user login required)

**Keys: Must be brand new never used before (Virgin)!**

See: Advanced Diagnostics.com downloads for complete instructions. (user login required)

## 2010-2011 9-4X

## ADS-187

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Remote Required	SRX	<b>Yes</b>	<b>Yes</b>	Possible	<b>K</b> Brown

**Note:** This vehicle is made by General Motors

## 2005-2009 9-7X

## ADS-139

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692138 HAT367	PT04-PT	GM Type 2	No	No	Not Needed	<b>K</b> Brown

**Note:** This vehicle is made by General Motors

SAAB

2013-2015 FR-S WITH PROXIMITY START BUTTON IGNITION					ADS-227
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Prox Required	Select By Vehicle	A.D. Webcode required if not using Smart Card		Not Needed	A-Black or Smart Dongle

**New Software: requires using latest BETA**

2013-2015 FR-S WITH KEYED IGNITION (BLADED)					ADS-227
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key	Select By Vehicle	A.D. Webcode required if not using Smart Card		Not Needed	A-Black or Smart Dongle

**New Software: requires using latest BETA**

2012 IQ (CANADA)					ADS-174
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	TOY IMMO 5	A.D. Webcode required if not using Smart Card		Not Needed	A Black

2011-2013 TC					ADS-174
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	TOY IMMO 5	A.D. Webcode required if not using Smart Card		Not Needed	A Black

**Note:** Vehicle may also use a Remote Head key from the factory. Transponder system may be optional.

2008-2010 TC					ADS-150	
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	No	No	Not Needed	A Black

**Note:** For Type 4 lost key situations a "quick reset" feature is available, see last page of this section for details.

2005-2007 TC					ADS-125	
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	A Black

**Note:** For Type 4 lost key situations a "quick reset" feature is available, see last page of this section for details.

2012 XB (CANADA)					ADS-174
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	TOY IMMO 5	A.D. Webcode required if not using Smart Card		Not Needed	A Black

**SCION**

2012 XD (CANADA)

ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer G Key: 89785-08040	TOY IMMO 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Used Toyota/Lexus/Scion Proximity Keys**

Prox keys that are not BRAND NEW cannot be simply ADDED.

There is a work around trick that will usually allow you to program in an already used prox.

1. Perform an Immobilizer reset introducing the used key first.
2. Once you have the used key programmed and working use PROGRAM PROX to add back in the original working Prox key(s).

MVP users take note: The above method may not always work 100%.

Brand new keys from a reputable dealer is what we recommend.

These program in 100% without issue.

**TYPE 2 and TYPE 4  
QUICK RESET**

Quick Reset Immo on the special functions menu for Type 2 and for Type 4 was developed in order to save time!

It performs the reset in a lost key situation without waiting thru the 16 or 30 minute security delay that is necessary when selecting the regular reset. On type 4 it also performs the ECU reset that when selecting the older reset is necessary as an additional step.

**How to use:**

Carefully watch the security light "theft indicator". Almost instantly after selecting Quick Reset immo, the theft light should go solid indicating that immo is now in the "learn mode". However, the car does not always give the tester back the correct signal so it will sometimes say "trying to communicate" or "Communication Failed" but if you watch the security light you should see that it turns solid, indicating the quick reset worked. You may have to switch the ignition OFF and remove the key before the light goes solid.

SCION

2008-2013 FORTWO (W451)					ADS-179
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Key Required	Select by Vehicle	Yes	No	Not Needed	<b>G</b> Tan
Note: Remote programs in along with transponder.					

**Important Note for Subaru:** Subaru has been updated on Ver 11.68 & higher to fix a problem with programming more than 1 key. New version supports up to 4 keys max.

Please use TYPE 1A (11.68 or higher) on ALL Subaru TYPE 1 vehicles.

**2006-2007 B9 TRIBECA****ADS-127**

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497AG11A SUB4-PT / HAT9711	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2009-2013 FORESTER****ADS-127**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497SC010 or 57497AG070A Check with dealer for correct key by VIN.	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2005-2008 FORESTER 2.5 XT****ADS-127**

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497AE000 HAT9700	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2012-2015 IMPREZA**

DEALER	<b>NOT SUPPORTED DO NOT ATTEMPT</b>				
NON-HIGH SECURITY OEM KEY WITH G ON BLADE					

**2008-2011 IMPREZA - NON-HIGH SECURITY KEY****ADS-127**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer for correct key according to VIN.	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2008-2012 IMPREZA WRX****ADS-127**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer for correct key according to VIN.	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2006-2007 IMPREZA WRX****ADS-127**

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497AE000 HAT9700	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

SUBARU



**2008-2012 IMPREZA WRX - STI**

**ADS127-**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497SC010 or 57497AG070A  Check with dealer for correct key by VIN.	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2005-2007 IMPREZA WRX - STI**

**ADS-127**

DEALER / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497AE000 HAT9700	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2014 LEGACY WITH KEY IGNITION**

**ADS-228**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HIGH SECURITY OEM KEY Check with dealer for part nos.	TYPE 4	<b>Yes</b>	<b>Yes 5-Digit</b>	No	<b>*Smart Dongle or A-Black</b>

**Notes:** (NEW system , requires V11.99 or higher) Requires PIN Code from Subaru dealer or NASTF. The PIN Code is on a metal tag that came with the keys when the car was new/delivered. It reads Security ID: 12345 (example).  
RKE program seperately using Subaru / Remotes / By system / TYPE 2  
Later models that use the NON-HIGH SECURITY Bladed keys stamped "G" are NOT SUPPORTED

**2010-2013 LEGACY**

**ADS-127**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Check with dealer for correct key according to VIN.	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2006-2009 LEGACY**

**ADS-127**

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497AG11A SUB4-PT / HAT9711	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2005 LEGACY GT**

**ADS-127**

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497AG11A SUB4-PT / HAT9711	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

**2013-2014 OUTBACK WITH KEY IGNITION**

**ADS-228**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
HIGH SECURITY OEM KEY Check with dealer for part nos.	TYPE 4	<b>Yes</b>	<b>Yes 5-Digit</b>	No	<b>*Smart Dongle or A-Black</b>

**Notes:** (NEW system , requires V11.99 or higher) Requires PIN Code from Subaru dealer or NASTF. RKE program seperately using Subaru / Remotes / By system / TYPE 2  
Later models that use the NON-HIGH SECURITY Bladed keys stamped "G" are NOT SUPPORTED  
Some early prod. 2013 have been found to use the old TYPE1A. If TYPE4 gives SEED KEY ERROR use TYPE1A.

**SUBARU**

## 2010-2012 OUTBACK

## ADS-127

OEM /	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer 4 Button Remote Key: 57497AJ070	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

## 2006-2009 OUTBACK

## ADS-127

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497AG11A SUB4-PT / HAT9711	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

## 2005 OUTBACK 2.5 XT / 3.0R

## ADS-127

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497AG11A SUB4-PT / HAT9711	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

## 2010-2014 TRIBECA

## ADS-127

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer 4 Button Remote Key: 57497XA13A	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

## 2008-2009 TRIBECA

## ADS-127

OEM / ILCO / HATA	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
57497AG12A SUB4-PT / HAT9711	TYPE 1A	Yes	NO	Not Needed	<b>A</b> Black

SUBARU

**Important Note for Subaru:** Subaru has been updated on Ver 11.68 & higher to fix a problem with programming more than 1 key. New version supports up to 4 keys max.

**Please use TYPE 1A (11.68 or higher) on ALL Subaru TYPE 1 vehicles.**

2009-2012 EQUATOR (NISSAN)

ADS-159

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
7003526 HAT104	N104PT	USE BETA N. AMERICA BY VEHICLE	Yes	Yes	Use BCM Conversion	A / G

**Note:** LATER MODELS USE G DONGLE. Transponder is *optional*. Most do not have it.

This Vehicle is a NISSAN FRONTIER sold by SUZUKI.

**2010-2014 4RUNNER WITH PROXIMITY START BUTTON IGNITION ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2010-2015 4RUNNER WITH KEY IGNITION ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Overlapping Keys and Immobilizer types. Some 2010 models may use the 2009 key & programming.

**2003-2009 4RUNNER ADS-125**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details. Transponder system may be optional.

**2001-2002 4RUNNER ADS-125**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692062 TR47HPT	TOY43-AT4 (4C Chip)	Type 1	No	No	Not Needed	<b>A</b> Black

**1998-2000 4RUNNER**

Not supported by MVP or TCode. No OBD2 access. Engine must be reprogrammed with EZ Flasher.

**2013-2014 AVALON WITH PROXIMITY START BUTTON IGNITION ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2005-2012 AVALON WITH PROXIMITY START BUTTON IGNITION ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 2 or 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

TOYOTA

**2008-2012 AVALON WITH KEY IGNITION ADS-150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4			Not Needed	A Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

**2005-2007 AVALON WITH KEY IGNITION ADS-125**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	A Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

**1998-2004 AVALON**

No OBD2 Access / Engine Control must be Re-flashed. This is not supported through tech support.

**2012-2014 CAMRY & CAMRY HYBRID WITH PROXIMITY START BUTTON IGNITION ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 6			Not Needed	A Black

**2007-2011 CAMRY WITH PROXIMITY START BUTTON IGNITION ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 1			Not Needed	A Black

**2014-2015 CAMRY WITH KEY IGNITION ADS-199**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Head H Key 3 Button 89070-0R130 4 Button (power hatch) 89070-0R100	TYPE 6			Not Needed	A Black

**RKE functions program using Toyota remotes menu type4**

**IMPORTANT:** The "G" chip will NOT substitute for the new "H" chip.

**NOTE:** Some early production 2014 have been seen still using Type 5 and the G chip.

TOYOTA

**2010-2013 CAMRY WITH KEY IGNITION**

**ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** 2010 and 2011 are both split years. Use the system that communicates.

**2007-2011 CAMRY WITH KEY IGNITION**

**ADS-150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT6106	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** 2010 and 2011 are both split years. Use the system that communicates.

**Note:** On Type 4 lost key situations a "quick reset" feature is available, see last page of this section for details.

**2002-2006 CAMRY**

**ADS-125**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692062 TR47HPT	TOY43-AT4 (4C Chip)	Type 1	No	No	Not Needed	<b>A</b> Black

**Note:** Transponder system is optional. Transponder models can use either TYPE 1 or TYPE 2 depending on what system is fitted on the vehicle. Use the system that communicates.

**2002-2006 CAMRY**

**ADS-125**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT6106	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** Transponder system is optional. Transponder models can use either TYPE 1 or TYPE 2 depending on what system is fitted on the vehicle. Use the system that communicates.

**Note:** For Type 2 lost key situations a "quick reset" feature is available, see last page of this section for details.

**2014-2015 COROLLA WITH KEY IGNITION**

**ADS-199**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Head <b>H</b> Key 3 Button 89070-0R130 4 Button (power hatch) 89070-0R100	TYPE 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**RKE functions program using Toyota remotes menu type4**

**IMPORTANT:** The "G" chip will NOT substitute for the new "H" chip.

TOYOTA

Split Year

Split Year

Split Year

2010-2013 COROLLA WITH KEY IGNITION						ADS-174
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black	

**Note:** 2010 and 2011 are both split years. Use the system that communicates.

2007-2011 COROLLA WITH KEY IGNITION						ADS-150
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT6106	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** 2010 and 2011 are both split years. Use the system that communicates.

**Note:** On Type 4 lost key situations a "quick reset" feature is available, see last page of this section for details.

**1998-2001 CAMRY**

Not supported by MVP or TCode. No OBD2 access. Engine must be reprogrammed with EZ Flasher.

2009-2011 COROLLA WITH PROXIMITY START BUTTON IGNITION						ADS-150
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle	
Dealer Proximity Remote & Key Required	PROX 1	No	No	Not Needed	<b>A</b> Black	

2007-2009 COROLLA WITH KEY IGNITION						ADS-125 OR 150
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** For Type 4 lost key situations a "quick reset" feature is available, see last page of this section for details.

2005-2006 COROLLA						ADS-125
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** For Type 4 lost key situations a "quick reset" feature is available, see last page of this section for details.

TOYOTA

**2011-2013 FJ CRUISER**

**ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer G Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

Split Year

**2010 FJ CRUISER**

**ADS-174**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Notes:** Use the system that communicates. Type 4 will be the "dot" key and Type 5 will be the "G" key. For Type 4 lost key situations "quick reset" feature is available, see last page of this section for details. Some 2010 FJ Cruisers do not support an IMMO reset, the IMMO box must be replaced.

**2008-2009 FJ CRUISER**

**ADS-150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

**2015 HIGHLANDER WITH PROXIMITY START BUTTON IGNITION**

**ADS-227**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer PROX Required	PROX 7	A.D. Webcode required if not using Smart Card		Not Needed	<b>A-Black</b> or <b>Smart Dongle</b>

**New Software: requires using latest BETA**

**2008-2009 HIGHLANDER WITH PROXIMITY START BUTTON IGNITION**

**ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2008-2014 HIGHLANDER LE WITH PROXIMITY START BUTTON IGNITION**

**ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required 59904-48110	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2007 HIGHLANDER LE WITH PROXIMITY START BUTTON IGNITION**

**ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required 59904-48110	PROX 2	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

TOYOTA



2013-2015 HIGHLANDER WITH KEY IGNITION					ADS-199
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Head <b>H</b> Key 3 Button 89070-0R130 4 Button (power hatch) 89070-0R100	TYPE 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black
<b>RKE functions program using Toyota remotes menu type4</b> IMPORTANT: The "G" chip will NOT substitute for the new "H" chip					

2012-2013 HIGHLANDER WITH KEY IGNITION					ADS-174
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black
<b>Note:</b> Transponder system may be optional.					

2010-2013 HIGHLANDER WITH KEY IGNITION					ADS-174
DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black
<b>Note:</b> Use the system that communicates. Type 4 will be the "dot" key and Type 5 will be the "G" key.					

Split Year

2008-2010 HIGHLANDER WITH KEY IGNITION					ADS-150	
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black
<b>Note:</b> Use the system that communicates. Type 4 will be the "dot" key and Type 5 will be the "G" key.						
<b>Note:</b> For Type 4 lost key situations a "quick reset" feature is available, see last page of this section for details.						

2004-2007 HIGHLANDER WITH V6 ENGINE					ADS-125	
STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black
<b>Note:</b> For lost key situations a "quick reset" feature is available, see last page of this section for details.						

2001-2003 HIGHLANDER WITH V6 ENGINE						
No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom						

2001-2003 HIGHLANDER WITH 4-CYL ENGINE					ADS-125	
STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692062 TR47HPT	TOY43-AT4 (4C Chip)	Type 1	No	No	Not Needed	<b>A</b> Black

TOYOTA

## 2008-2014 LAND CRUISER

ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Different Proximity Remote Fobs are used depending on vehicle production dates.

## 2003-2007 LAND CRUISER

ADS-125

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

## 2001-2002 LAND CRUISER

ADS-125

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692062 TR47HPT	TOY43-AT4 (4C Chip)	Type 1	No	No	Not Needed	<b>A</b> Black

**Note:** Vehicle also may use a Remote Head key from the factory.

## 1998-2000 LAND CRUISER

No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

## 2011-2013 MATRIX

ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

## 2008-2010 MATRIX

ADS-150

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

## 2007 MATRIX

ADS-125 OR 150

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2 or 4	No	No	Not Needed	<b>A</b> Black

**Note:** 2007 was a split year

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

TOYOTA

2005-2006 MATRIX

ADS-125

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details.

2000-2005 MR2

No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

2012-2014 PRIUS C WITH KEY IGNITION

ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Transponder system may be optional.

2010-2014 PRIUS WITH PROXIMITY START BUTTON IGNITION

ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

2004-2009 PRIUS WITH SMART ACCESS

ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote Toyota Part# 89994-47061	See Notes	A.D. Webcode required if not using Smart Card		Not Needed	<b>M</b> Orange

**Note:** Smart Access system has small rubber buttons on door handles. Use Toyota Part# 89994-47061. Immobilizer Type 2 for resetting immobilizer ECU. Proximity 5 for programming wireless functions.

For updated procedures see: [www.adusa.us](http://www.adusa.us) See: tech support manuals / Toyota

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details.

2004-2009 PRIUS No SMART ACCESS SYSTEM

ADS-150

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Fob Toyota Part# 89070-47180	See Notes	A.D. Webcode required if not using Smart Card		Not Needed	<b>M</b> Orange

**Note:** Prius models without Smart Access system have No small rubber buttons on door handles. Remote fob must be inserted into slot in the dash to drive car. Immobilizer Type 2 for resetting immobilizer ECU. Proximity 5 for programming wireless functions of Remote fob without Smart Access is still required.

For updated procedures see: [www.adusa.us](http://www.adusa.us) See: tech support manuals / Toyota

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details.

TOYOTA

**2000-2003 PRIUS**

No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

**2011-2015 RAV4 WITH PROXIMITY START BUTTON IGNITION**

**ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** We have had reports that on a RESET if PROX 6 fails then switch to PROX 1 system.

**2009-2010 RAV4 WITH PROXIMITY START BUTTON IGNITION**

**ADS-150**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 1	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2013-2015 RAV4 WITH KEY IGNITION**

**ADS-199**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Remote Head <b>H</b> Key 3 Button 89070-0R130 4 Button (power hatch) 89070-0R100	TYPE 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**RKE functions program using Toyota remotes menu type4**

**IMPORTANT:** The "G" chip will NOT substitute for the new "H" chip.

**2010-2012 RAV4 WITH KEY IGNITION**

**ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** For 2010 Use the system that communicates. Type 4 will be the "dot" key and Type 5 will be the "G" key.

**2007-2011 RAV4 WITH KEY IGNITION**

**ADS-150**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Use the system that communicates. Type 4 will be the "dot" key and Type 5 will be the "G" key.

**Note:** For Type 4 lost key situations a "quick reset" feature is available, see last page of this section for details.

**2006 RAV4**

**ADS-125 OR 150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2 or 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Transponder is optional.

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

**TOYOTA**

Split Year

**2004-2005 RAV4**

**ADS-125**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** Transponder is optional.

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details.

**2001-2003 RAV4 WITH OPTIONAL TRANSPONDER**

Not supported. No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

**2011-2013 SEQUOIA**

**ADS- 174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2008-2010 SEQUOIA**

**ADS- 150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details.

**2003-2007 SEQUOIA**

No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

**2001-2002 SEQUOIA**

**ADS- 125**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692062 TR47HPT	TOY43-AT4 (4C Chip)	Type 1	No	No	Not Needed	<b>A</b> Black

**2011-2014 SIENNA WITH PROXIMITY START BUTTON IGNITION**

**ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2015 SIENNA WITH KEY IGNITION**

**ADS-199**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>H</b> Key	Type 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Transponder optional, models with charcoal color door handles are usually non-transponder.

**TOYOTA**

**2011-2014 SIENNA WITH KEY IGNITION** **ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Transponder optional, models with charcoal color door handles are usually non-transponder.

**2008-2010 SIENNA** **ADS-150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

**2004-2007 SIENNA** **ADS-125**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

**1999-2003 SIENNA**

No OBD2 access. Engine control must be reprogrammed or key introduced by Eeprom

**2008-2009 SOLARA** **ADS-150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

**2007 SOLARA** **ADS-125 OR 150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2 or 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** 2007 was a split year.

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

**2004-2006 SOLARA** **ADS-125**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

TOYOTA

**2002-2003 SOLARA WITH 4-CYL ENGINE ADS-125**

STRATTEC	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
692062 TR47HPT	TOY43-AT4 (4C Chip)	Type 1	No	No	Not Needed	<b>A</b> Black

**Note:** Transponder system was optional. Must check engine size for proper immobilizer system.

**2011-2015 TACOMA ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**2008-2010 TACOMA ADS-150**

STRATTEC/ HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details.

**2005-2007 TACOMA ADS-125**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details.

**2010-2015 TUNDRA ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Some 2010 models may use TYPE 4 and the “dot” key.

**2007-2009 TUNDRA ADS-150**

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Transponder system was optional, it is not on all Tundra models.

**Note:** For lost key situations a “quick reset” feature is available, see last page of this section for details.

**2009-2014 VENZA WITH PROXIMITY START BUTTON IGNITION ADS-174**

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer Proximity Remote & Key Required	PROX 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

2010-2014 VENZA WITH KEY IGNITION

ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Some 2010 models may use TYPE 4 and the "dot" key.

2015 YARIS

ADS-199

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>H</b> Key	Type 6	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Transponder system is optional.

2012-2014 YARIS

ADS-174

DEALER	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
Dealer <b>G</b> Key: 89785-08040	Type 5	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Transponder system is optional.

2008-2011 YARIS

ADS-150

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 4	A.D. Webcode required if not using Smart Card		Not Needed	<b>A</b> Black

**Note:** Transponder system is optional.

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

2007 YARIS

ADS-125

STRATTEC / HATA	ILCO	SYSTEM	SMART Card	PIN Required	PIN Read	PRO Dongle
5910834 HAT8020	TOY44D-PT (4D Chip)	Type 2	No	No	Not Needed	<b>A</b> Black

**Note:** Transponder system is optional.

**Note:** For lost key situations a "quick reset" feature is available, see last page of this section for details.

TOYOTA



### Used Toyota/Lexus/Scion Proximity Keys

Prox keys that are not BRAND NEW cannot be simply ADDED.  
There is a work around trick that will usually allow you to program in an already used prox.

1. Perform an Immobilizer reset introducing the used key first.
2. Once you have the used key programmed and working use PROGRAM PROX to add back in the original working Prox key(s).

MVP users take note: The above method may not always work 100%.  
Brand new keys from a reputable dealer is what we recommend.  
These program in 100% without issue.

### TYPE 2 and TYPE 4 QUICK RESET

Quick Reset Immo on the special functions menu for Type 2 and for Type 4 was developed in order to save time!  
It performs the reset in a lost key situation without waiting thru the 16 or 30 minute security delay that is necessary when selecting the regular reset. On type 4 it also performs the ECU reset that when selecting the older reset is necessary as an additional step.

#### How to use:

Carefully watch the security light "theft indicator". Almost instantly after selecting Quick Reset immo, the theft light should go solid indicating that immo is now in the "learn mode". However, the car does not always give the tester back the correct signal so it will sometimes say "trying to communicate" or "Communication Failed" but if you watch the security light you should see that it turns solid, indicating the quick reset worked. You may have to switch the ignition OFF and remove the key before the light goes solid.

TOYOTA

- \*Built in Calculator alleviates the need for smart cards
- \*Replaces Multiple Dongles
- \*Extra ports to support future hardware innovations

Order Now!

## SMART Dongle

