# CWTF15-3, PF (3 Lower Warmers)

Height: 17.3" Width: 16.4" Depth: 21.4" (43.9cm) (41.7cm) (54.4cm)

• All stainless steel construction

- Hot water faucet (requires active plumbing connection)
- Pourover feature
- SplashGard® funnel deflects hot liquids away from the hand
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

Server(s) sold separately

## **Specifications**

Product #: 12950.0212

Finish: Stainless

Funnel: Black Plastic

Faucet: Upper

Warmers: Three Lower

Water Access: Plumbed

## **Additional Features**

Low Profile **Pourover Option** 

## **Electrical & Capacity**

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	13.9	1670	Yes	NEMA 5-15P	62	60°F (15.5°C)	1	2	60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine if the machine is marked with the before mentioned ratings.

## **Plumbing Requirements**

## CAD Drawings

	0				U	
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	1/4" Male Flare Fitting	-	•		

WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle




Last Updated: 04/26/2024

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



# Agency:





	Unit				Shipping					
	Height	Width	Depth	Height	Width	Depth	Weight	Volume		
English	17.3 in.	16.4 in.	21.4 in.	22.4 in.	19.9 in.	25.8 in.	39.350 lbs	6.643 ft <sup>3</sup>		
Metric	43.9 cm	41.7 cm	54.4 cm	56.8 cm	50.5 cm	65.6 cm	17.849 kgs	0.188 m³		




 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 04/26/2024

 For most current specifications and other info visit bunn.com.
 04/26/2024

## Related Products & Accessories: CWTF15-3, PF (3 Lower Warmers)(12950.0212)





CARTRIDGE, WEQ-10

(1.5)5L

Product #: 56000.0121

CARTRIDGE, WEQ-10.3

(1.67)5L

Product #: 56000.0137

## Serving & Holding Options: CWTF15-3, PF (3 Lower Warmers)(12950.0212)

EASY POUR®,(BLK) 1/CS Product #:06100.0101	EASY POUR®,(BLK) 2/CS Product #:06100.0102	EASY POUR®,(BLK) 3/CS Product #:06100.0103	EASY POUR®,(BLK) 6/CS Product #:06100.0106	EASY POUR®,(BLK) 12/ CS Product #:06100.0112
	BUNN	BUNN	BUNN	
EASY POUR®,(BLK) 24/ CS	EASY POUR®,(ORN) 1/ CS	EASY POUR®,(ORN) 2/ CS	EASY POUR®,(ORN) 3/ CS	EASY POUR®,(ORN) 24/ CS
Product #:06100.0124	Product #:06101.0101	Product #:06101.0102	Product #:06101.0103	Product #:06101.0124
DECANTER,GLASS-BLK 12C 24/CS Product #:42400.0024	DECANTER,GLASS-BLK 12CUP 1PK Product #:42400.0101	DECANTER,GLASS-BLK 12C 3/CS Product #:42400.0103	DECANTER,GLASS-ORN 12C 24/CS Product #:42401.0024	DECANTER, GLASS- ORN 12 CUP 1PK Product #:42401.0101



BUNN<sup>®</sup>

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.