

SAFETY DATA SHEET (SDS)

Section 1. Identification				
Product identifier CHEM	1000 PART A			
Other means of identification	CHEM 1000 A			
Recommended use and restrictions on use Floor Coating				
Initial supplier identifier	CHEMTEC; 4117 Industriel; Laval; Québec; Canada; info@epoxychemtec.com			
	T 450-629-1717			
Emergency telephone number	r/restriction on use Canada – CANUTEC 24-hour number 613-996-6666			

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin sensitization (category 1)

Germ cell mutagenicity (Category 1)

Carcinogenicity (Category 1)

Hazardous to the aquatic environment - Chronic (Category 3)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





Warning

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261Avoid breathing dust/fume/gas/mist/vapours/spray.P264Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273Avoid release to the environment. P280Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352IF ON SKIN: Wash with plenty of water. P308+P313If exposed or concerned: Get medical advice.

P321 Specific treatment see part 4P333+P313If skin irritation or rash occurs: Get medical advice/attention. P362+P364

Take off contaminated clothing and wash it before reuse. P403+P233Store in a well-ventilated place. Keep container tightly closed. P405Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional, or national regulations.

Other hazards known None

Section 3. Composition/information on ingredients				
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)		
Aspartic Acid, N,N'-(methylenedi-4,1-cyclohexanediyl)bis-, 1,1',4,4'-tetraethyl ester	136210-30-5	60-80		
Aspartic ester	136210-32-7	10-30		
Heavy naptha hydrotreated	64742-48-9	0.5-1.5		

^{*} Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).

considered trade secret(s).		
Section 4. First-aid measures		
Inhalation	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get	
	medical attention immediately if symptoms occur.	
Ingestion	IF SWALLOWED: If ingestion is suspected, contact physician or poison center immediately. Do not induce vomiting. Rinse	
	mouth with water. Give two glasses of water for dilution. Never give anything by mouth to an unconscious person.	
Skin contact	IF ON SKIN: Get immediate medical attention. Immediately flush skin with plenty of soap and water. Remove contaminated	
	clothing. Wash clothing before reuse.	
Eye contact	IF IN EYES: In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at least 15 minutes. Do	
	not rub affected area. Obtain medical attention. Remove contact lenses, if present and easy to do. Continue rinsing.	
Additional	Do not leave the victim unattended. No action shall be taken involving any personal risk or without suitable training. If it is	
Information	suspected that fumes are still present, rescuer should wear an appropriate mask or self-contained breathing apparatus. It may	
	be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with	
	water before removing it or wear glove	

Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.

Section 5. Fire-fighting measures

$Specific \ hazards \ of \ the \ hazardous \ product \ (hazardous \ combustion \ products)$

By thermal decomposition or combustion, emit: Oxides de carbon (CO, CO₂), Nitrogen oxides (NOx), Amines. Ammonia gas may be liberated at high temperatures. Formation of toxic gases is possible during heating or in case of fire. Formation of toxic gases is possible during heating or in case of fire.

Suitable and unsuitable extinguishing media

Use water spray, carbon dioxide (CO₂) alcohol resistant foam or dry chemical.

Special protective equipment and precautions for fire-fighters

Wear self-contained positive pressure breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.



Section 6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Personal precautions, protective equipment, and emergency procedures: Evacuate all non-essential personnel. Do not get direct personal contact with product. Do not breath dust, fume, gas, mist vapours or spray. Wear proper protective equipment. Eliminate all sources of ignition (no smoking, flares, sparks, or flames in immediate area). Ventilate area. Dike area to prevent spreading. Prevent runoff into drains, sewers, and other waterways. Inform responsible authorities in case of accidental release. Do not allow product to reach sewage system of any water course. Shovel or pump to properly identified drum or salvage tank. Absorb residual material with sand or other absorbent material. Spilled material and water rinses are classified as chemical waste and must be disposed of in accordance with current local, provincial, and federal regulations.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry and well-ventilated area. Keep containers tightly closed. Storage temperature: store at 0-30 °C. Store separate from food products. Keep from freezing.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: Heavy Naphtha hydrotreated: 100ppm (ACGIH TLV-TWA)

Appropriate engineering controls

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

Individual protection measures/personal protective equipment

Skin protection: Chemical resistant gloves. Nitrile or fluorinated gloves are recommended. Wear a lab coat and safety boots per local regulations. **Respiratory:** Full face mask with organic vapor cartridge, Type A filter (BP >65°C)

Eye protection: tightly sealed goggles

Special instructions for protection and hygiene: Eye wash fountain and safety shower be in proximity. Employees should wash their hands and face before eating, drinking, or using tobacco products.

Section 9. Physical and chemical properties				
Appearance, physical state/colour Liquid clear to yellowish	Vapour pressure Not available			
Odour Not available	Vapour density Not available			
Odour threshold Not available	Relative density 1.05-1.09(20°C)			
pH Not available	Solubility Negligible			
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point > 94°C	Decomposition temperature Not available			
Evaporation rate Not available	Viscosity 1500-2000cPs(20°C)			
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			

Section 10. Stability and reactivity

Reactivity

None known.

Chemical stability

Stable at normal temperature and pressures

Possibility of hazardous reactions

None known

Conditions to avoid (static discharge, shock, or vibration)

Contact with incompatible materials. Avoid high temperatures.

Incompatible materials

Oxidizing agents, acid, and isocyanate.

Hazardous decomposition products

By combustion or thermal decomposition may produce: Carbon oxides (CO, CO₂) nitrogen oxides (NOx), amines. Ammonia gas may be liberated at high temperatures.



Section 11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin, and eye contact)

Inhalation. Eye contact. Skin contact. Ingestion.

Symptoms related to the physical, chemical, and toxicological characteristics

May cause genetic defects

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Effect of acute exposure): May cause allergic skin reaction

Effects of chronic exposure: May cause cancer.

Acute oral toxicity: ATE (mixture): > 2000 mg/kg.

Acute dermal toxicity: ATE (mixture): > 2000 mg/kg. Acute inhalation toxicity: ATE (mixture): > 20 mg/L (vapour).

Carcinogenicity of product: 64742-48-9: May cause cancer.

Mutagenicity: 64742-48-9: May cause genetic defects.

Reproductive effects: 64742-48-9: Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

 $\textbf{136210-30-5}: \textbf{DL50 Orale} - \textbf{Rat} > 2.000 \ \text{mg/kg}; \ \textbf{DL50 Cutan\'e} - \textbf{Rat} > 2.000 \ \text{mg/kg}. \ \textbf{CL50 Inhalation-Rat} > 4.224 \ \text{mg/L}$

136210-32-7: DL50 Orale - Rat > 2.000 mg/kg; DL50 Cutané - Rat > 2.000 mg/kg. CL50 Inhalation-Rat > 4.224mg/L(4h, aerosol,rat)

64742-48-9: **DL50 Orale** – **Rat** > 5.000 mg/kg; **DL50 Cutané** – **Rabbit** > 5.000 mg/kg

Section 12. Ecological information

Ecotoxicity (aquatic and terrestrial information) 64742-48-9 :CL50:2200mg/L (96h, Pimephalespromelas) CL50=2.6mg/L(96h,

Chaetogammarus marinus). CE50: 9.2mg/l (48h, Daphnia magna).

136210-30-5: CE50: 113 mg/L (à court terme algues);

136210-32-7: CE50: 113 mg/L (72h, algues vertes (Scenedesmus subspicatus))

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Other adverse effects Harmful to aquatic life with long lasting effects.

Section 13. Disposal considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of as an industrial waste in a manner acceptable to good waste management practice and in accordance with applicable local, regional or national regulations.

Section 14. Transport information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

NOT REGULATED

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

NOT REGULATED

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

NOT REGULATED

Special precautions (transport/conveyance) Keep from freezing.

Environmental hazards (IMDG or other)

None

Bulk transport (usually more than 450 L in capacity) Non

Section 15. Regulatory information

CEPA status: Ingredients of this mixture appears on DSL.

Hazardous Products Regulations: This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and this document contains all the information required by the Hazardous Products Regulations.

TSCA: Ingredients of this mixture appears on TSCA inventory



Section 16. Other information		
Date of the latest revision of the safety data sheet January 17, 2022 version 1		
Corrections	Complete review	
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute toxicity estimate	
CAS	Chemical Abstract Service	
DSL	Domestic Substance List	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods Code	
LC	Lethal concentration	
LD	Lethal Dosage	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program (U.S.A.)	
OSHA	Occupational Safety and Health Administration (U.S.A.)	
PEL	Permissible Exposure Limit	
STEL	Short-term Exposure Limit	
TDG	Transport of dangerous goods in Canada	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
WHMIS	Workplace Hazardous Materials Information System	

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.