



SybraChem Greasolve NF

Removes grease, oil, wax, and engine dirt from automotive and industrial machinery through a powerful solvent-based, emulsifiable degreasing compound. SybraChem Greasolve NF can also be used for light-duty cleaning when diluted with water.

PROPERTIES

- Formulated with a high solvent content to boost grease cutting ability.
- Easily dissolves a wide spectrum of dirt such as oils, waxes, and bitumen.
- Contains emulsifiers and detergents to enable thorough rinsing and prevent a redeposit of dirt and oil.
- Safe to use on all metal surfaces, and ideal for cleaning workshop floors.
- Take care when cleaning decorative finishes and surfaces due to the strong solvent content.

APPLICATION

Manual cleaning:

- Apply SybraChem Greasolve NF with a brush and allow to soak for 5-10 minutes, depending on the severity of the oil and grease deposits.
- Rinse the area well with water.

Automatic or semi-automatic cleaning:

- Apply SybraChem Greasolve NF using a low-pressure spray, if fitted with Teflon seals.
- Allow the product to soak for 5-10 minutes depending on the severity of the oil and grease deposits.
- Rinse off using a high-pressure washer.

TECHNICAL INFORMATION

Product Name: SybraChem Greasolve NF		
TEST	UNIT	SPECIFICATION
Appearance		Opaque white liquid
Density	g/cm ³	1.00
pH (1%)		Not applicable

HEALTH, SAFETY, AND THE ENVIRONMENT: For full **Health and Safety** guidance, obtain a **Material Safety Data Sheet** from your representative, or online at www.sybrachem.africa. The recommendations contained herein are based on infield use experience and are, to the best of our knowledge, accurate. Since terms and conditions of actual use are beyond our control, all recommendations are made without warranty, express or implied.





DISCLAIMER: SybraChem (Pty) Ltd believes that this information is correct at the date of publication but does not warrant the accuracy thereof. The use of the product designated herein will be at the sole risk of the user. SybraChem (Pty) Ltd will not accept any liability for any loss or damage, howsoever caused by or arising from the use of this information or the use, application, adaptation, or processing of the product described herein or its use in combination with any product, material or in any process.

