

125mg

This chart is for Innovet's PurCBD+ 125mg bottles ONLY

Calibrated to 4.29mg CBD per 1ml (0.13mg CBD per drop).
Don't trust other suppliers who hide their CBD concentrations!



	MINIMUM Single Dose (0.022mg per pound)	LOW Single Dose (0.068mg per pound)	MEDIUM Single Dose (0.202mg per pound)	STRONG Single Dose (0.605mg per pound)	MAXIMUM Daily Dose (1.816 mg per pound)
	This is the minimum dosage that many pets respond to, therefore this dosage is what we recommend you start your pet at. Typically, the minimum dosage is used for general aging and wellness, with non-acute conditions. The minimum dosage can be used every 6-8 hours, as needed.	The low dosage is typically used with mild seizure conditions, mild joint pain, skin and coat issues, increasing appetite, or nausea. A low dosage can be used every 6-8 hours, as needed.	The medium dosage is the average dosage that our customers achieve successful results with. A medium or average dosage can be used every 6-8 hours, as needed.	A strong dosage should not be used more than 3 times daily. The strong dose is typically used with acute conditions such as aggression, extreme anxiety, severe pain or seizures. A strong dosage can be used, at most, every 8 hours, as needed.	This is the maximum dosage for your pet in any given 24-hour period. Exceeding the maximum daily dosage may cause side effects such as excessive sedation, disorientation, excitement, and vomiting. This maximum is based off 4mg/kg. Doses above this maximum must be done under vet's supervision.
	**	**	**	**	**

Pet's Weight (POUNDS)

- These are **SUGGESTED DOSAGES** and they represent the full range of safe doses that our customers have seen success with.
- Always start at the lower dosage and slowly increase until either side effects are noticed, or desired effects are achieved.
- The dosage that is best for your pet may be between these suggested dosing columns.

5 lbs	1 drop every 6-8 hours	3 drops every 6-8 hours	8 drops every 6-8 hours	23 drops every 6-8 hours	Do not exceed 70 drops per day
10 lbs	2 drops every 6-8 hours	5 drops every 6-8 hours	16 drops every 6-8 hours	47 drops every 6-8 hours	Do not exceed 140 drops per day
15 lbs	3 drops every 6-8 hours	8 drops every 6-8 hours	23 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 250mg PurCBD+ Bottle
20 lbs	3 drops every 6-8 hours	10 drops every 6-8 hours	31 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 250mg PurCBD+ Bottle
30 lbs	5 drops every 6-8 hours	16 drops every 6-8 hours	47 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 250mg PurCBD+ Bottle
40 lbs	7 drops every 6-8 hours	21 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
50 lbs	8 drops every 6-8 hours	26 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
60 lbs	10 drops every 6-8 hours	31 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
70 lbs	12 drops every 6-8 hours	37 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
80 lbs	14 drops every 6-8 hours	42 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
90 lbs	15 drops every 6-8 hours	47 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
100 lbs	17 drops every 6-8 hours	Use 250mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle

Each 30ml bottle = 990 drops of PurCBD+
 16 drops = 1/2 of a full dropper
 16 drops = 0.5ml = 0.5cc of PurCBD+
 1 drop = 0.03ml
 1 drop = 0.13mg of full spectrum CBD



Always start at the lower dosage and then slowly work your way up until either side effects are noticed or the desired effects are achieved. Symptoms of side effects from excessive dosage are excessive sedation, disorientation, excitement, vomiting.

Each PurCBD+ bottle contains 125mg of full spectrum CBD dissolved into 30ml of hemp oil.

In order to be 50 state legal, the 125mg PurCBD+ contains less than 0.01% THC (that's 30 times less than the 0.3% federal limit)

Visit www.innovetpet.com for more information.

**These statements have not been evaluated by the Food & Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

© 2005-2018 [innovetpet.com](http://www.innovetpet.com) ALL RIGHTS RESERVED

250mg

This chart is for Innovet's PurCBD+ 250mg bottles ONLY

Calibrated to 8.58mg CBD per 1ml (0.25mg CBD per drop).
Don't trust other suppliers who hide their CBD concentrations!



	MINIMUM Single Dose (0.022mg per pound)	LOW Single Dose (0.068mg per pound)	MEDIUM Single Dose (0.202mg per pound)	STRONG Single Dose (0.605mg per pound)	MAXIMUM Daily Dose (1.816 mg per pound)
	This is the minimum dosage that many pets respond to, therefore this dosage is what we recommend you start your pet at. Typically, the minimum dosage is used for general aging and wellness, with non-acute conditions. The minimum dosage can be used every 6-8 hours, as needed.	The low dosage is typically used with mild seizure conditions, mild joint pain, skin and coat issues, increasing appetite, or nausea. A low dosage can be used every 6-8 hours, as needed.	The medium dosage is the average dosage that our customers achieve successful results with. A medium or average dosage can be used every 6-8 hours, as needed.	A strong dosage should not be used more than 3 times daily. The strong dose is typically used with acute conditions such as aggression, extreme anxiety, severe pain or seizures. A strong dosage can be used, at most, every 8 hours, as needed.	This is the maximum dosage for your pet in any given 24-hour period. Exceeding the maximum daily dosage may cause side effects such as excessive sedation, disorientation, excitement, and vomiting. This maximum is based off 4mg/kg. Doses above this maximum must be done under vet's supervision.
	**	**	**	**	**

Pet's Weight (POUNDS)

- These are **SUGGESTED DOSAGES** and they represent the full range of safe doses that our customers have seen success with.
- Always start at the lower dosage and slowly increase until either side effects are noticed, or desired effects are achieved.
- The dosage that is best for your pet may be between these suggested dosing columns.

15 lbs	1 drop every 6-8 hours	4 drops every 6-8 hours	12 drops every 6-8 hours	36 drops every 6-8 hours	Do not exceed 109 drops per day
20 lbs	2 drops every 6-8 hours	5 drops every 6-8 hours	16 drops every 6-8 hours	48 drops every 6-8 hours	Do not exceed 145 drops per day
30 lbs	3 drops every 6-8 hours	8 drops every 6-8 hours	24 drops every 6-8 hours	73 drops every 6-8 hours	Do not exceed 210 drops per day
40 lbs	4 drops every 6-8 hours	11 drops every 6-8 hours	32 drops every 6-8 hours	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
50 lbs	4 drops every 6-8 hours	14 drops every 6-8 hours	40 drops every 6-8 hours	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
60 lbs	5 drops every 6-8 hours	16 drops every 6-8 hours	48 drops every 6-8 hours	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
70 lbs	6 drops every 6-8 hours	19 drops every 6-8 hours	57 drops every 6-8 hours	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
80 lbs	7 drops every 6-8 hours	22 drops every 6-8 hours	65 drops every 6-8 hours	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
90 lbs	8 drops every 6-8 hours	24 drops every 6-8 hours	73 drops every 6-8 hours	Use 750mg PurCBD+ Bottle	Use 750mg PurCBD+ Bottle
100 lbs	9 drops every 6-8 hours	27 drops every 6-8 hours	Use 750mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle
110 lbs	10 drops every 6-8 hours	30 drops every 6-8 hours	Use 750mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle
120 lbs	11 drops every 6-8 hours	33 drops every 6-8 hours	Use 750mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle

Each 30ml bottle = 990 drops of PurCBD+
 16 drops = 1/2 of a full dropper
 16 drops = 0.5ml = 0.5cc of PurCBD+
 1 drop = 0.03ml
 1 drop = 0.25mg of full spectrum CBD



Always start at the lower dosage and then slowly work your way up until either side effects are noticed or the desired effects are achieved. Symptoms of side effects from excessive dosage are excessive sedation, disorientation, excitement, vomiting.

Each PurCBD+ bottle contains 250mg of full spectrum CBD dissolved into 30ml of hemp oil.

In order to be 50 state legal, the 250mg PurCBD+ contains less than 0.02% THC (that's 15 times less than the 0.3% federal limit)

Visit www.innovetpet.com for more information.

**These statements have not been evaluated by the Food & Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

© 2005-2018 [innovetpet.com](http://www.innovetpet.com) ALL RIGHTS RESERVED

750mg

This chart is for Innovet's PurCBD+ 750mg bottles ONLY

Calibrated to 25.08mg CBD per 1ml (0.76mg CBD per drop).
Don't trust other suppliers who hide their CBD concentrations!



	MINIMUM Single Dose (0.022mg per pound)	LOW Single Dose (0.068mg per pound)	MEDIUM Single Dose (0.202mg per pound)	STRONG Single Dose (0.605mg per pound)	MAXIMUM Daily Dose (1.816 mg per pound)
	This is the minimum dosage that many pets respond to, therefore this dosage is what we recommend you start your pet at. Typically, the minimum dosage is used for general aging and wellness, with non-acute conditions. The minimum dosage can be used every 6-8 hours, as needed.	The low dosage is typically used with mild seizure conditions, mild joint pain, skin and coat issues, increasing appetite, or nausea. A low dosage can be used every 6-8 hours, as needed.	The medium dosage is the average dosage that our customers achieve successful results with. A medium or average dosage can be used every 6-8 hours, as needed.	A strong dosage should not be used more than 3 times daily. The strong dose is typically used with acute conditions such as aggression, extreme anxiety, severe pain or seizures. A strong dosage can be used, at most, every 8 hours, as needed.	This is the maximum dosage for your pet in any given 24-hour period. Exceeding the maximum daily dosage may cause side effects such as excessive sedation, disorientation, excitement, and vomiting. This maximum is based off 4mg/kg. Doses above this maximum must be done under vet's supervision.
	**	**	**	**	**

Pet's Weight (POUNDS)

- These are **SUGGESTED DOSAGES** and they represent the full range of safe doses that our customers have seen success with.
- Always start at the lower dosage and slowly increase until either side effects are noticed, or desired effects are achieved.
- The dosage that is best for your pet may be between these suggested dosing columns.

50 lbs	1 drop every 6-8 hours	4 drops every 6-8 hours	13 drops every 6-8 hours	40 drops every 6-8 hours	Do not exceed 119 drops per day
60 lbs	2 drops every 6-8 hours	5 drops every 6-8 hours	16 drops every 6-8 hours	48 drops every 6-8 hours	Do not exceed 143 drops per day
70 lbs	2 drops every 6-8 hours	6 drops every 6-8 hours	19 drops every 6-8 hours	56 drops every 6-8 hours	Do not exceed 167 drops per day
80 lbs	2 drops every 6-8 hours	7 drops every 6-8 hours	21 drops every 6-8 hours	64 drops every 6-8 hours	Do not exceed 191 drops per day
90 lbs	3 drops every 6-8 hours	8 drops every 6-8 hours	24 drops every 6-8 hours	72 drops every 6-8 hours	Do not exceed 215 drops per day
100 lbs	3 drops every 6-8 hours	9 drops every 6-8 hours	27 drops every 6-8 hours	80 drops every 6-8 hours	Do not exceed 239 drops per day
125 lbs	4 drops every 6-8 hours	11 drops every 6-8 hours	33 drops every 6-8 hours	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle
150 lbs	4 drops every 6-8 hours	13 drops every 6-8 hours	40 drops every 6-8 hours	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle
200 lbs	6 drops every 6-8 hours	18 drops every 6-8 hours	53 drops every 6-8 hours	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle
300 lbs	9 drops every 6-8 hours	27 drops every 6-8 hours	80 drops every 6-8 hours	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle
400 lbs	12 drops every 6-8 hours	36 drops every 6-8 hours	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle
500 lbs	14 drops every 6-8 hours	45 drops every 6-8 hours	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle	Use 1500mg PurCBD+ Bottle

Each 30ml bottle = 990 drops of PurCBD+
 16 drops = 1/2 of a full dropper
 16 drops = 0.5ml = 0.5cc of PurCBD+
 1 drop = 0.03ml
 1 drop = 0.76mg of full spectrum CBD



Always start at the lower dosage and then slowly work your way up until either side effects are noticed or the desired effects are achieved. Symptoms of side effects from excessive dosage are excessive sedation, disorientation, excitement, vomiting.

Each PurCBD+ bottle contains 750mg of full spectrum CBD dissolved into 30ml of hemp oil.

In order to be 50 state legal, the 750mg PurCBD+ contains less than 0.08% THC (that's 3 times less than the 0.3% federal limit)

Visit www.innovetpet.com for more information.

**These statements have not been evaluated by the Food & Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

© 2005-2018 [innovetpet.com](http://www.innovetpet.com) ALL RIGHTS RESERVED

1500mg

This chart is for **Innovet's PurCBD+ 1500mg bottles ONLY**

Calibrated to 50.16mg CBD per 1ml (1.52mg CBD per drop).
Don't trust other suppliers who hide their CBD concentrations!



	MINIMUM Single Dose (0.022mg per pound)	LOW Single Dose (0.068mg per pound)	MEDIUM Single Dose (0.202mg per pound)	STRONG Single Dose (0.605mg per pound)	MAXIMUM Daily Dose (1.816 mg per pound)
	This is the minimum dosage that many pets respond to, therefore this dosage is what we recommend you start your pet at. Typically, the minimum dosage is used for general aging and wellness, with non-acute conditions. The minimum dosage can be used every 6-8 hours, as needed.	The low dosage is typically used with mild seizure conditions, mild joint pain, skin and coat issues, increasing appetite, or nausea. A low dosage can be used every 6-8 hours, as needed.	The medium dosage is the average dosage that our customers achieve successful results with. A medium or average dosage can be used every 6-8 hours, as needed.	A strong dosage should not be used more than 3 times daily. The strong dose is typically used with acute conditions such as aggression, extreme anxiety, severe pain or seizures. A strong dosage can be used, at most, every 8 hours, as needed.	This is the maximum dosage for your pet in any given 24-hour period. Exceeding the maximum daily dosage may cause side effects such as excessive sedation, disorientation, excitement, and vomiting. This maximum is based off 4mg/kg. Doses above this maximum must be done under vet's supervision.
	**	**	**	**	**

Pet's Weight (POUNDS)

- These are **SUGGESTED DOSAGES** and they represent the full range of safe doses that our customers have seen success with.
- Always start at the lower dosage and slowly increase until either side effects are noticed, or desired effects are achieved.
- The dosage that is best for your pet may be between these suggested dosing columns.

90 lbs	1 drop every 6-8 hours	4 drops every 6-8 hours	12 drops every 6-8 hours	36 drops every 6-8 hours	Do not exceed 108 drops per day
100 lbs	1 drop every 6-8 hours	4 drops every 6-8 hours	13 drops every 6-8 hours	40 drops every 6-8 hours	Do not exceed 119 drops per day
125 lbs	2 drops every 6-8 hours	6 drops every 6-8 hours	17 drops every 6-8 hours	50 drops every 6-8 hours	Do not exceed 149 drops per day
150 lbs	2 drops every 6-8 hours	7 drops every 6-8 hours	20 drops every 6-8 hours	60 drops every 6-8 hours	Do not exceed 179 drops per day
200 lbs	3 drops every 6-8 hours	9 drops every 6-8 hours	27 drops every 6-8 hours	80 drops every 6-8 hours	Do not exceed 239 drops per day
300 lbs	4 drops every 6-8 hours	13 drops every 6-8 hours	40 drops every 6-8 hours	119 drops every 6-8 hours	Do not exceed 358 drops per day
400 lbs	6 drops every 6-8 hours	18 drops every 6-8 hours	53 drops every 6-8 hours	159 drops every 6-8 hours	Do not exceed 478 drops per day
500 lbs	7 drops every 6-8 hours	22 drops every 6-8 hours	66 drops every 6-8 hours	199 drops every 6-8 hours	Do not exceed 597 drops per day
600 lbs	9 drops every 6-8 hours	27 drops every 6-8 hours	80 drops every 6-8 hours	239 drops every 6-8 hours	Do not exceed 717 drops per day
700 lbs	10 drops every 6-8 hours	31 drops every 6-8 hours	93 drops every 6-8 hours	279 drops every 6-8 hours	Do not exceed 836 drops per day
800 lbs	12 drops every 6-8 hours	36 drops every 6-8 hours	106 drops every 6-8 hours	318 drops every 6-8 hours	Do not exceed 956 drops per day
900 lbs	13 drops every 6-8 hours	40 drops every 6-8 hours	120 drops every 6-8 hours	358 drops every 6-8 hours	Do not exceed 1075 drops per day

Each 30ml bottle = 990 drops of PurCBD+
 16 drops = 1/2 of a full dropper
 16 drops = 0.5ml = 0.5cc of PurCBD+
 1 drop = 0.03ml
 1 drop = 1.52mg of full spectrum CBD



Always start at the lower dosage and then slowly work your way up until either side effects are noticed or the desired effects are achieved. Symptoms of side effects from excessive dosage are excessive sedation, disorientation, excitement, vomiting.
Each PurCBD+ bottle contains 1500mg of full spectrum CBD dissolved into 30ml of hemp oil.

In order to be 50 state legal, the 1500mg PurCBD+ contains less than 0.2% THC (That's far below the 0.3% federal limit)

Visit www.innovetpet.com for more information.

**These statements have not been evaluated by the Food & Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

© 2005-2018 [innovetpet.com](http://www.innovetpet.com) ALL RIGHTS RESERVED

SUPPLEMENT & MEDICATION DOSING SCHEDULE

Warnings:

1. **If your pet is taking any prescription medications, PLEASE consult your veterinarian before starting them on CBD!**
2. CBD can temporarily block absorption of Rx meds. CBD is processed through the body within approx 6 hours after each dose is. CBD is processed via the liver enzyme called "cytochrome p450".
Do not give your pet CBD within 6 hours of giving them any prescription drugs that are also processed via cytochrome p450.
3. **Absolutely do not stop giving your pet any Rx meds prior to consulting your veterinarian!!!!**
4. Some Rx meds must be weaned off slowly in order to avoid withdrawal symptoms or much worse.
5. **We cannot give advice about potential interactions with specific Rx meds, please take this paper to your veterinarian to plan out the dose schedule for your pet. Licensed veterinarians with questions please call 888-269-3154**

	MONDAY				TUESDAY				WEDNESDAY				THURSDAY				FRIDAY				SATURDAY				SUNDAY							
PurCBD																																
Rx #1																																
Rx #2																																
Rx #3																																
Rx #4																																
Rx #5																																