



GLACIER DC

The Glacier DC has been designed for Australian conditions with modern aesthetics in mind to compliment any decor. Uncompromising in design, the aero-dynamic blades provide high airflow, comfort and whisper quiet operation.

1. Environmentally Friendly

Using up to 75% less energy than a traditional AC fan, the Glacier DC is cost effective, environmentally friendly option to help reduce your carbon footprint.

2. Whisper Quiet

The DC motor also produces less noise, resulting in quieter fan operation. Particularly beneficial in bedrooms and other quiet spaces.

3. All Year Round

The reversible motor helps distribute air evenly all year round and the variable speed remote control (included) offers a range of setting to suit your comfort.

ENERGY SAVING DC





Intelligent energy saving DC technology



High airflow capacity



Low noise levels - ideal for bedrooms



In built anti-vibration system



Reversible direction ideal for gentle heat circulation in winter



Glass fibre composite blades for added strength and durability



Quick click blade assembly

WITH LIGHT MODELS



Slimline 5-step dimmable 20W LED (1800 lumen)



Tri-colour changeable (warm, natural and cool white)

Extension Rods

Extension rods with wiring loom available for high ceilings

Model Model Model

SKYFXTR60WH - 600mm SKYEXTR90WH - 900mm SKYEXTR120WH - 1200mm

Remote Control: Included







Without Liaht Models

1200MM

1300MM

Model	Colour	Sweep Size mm	Motor Watt L-H	Speed (RPM) 1,2,3,4,5	Airflow M³/Hour	Blade Count	Blade Material	LED	Output	5 Step Dimmable	Tri Colour	Remote Control Inc
GLA1203WH	White	1200	2.6 - 26w	95/130/155/180/235	5,400 - 11,720	3	GFC*	N/A	N/A	N/A	N/A	Yes
GLA1203WH-L	White	1200	2.6 - 26w	95/130/155/180/235	5,400 - 11,720	3	GFC*	20w	1800Lm	Yes	Yes	Yes
GLA1303WH	White	1300	3.5 - 26w	95/130/155/180/200	5,400 - 12,740	3	GFC*	N/A	N/A	N/A	N/A	Yes
GLA1303WH-L	White	1300	3.5 - 26w	95/130/155/180/200	5,400 - 12,740	3	GFC*	20w	1800Lm	Yes	Yes	Yes

*GFC: Glass Fibre Composite





Intelligent energy saving DC technology





High airflow capacity



Extremely quiet - ideal for bedrooms



Quick click blade assembly



Indoor and covered outdoor



6 speed LCD multi-function remote



Eco, Sleep and Timer functions



In-built anti-vibration system



Glass fibre composite blades for added strength and durability



Summer / winter reversible



Android and IOS app control option (sold separately)
Compatible with Google Home and Alexa

WITH LIGHT MODELS



Slimline 5-Step dimmable 20W LED (1800 Lumen)



Tri-colour changeable (warm, natural and cool white)

ENERGY SAVING DC



- 6 speed reversible
- Eco mode the most energy efficient setting
- Sleep mode reduces 1 speed every 30 mins* until speed 1
- 1 12 hour run-on timer

WITH LIGHT MODELS:

- 5 step dimming
- Tri-colour (warm, natural and cool white)



With Light Models



Without Light Models

Available Sizes:

900mm

1300mm

1200mm

1500mm


Model	Colour	Sweep Size mm	Motor Watt L-H	Speed (RPM) 1,2,3,4,5 ECO	Airflow M³/Hour	Blade Count	Blade Material	LED	Output	5 Step Dimmable	Iri Colour	Remote Control Inc
SKY903WH/BL	White/Black	900	3 - 32w	100/150/190/220/270/*120	12,500	3	GFC*	N/A	N/A	N/A	N/A	Yes
SKY903WH-L/BL-L	White/Black	900	3 - 32w	100/150/190/220/270/*120	12,500	3	GFC*	20w	1800Lm	Yes	Yes	Yes
SKY1203WH/BL	White/Black	1200	3.6 -31w	95/140/170/200/230/*115	13,920	3	GFC*	N/A	N/A	N/A	N/A	Yes
SKY1203WH-L/BL-L	White/Black	1200	3.6 -31w	95/140/170/200/230/*115	13,920	3	GFC*	20w	1800Lm	Yes	Yes	Yes
SKY1303WH/BL	White/Black	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	N/A	N/A	N/A	N/A	Yes
SKY1303WH-L/BL-L	White/Black	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	20w	1800Lm	Yes	Yes	Yes
SKY1303TK	Teak	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	N/A	N/A	N/A	N/A	Yes
SKY1303TK-L	Teak	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	20w	1800Lm	Yes	Yes	Yes
SKY1503WH/BL	White/Black	1500	3.9 - 43w	73/104/127/150/175/*88	19,300	3	GFC*	N/A	N/A	N/A	N/A	Yes
SKY1503WH-L/BL-L	White/Black	1500	3.9 - 43w	73/104/127/150/175/*88	19,300	3	GFC*	20w	1800Lm	Yes	Yes	Yes
SKY1503TK	Teak	1500	3.9 - 43w	73/104/127/150/175/*88	19,300	3	GFC*	N/A	N/A	N/A	N/A	Yes
SKY1503TK-L	Teak	1500	3.9 - 43w	73/104/127/150/175/*88	19,300	3	GFC*	20w	1800Lm	Yes	Yes	Yes

Product appearance may slightly vary.

*ECO Speed

*GFC: Glass Fibre Composite

Skyfan DC The future in fans



LCD Remote Control: Included

- 6 speed reversible
- Eco mode the most energy efficient setting
- Sleep mode reduces 1 speed every 30 mins until speed 1
- 1 12 hour run-on timer

WITH LIGHT MODELS:

- 5 step dimming
- Tri-colour (warm, natural and cool white)





Without Light Models





ENERGY SAVING DC

SKYFAN 4 has all the same features as the original SKYFAN!

Available Sizes:

1200mm

1400mm

Model	Colour	Sweep Size mm	Motor Watt L-H	Speed (RPM) 1,2,3,4,5 ECO	Airflow M³/Hour	Blade Count	Blade Material	LED	Output	5 Step Dimmable	Tri Colour	Remote Control Inc
SKY1204WH/BL	White/Black	1200	3.8 - 30w	102/138/172/195/215/*118	14,280	4	GFC*	N/A	N/A	N/A	N/A	Yes
SKY1204WH-L/BL-L	White/Black	1200	3.8 - 30w	102/138/172/195/215/*118	14,280	4	GFC*	20w	1800Lm	Yes	Yes	Yes
SKY1404WH/BL	White/Black	1400	3.5 - 38w	83/118/151/176/205/*100	20,100	4	GFC*	N/A	N/A	N/A	N/A	Yes
SKY1404WH-L/BL-L	White/Black	1400	3.5 - 38w	83/118/151/176/205/*100	20,100	4	GFC*	20w	1800Lm	Yes	Yes	Yes

*ECO Speed

*GFC: Glass Fibre Composite

Skyfan

The **Double Insulated** Skyfan is a Class II electrical product, it is safe and suitable for installations where the licensed electrician has limited or problematic access to an electrical earth.

1300mm Intelligent Energy Saving DC 3 Blade Ceiling fan with Slimline 5 step dimmable 20 watt light kit and LCD Remote Control included



Model	Colour	Sweep Size mm	Motor Watt L-H	Speed (RPM) 1,2,3,4,5 ECO	Airflow M³/Hour	Blade Count	Blade Material	LED	Output	5 Step Dimmable	Tri Colour	Remote Control Inc
SKY1303WHC2	White	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	N/A	N/A	N/A	N/A	Yes
SKY1303WHC2-L	White	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	20w	1800Lm	Yes	Yes	Yes
				*ECC	O Speed		*GFC: 0	Glass	Fibre Co	omposite		

LCD Wall Control

The wall controls have functions the same as the remote control which are:

- 6 speed reversible
- Eco mode the most energy efficient setting.
- Sleep mode reduces 1 speed every 30 mins until speed 1
- 1 12 hour run-on timer

WITH LIGHT MODELS:

- 5 step dimming
- Tri-colour (warm, natural and cool white)
- These fit standard electrical wall switch plate dimensions

Model	SKYWCM - WITH LIGHT
Model	SKYWCM-2 - WITHOUT LIGHT





App Control

Android and IOS App control option compatible with Google Home and Alexa.







Model SKYAPPCM



Extension Rods

Extension rods with wiring loom available for high ceilings



SKYEXTR60WH/BL - 600mm SKYEXTR90WH/BL - 900mm SKYEXTR120WH/BL - 1200mm

DC 3 BLADE CEILING FAN

Three fundamental objectives were the inspiration behind this latest addition to the Skyfan DC family

1. Value

Market leading DC fan prices

2. Performance

Market leading 'air volume' per 'watt' performance ratios translates to superior energy efficiency

3. Style

Designed to compliment any decor, also available with stylish and functional wall controller options

ENERGY SAVING DC





Intelligent energy saving DC technology



Quick click blade assembly



Extremely quiet - ideal for bedrooms



Up to 75% less power consumption



High airflow capacity



Summer / winter reversible

WITH LIGHT MODELS



Slimline 5-Step dimmable 20W LED (1800 lumen)



Tri-colour changeable (warm, natural and cool white)

Model	Colour	Sweep Size mm	Motor Watt L-H	Speed (RPM) 1,2,3,4,5	Airflow M³/Hour	Blade Count	Blade Material	LED	Output	5 Step Dimmable	Tri Colour	Remote Control Inc	Wall Control Inc
DC31203WH	White	1200	2.2 - 26w	72/110/147/175/215	13,580	3	GFC*	N/A	N/A	N/A	N/A	Yes	N/A
DC31203WH-L	White	1200	2.2 - 26w	72/110/147/175/215	13,580	3	GFC*	20w	1800Lm	Yes	Yes	Yes	N/A
DC31203WHWC	White	1200	2.2 - 26w	72/110/147/175/215	13,580	3	GFC*	N/A	N/A	N/A	N/A	N/A	Yes
DC31203WH-LWC	White	1200	2.2 - 26w	72/110/147/175/215	13,580	3	GFC*	20w	1800Lm	Yes	Yes	N/A	Yes



Remote Control: Included





With Light Models



With Light Models

Without Light Models



Without Light Models

Extension Rods

Extension rods with wiring loom available for high ceilings

SKYEXTR60WH - 600mm SKYEXTR90WH - 900mm SKYEXTR120WH - 1200mm





ULTIMATE ENERGY EFFICIENCY

- **Spyda EC** This slimline version of the iconic Spyda Fan offers the perfect combination of style, performance and energy efficiency
- EC vs AC/DC The unique EC (electronically commutated) brush-less motor uses up to 75% less power than a comparable AC fan and is considered a 'step up' from existing DC technology
- **Durable** EC motors run at much lower temperatures than traditional motors and can operate continuously even in harsh tropical conditions

Model	Colour	Sweep Size mm	Motor Watt L-H*	Speed RPM L-H* (6 speed)	Airflow L-H* M3/Hour	Blade Count	Blade Material	LED Output	Dimming	Tri Colour	Remote Control Inc	App Control Inc
SPYEC1253WH/BL	White/Black	1250	3.8 - 30w	95 <-> 230	5700-12900	3	TPA*	N/A N/A	N/A	N/A	Yes	Yes
SPYEC1253WH-L/BL-L	White/Black	1250	3.8 - 30w	95 <-> 230	5700-12900	3	TPA*	20w 1800Ln	n Yes	Yes	Yes	Yes
SPYEC1423WH/BL	White/Black	1400	3.5 - 38w	95 <-> 230	5950-14340	3	TPA*	N/A N/A	N/A	N/A	Yes	Yes
SPYEC1423WH-L/BL-L	White/Black	1400	3.5 - 38w	95 <-> 230	5950-14340	3	TPA*	20w 1800Ln	n Yes	Yes	Yes	Yes

*L-H: Low to High

*TPA: Thermoplastic Alloy Blades



Provides exceptional energy efficiency and performance



UV protection and durable corrosion resistant components. Suitable for all indoor /covered outdoor and commercial applications



Precision moulded Thermoplastic Alloy Blades designed to enhance performance and durability



Highest quality Japanese bearings create a smooth running long life fan that offers years of trouble free operation



Aerodynamic blade design for increased air circulation



Creates a random variation in airflow that imitates a natural outdoor breeze effect



Reversible direction ideal for gentle heat circulation in winter



Low noise levels - ideal for bedrooms



Installation friendly quick connect wiring and quick fix assembly

WITH LIGHT MODELS



Unique dimming function allows 100% - 10% light output



Tri-colour changeable (warm, natural and cool white)

App Control: Included

Smart phone compatible, with in-built WiFi App control





Smart Life Tuya Smart







1250MM

1400MM

TWO COLOUR OPTIONS

TWO SIZES WITH & WITHOUT LED LIGHT

Compatible with Google Home and Alexa.



Energy efficient EC (electronically commutated) motor with inbuilt Smart App control





Durable corrosion proof resistant and UV protection allows to be safely used for both indoor/covered outdoor and commercial applications



Precision moulded PC composite blades have been designed for superior balanced performance



Highest quality Japanese bearings create a smooth running long life fan that is guaranteed to give years of trouble free operation



Aerodynamic blades combined with True-spin Technology™ produces increased air circulation



ECO Switch Setting. A pre-selected speed setting allows the fan to run at a reduced running cost whilst maintaining adequate air circulation



Reversible airflow option for summer or winter



Low noise levels



Installation friendly quick connect wiring and quick fix assembly

WITH LIGHT MODELS



Unique dimming function allows 25%, 50%, 75% or 100% light output



Tri-colour changeable (warm, natural and cool white)

SPYDA 36 900MM

SPYDA⁵⁰ 1250MM

SPYDA56

1400MM

SPYDA62

1570MM

SIX COLOUR OPTIONS **FOUR SIZES** WITH & WITHOUT LED LIGHT

												11. 3
Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M³/Hour	Blade Count	Blade Material	LED	Output	4 Step Dimmable	Tri Colour	Compatible Remote
SPY903NWH/TI/BL	White/Titanium/Black	900	60/24/16	280/210/150	7,400	3	PC*	N/A	N/A	N/A	N/A	SSRFR36
SPY903WH-L/TI-L/BL-L	White/Titanium/Black	900	60/24/16	280/210/150	7,400	3	PC*	20w	2050Lm	Yes	Yes	SSRFR36
SPY1253NWH/TI/BL	White/Titanium/Black	1250	55/34/14	230/170/107	12,600	3	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1253WH-L/TI-L/BL-L	White/Titanium/Black	1250	55/34/14	230/170/107	12,600	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1253NBAM/TK/WN	Bamboo/Teak/Walnut	1250	55/34/14	230/170/107	12,600	3	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1253BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1250	55/34/14	230/170/107	12,600	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1423NWH/TI/BL	White/Titanium/Black	1400	68/22/13	220/140/100	13,320	3	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1423WH-L/TI-L/BL-L	White/Titanium/Black	1400	68/22/13	220/140/100	13,320	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1423NBAM/TK/WN	Bamboo/Teak/Walnut	1400	68/22/13	220/140/100	13,320	3	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1423BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1400	68/22/13	220/140/100	13,320	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1573NWH/TI/BL	White/Titanium/Black	1570	100/62/27	200/150/90	15,300	3	PC*	N/A	N/A	N/A	N/A	SPYRFR62
SPY1573WH-L/TI-L/BL-L	White/Titanium/Black	1570	100/62/27	200/150/90	15,300	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR62
SPY1573NBAM/TK/WN	Bamboo/Teak/Walnut	1570	100/62/27	200/150/90	15,300	3	PC*	N/A	N/A	N/A	N/A	SPYRFR62
SPY1573BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1570	100/62/27	200/150/90	15,300	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR62
			- 12									







Durable corrosion resistant components and UV protection allows to be safely used for both indoor/ covered outdoor and commercial applications



Precision moulded PC composite blades have been designed for superior balanced performance



Highest quality Japanese bearings create a smooth running long life fan that is guaranteed to give years of trouble free operation



Aerodynamic blades combined with True-spin Technology™ produces increased air circulation



ECO Switch Setting. A pre-selected speed setting allows the fan to run at a reduced running cost whilst maintaining adequate air circulation



Reversible airflow option for summer



Low noise levels



Installation friendly quick connect wiring and quick fix assembly

SPYDA50

1250MM

SPYDA⁵⁶

1400MM

FIVE COLOUR OPTIONS TWO SIZES WITH & WITHOUT LED LIGHT

WITH LIGHT MODELS



Unique dimming function allows 25%, 50%, 75% or 100% light output



Tri-colour changeable (warm, natural and cool white)

Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M³/Hour	Blade Count	Blade Material	LED	Output	4 Step Dimmable	Tri Colour	Compatible Remote
SPY1254WH/TI/BL	White/Titanium/Black	1250	55/34/14	230/170/107	12,780	4	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1254WH-L/TI-L/BL-L	White/Titanium/Black	1250	55/34/14	230/170/107	12,780	4	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1254TK/WN	Teak/Walnut	1250	55/34/14	230/170/107	12,780	4	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1254TK-L/WN-L	Teak/Walnut	1250	55/34/14	230/170/107	12,780	4	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1424WH/TI/BL	White/Titanium/Black	1400	68/22/13	220/140/100	13,980	4	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1424WH-L/TI-L/BL-L	White/Titanium/Black	1400	68/22/13	220/140/100	13,980	4	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1424TK/WN	Teak/Walnut	1400	68/22/13	220/140/100	13,980	4	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1424TK-L/WN-L	Teak/Walnut	1400	68/22/13	220/140/100	13,980	4	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056





True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.

SPINIKA

THE CEILING FAN REVOLUTION



Durable corrosion resistant components and UV protection allows to be safely used for both indoor/ covered outdoor and commercial applications



Glass fibre composite blades for increased strength and durability



Highest quality Japanese bearings create a smooth running long life fan that is guaranteed to give years of trouble free operation



Aerodynamic blade design for highest levels of air movement



ECO Switch Setting. A pre-selected speed setting allows the fan to run at a reduced running cost whilst maintaining adequate air circulation



Reversible airflow option for summer



Low noise output makes the Spinika II an ideal fan for bedrooms



Installation friendly quick connect wiring and quick fix assembly

SLEEK DESIGN WITH QUICK FIT BLADE SYSTEM

1220MM

1300MM

THREE COLOUR OPTIONS TWO SIZES WITH & WITHOUT

LED LIGHT

WITH LIGHT MODELS



Unique dimming function allows STEP DIMMER 25%, 50%, 75% or 100% light output



Tri-colour changeable (warm, natural and cool white)

Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M³/Hour	Blade Count	Blade Material	LED	Output	4 Step Dimmable	Tri Colour	Compatible Remote
SPIN1204WH/BL/TI	White/Black/Titanium	1220	68/22/13	220/160/100	12,480	4	GFC*	N/A	N/A	N/A	N/A	SPNRFR
SPIN1204WH-L/BL-L/TI-L	White/Black/Titanium	1220	68/22/13	220/160/100	12,480	4	GFC*	20w	2050Lm	Yes	Yes	SPNRFR
SPIN1304WH/BL/TI	White/Black/Titanium	1300	100/62/27	220/160/100	15,000	4	GFC*	N/A	N/A	N/A	N/A	SPNRFR
SPIN1304WH-L/BL-L/TI-L	White/Black/Titanium	1300	100/62/27	220/160/100	15,000	4	GFC*	20w	2050Lm	Yes	Yes	SPNRFR





vibration and reduce the need for balancing upon install.

STANZA

CEILING FAN INNOVATION



Individually balance tested and quality checked for trouble free operation



A slower speed setting that is also suitable for ECO MODE gentle heat circulation in winter



Precision moulded glass fibre composite blades for increased stability and higher airflow



Low noise output makes it suitable for all indoor and protected outdoor areas

WITH LIGHT MODELS



2 x B22 lamp holders (globes not included)



Natural white, step dimmable high quality 20 watt LED Light

Stanza Light and Remote Combo

900MM

1220MM

1400MM

TWO COLOUR OPTIONS THREE SIZES WITHOUT LIGHT **B22 LIGHT MODELS** LED LIGHT MODELS

Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M³/Hour	Blade Count	Blade Material	B22 Light	Compatible Remote
STA903WH/BL	White/Black	900	45/18/11	260/190/160	7,200	3	GFC*	N/A	SSRFR36
STA903WH-L/BL-L	White/Black	900	45/18/11	260/190/160	7,200	3	GFC*	Yes	SSRFR36
STA1203WH/BL	White/Black	1220	55/35/17	190/150/105	11,700	3	GFC*	N/A	STARFR48
STA1203WH-L/BL-L	White/Black	1220	55/35/17	190/150/105	11,700	3	GFC*	Yes	STARFR48
STA1203WH-LR	White	1220	55/35/17	190/150/105	11,700	3	GFC*	Yes	Remote Inc.*
STA1403WH/BL	White/Black	1400	68/35/17	190/140/95	13,210	3	GFC*	N/A	STARFR48
STA1403WH-L	White	1400	68/35/17	190/140/95	13,210	3	GFC*	Yes	STARFR48
STA1403BL-L	Black	1400	68/35/17	190/140/95	13,210	3	GFC*	Yes	STARFR48

LED LIGHT MODELS

Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M³/Hour	Blade Count	Blade Material	LED	Output	4 Step Dimmable	Compatible Remote
STA1203WHLED	White	1220	55/35/17	190/150/105	11,700	3	GFC*	20w	1600Lm	Yes	STARFR48
STA1203BLLED	Black	1220	55/35/17	190/150/105	11,700	3	GFC*	20w	1600Lm	Yes	STARFR48
STA1403WHLED	White	1400	68/35/17	190/140/95	13,210	3	GFC*	20w	1600Lm	Yes	STARFR48
STA1403BLLED	Black	1400	68/35/17	190/140/95	13,210	3	GFC*	20w	1600Lm	Yes	STARFR48



ACCESSORIES

SPYDA SPINIKA AND STANZA



True Spin TechnologyTM is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.

*SPYDA*Remote

SPINIKARemote

SPYDA STANZARemote









Model	Description
SPYRFR5056	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for 50" and 56" Spyda Ceiling Fans.
SPYRFR62	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for 62" Spyda Ceiling Fans.

Model	Description
SPNRFR	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for Spinika Ceiling Fans.
SSRFR36	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for Spyda and Stanza 900mm Ceiling Fans.
STARFR48	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for Stanza Ceiling Fans.



Model	Description
SPYEXTR45 WH/TI/BL	Satin White / Titanium / Matte Black 450mm with quick connect wiring loom included.
SPYEXTR60 WH/TI/BL	Satin White / Titanium / Matte Black 600mm with quick connect wiring loom included.
SPYEXTR90 WH/TI/BL	Satin White / Titanium / Matte Black 900mm with quick connect wiring loom included.

Extension Rods

Model Description SPNEXTR60 Satin White / Titanium / Matte Black 600mm with WH/TI/BL quick connect wiring loom included. SPNEXTR90 Satin White / Titanium / Matte Black 900mm with WH/TI/BL quick connect wiring loom included. STAEXTR90 Satin White 900mm with quick connect wiring loom included. WHLED STAEXTR90 Matte Black 900mm with guick connect wiring loom included. **BLLED**

Extension Rods

SPYDA AND SPINIKA

J-Hook

SPYDA AND SPINIKA Joiner Kit for Extension Rods Model Description **SPJKWH** Extension Rod Joiner Kit - Satin White.

Extension Rod Joiner Kit - Matte Black.

Extension Rod Joiner Kit - Titanium.

	Y 194
Model	Description
SPYJHWH	J-Hook hanging pack - Satin White.
SPYJHTI	J-Hook hanging pack - Titanium.
SPYJHBL	J-Hook hanging pack - Matte Black.

SPJKBL

SPJKTI

HARMONY II

NEW GENERATION DESIGNER CEILING FAN 1220mm

- Excellent air circulation and cooling effect
- Pre-balanced for smoother, quieter operation
- High quality 18 watt LED light option
- Four precision moulded ABS blades
- Premium long life motor and components
- Reversible airflow option for summer or winter
- Quick connect wiring and fittings for easy install













Model	Colour	LED	Output	CCT	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
HAR1204WH/TI/BL	White/Titanium/Black	N/A	N/A	N/A	1220mm	4	ABS	75w	239/174/125	NGCFRC or UCFR
HAR1204WH-L/TI-L/BL-L	White/Titanium/Black	18W	1500Lm	4000K	1220mm	4	ABS	75w	239/174/125	NGCFRC or UCFR





ROYALE II

NEW GENERATION DESIGNER CEILING FAN 1320mm

- Excellent air circulation and cooling effect
- Pre-balanced for smoother, quieter operation
- High quality 18 watt LED light option
- Four precision moulded ABS blades
- Premium long life motor and components
- Reversible airflow option for summer or winter
- Quick connect wiring and fittings for easy install













Model	Colour	LED	Output	CCT	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
R0Y1304WH/TI	White/Titanium	N/A	N/A	N/A	1320mm	4	ABS	75w	210/150/102	NGCFRC or UCFR
R0Y1304WH-L/TI-L/BL-L	White/Titanium/Black	18w	1500Lm	4000K	1320mm	4	ABS	75w	210/150/102	NGCFRC or UCFR



- Full 316 Stainless Steel Marine Grade construction
- Excellent air movement and cooling effect
- Ideal for covered outdoor and coastal regions
- Premium long life ball bearing motor
- Summer / winter reversible
- Easy install, with quick connect wiring and fix blades















Model	Sweep	Blade	Blade	Motor	Speed H/M/L	Remote
	Size	Count	Material	Watt	(RPM)	Adaptable
Z524EXTSS	1320mm	4	316 Stainless Steel	75w	230/130/80	VRFR or UCFR

ACCESSORIES

Extension Rods CONNECT

Ceiling fan extension rods for various models.

All extension rods come with quick connect wiring loom.

Model	Description
HRMXR90-WH/TI/BL	900mm to suit HARMONY II, ROYALE II and MALIBU IP55 White/Titanium/Black



- IP55 dust and water protection rating
- Engineered for large area air circulation
- Up to 50% more air circulation than timber blade fans
- Designed specifically for outdoor and coastal applications
- Pre-balanced for smoother, quieter operation
- Four durable ABS moulded blades

- Premium long life motor and components
- Reversible airflow option for summer or winter
- Quick connect wiring and fittings for easy install















Model	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
MAL1404TI	Titanium	1320mm	4	ABS	100w	255/161/104	NGCFRC or UCFR

Remote Controls





Model	Description
UCFR	Universal 3 speed Remote Control to suit New Generation and Traditional Ceiling Fans.





Model	Description
NGCFRC	Premium 3 Speed RF Remote Control Kit with timer function. Includes 1-9 Hr Timer function. Suits New Gen Ceiling Fans.





Model	Description
VRFR	3 speed Radio Frequency Remote Control kit suits most Ventair Traditional Fans.

ZEPHYR II

WALL MOUNTED COOLING FAN 400mm

- Wall mounted, three speed control cooling fan
- Oscillating and tilt adjustable head, helps keep the whole room cool
- AC Plug and lead makes installing easy
- 0.5 7.5 hour Timer (remote model only)
- Wind / Breeze / Sleep mode (remote model only)





Model	Control	Colour	Fan Slze	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
ZEP40PC	Pull Cord	White	400mm	450mm	65w	1300/1150/950	Sleeve Bearing
ZEP40R	Remote Control	White	400mm	450mm	65w	1300/1150/950	Sleeve Bearing





Model	Control	Colour	Fan Slze	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
WAL45-DC	Remote Control	Black	450mm	510mm	90w	500/700/900/1100/1300/1400	Ball Bearing
WAL75-DC	Remote Control	Black	750mm	815mm	130w	600/700/800/900/1000/1035	Ball Bearing

