



PARKING CATALOG 2024



Contents

4.	CornerStone® - ANSI 107 Class 2 Safety T-Shirt	
5.	Valet Polo	
6.	Valet Tee	
7.	Performance Polo	
8.	Performance Polo	⊂
9.	Caps	Uniforms
	Fleece, Hats	Or
11.	Jackets	ms
	Jackets	•
13-15.		
16.	Rain Coat	
17.	Parking Pro Valet Keybox	
18.	Parking Signage	
19.	Vinyl Banners	
20.	Valet Podium Sign Packages	
21.	Parking Hang Tags	
22.	Graphic Reflective Delineator	S
23.	Intersection Signs	ġ
24.	Disabled Parking Signs	Signage
25 .	Permissive Parking Signs	ge
26 .	Restrictive Traffic Prohibition Signs	
2 0 . 27.	In-Street Pedestrian Crosswalk Signage	
28.	Facility Signs	
29.	Tip and Roll Snap Frame Stanchion	
30. 31.	Sign Stanchion	
	Overhanging Led Light Fixture	
32.	Snap frames, A frames, Windmasters Windmaster	T
		Parking Ga
	Letrapole Porking Worning Signs	<u> 즉</u>
	Parking Warning Signs	<u>G</u>
36.	Wheel Dolly	Ga
37. 38.	Convex Mirrors	
	Bicycle Racks Bike-Shell	ge
39. 40.42	Wheel Stops, Speed Bumps and Humps	S
	Corner and Wall Cushions	rage Supplies
		olic
	Clearence Born	Se
	Clearance Bars	
	Bollards Reliard Covers	
	Bollard Covers	
56.	Jump Packs and Cables, Lockout Tool Kit	
57.	Wheel Clamp, Wheel Boot	
58.	Bases	Val Acc
59 .	Sign Systems	et
60.	Keyboard	sori
61.	Acrylic Portable Tip Box	8

Contents

62.	Flags and Wands	ဂ
63.	Custom Traffic Barricade	on
64.	FlexPost-XL™ACCESSORIES	Ses
65.	Accessories	∞
66.	FLEXPOST-SM™ PRODUCTS	a
67.	FlexPost-SM™ Accessories	fic
68-74.	Delineators	Cones & TrafficContro
75.	Plastic Chains	ntro
76.	Parking Meter Hoods	2
77.	Tickets	
78-101.	CABLE AND HOSE PROTECTORS-FULL LINE	
102-110.	VEHICLE AND MOTION SAFETY	
111.	Parking Pro Shop – Closed CircuitTelevision Solutions (CCTV)	
112.	Surgical Mask & Face Cover	
113.	Bioprotect ™ Hydrating Hand Sanitizer	
114.	Dispenser	
115.	BIOPROTECT	
116.	SmartTouch Disinfectant	Pa
117.	Washroom/Restroom Accessories	콧
118.	Washroom/Restroom Accessories	ng
119.	Washroom/Restroom Accessories	3
120.	Trash Cans, Recycling Stations and Receptacles	ain
121.	Wipes and Dispenser - Janitorial	ten
122.	Odor Control	an
123.	Storage and Shelving	Parking Maintenance Supplies
124.	Storage and Shelving	Su
125.	Car Cover	ᄝ
126.	Parking Maintenance Services	ē
127.	Paint and Epoxy	G
128.	PORTABLE SAFETY AND SECURITY MIRROR	
129.	Sign Conversion	
130.	Calcium Chloride Pellets	
131.	Spill Kit	
132.	Safe Smoker & Butt Cans	
133.	Car Charging	
134.	Pressure Washers	
135.	Snow Blowers	
	Bird and Rodent Control	
137-146.	Stencils	





CS401-Y





CS401-0

Stay safer on the jobsite in this high-visibility t-shirt that works as hard as you do.

- ANSI/ISEA 107 Class 2 certified
- 5.9-ounce, 100% polyester interlock
- Wicks moisture
- 2-in. wide reflective taping on front and back
- Left chest pocket for pens and notes

\$21.99 ea

YOUR LOGO
INCLUDED

min order 50 units





Valet Polo





K100LS

Long Sleeve Core Classic Pique Polo.

An indispensable polo for just about every uniforming need. Designed for everyday wear, this pique polo is made from a durable blend for lived-in comfort, traditional good looks and exceptional value.

- 4.4-ounce, 60/40 cotton/poly pique
- Flat knit collar and cuffs
- 3-button placket with dyed-to-match buttons
- Side vents

AVAILABLE COLORS:











Rich Red

River Blue

Navv

True Royal

Green

White

min order 50 units





K100

Core Classic Pique Polo.

An indispensable polo for just about every uniforming need. Designed for everyday wear, this pique polo is made from a durable blend for lived-in comfort, traditional good looks and exceptional value.

- 4.4-ounce, 60/40 cotton/poly pique
- Flat knit collar and cuffs
- 3-button/4-button placket with dyed-to-match buttons
- Side vents

AVAILABLE COLORS:















L100





Deep Forest

Green



Graphite

Wheat



min order 50 units



Yellow

River Blue

Navy

Deep Black





True Royal





White

Gusty Grey







min order 50 units





Valet Tee









LPC55

Athletic

Heather

Port & Company® - Core Blend Tee . PC55

Areliable choice for comfort, softness and durability.

- 5.5-ounce, 50/50 cotton/poly
- Made with up to 5% recycled polyester from plastic bottles

Due to the nature of 50/50 cotton/polyester neon fabrics, special care must be taken throughout the printing process. Adult Sizes: S-6XI

AVAILABLE COLORS:



min order 50 units

Port & Company® Ladies Core Blend Tee. LPC55

A reliable choice for comfort, softness and durability.

- 5.5-ounce, 50/50 cotton/poly
- Made with up to 5% recycled polyester from plastic bottles
- Side seamed with a contoured body for a feminine fit

Due to the nature of cotton/polyester blends in dark and neon colors, special care must be taken throughout the decoration process when heat is applied for curing. Please consult with your decorator or material supplier.

Navv



Jet Black

Charcoal

\$10.99

White

Royal

min order 24 units






Call to Order 516-825-0727 Or Visit Us On-Line Parkingproshop.com **Bulk Pricing Available**

Red

Performance Polo



The durable Silk Touch Performance Polo wicks moisture, resists snags and holds onto its color for a professional look that lasts.

- 4oz, 100% polyester double knit with PosiCharge technology
- Self-fabric collar
- Tag-free label
- 3-button placket with dyed-to-match buttons
- Set in, open cuff sleeves
- Double-needle sleeve cuffs and hem



Min order 36 Unit





Performance Polo





Port Authority® Silk Touch™ Performance Long Sleeve Polo



- 4-ounce, 100% polyester double knit with PosiCharge technology; White is 4.3-ounce for increased coverage
- Self-fabric collar
- Tag-free label
- 3-button placket with dyed-to-match
- Set in, open cuff sleeves
- Double-needle sleeve cuffs and hem

YOUR LOGO INCLUDED

Min order 36



Sport-Tek ® Ladies PosiCharge ® Competitor ™ Polo



- 3.8-ounce, 100% polyester interlock with PosiCharge technology
- Gently contoured silhouette
- Flat knit collar
- · Removable tag for comfort and relabeling
- Taped neck
- · Elongated 2-button placket with dyed-tomatch buttons
- · Set-in, open hem sleeves

YOUR LOGO INCLUDED

Min order 24



Port Authority® Ladies Pinpoint Mesh 1/2-Zip









- 4.3-ounce, 100% polyester
- Cadet collar
- Dyed-to-match zipper
- Set-in sleeves
- Front and back princess seams
- Open cuffs and hem
- · Slightly rounded hem



YOUR LOGO **INCLUDED**

Min order 24



Port Authority® Silk Touch™ Performance Colorblock Stripe Polo














- · Self-fabric collar
- Tag-free label
- 3-button placket with dyed-to-match buttons
- · Set in, open cuff sleeves
- · Double-needle sleeve cuffs and hem

\$19.99

YOUR LOGO **INCLUDED**

Min order 36



Port Authority® Ladies Silk Touch™ Performance Colorblock Stripe Polo











- 4-ounce, 100% polyester double knit with PosiCharge technology, White is 4.3-ounce for increased coverage
- · Self-fabric collar
- Tag-free label
- 3-button Y-placket with dyed-to-match buttons
- Set in, open cuff sleeves
- Double-needle sleeve cuffs and hem

\$19.99

YOUR LOGO INCLUDED

Min order 24







Caps



Port & Company® Unstructured Sandwich Bill Cap











- Fabric 100% cotton twill
- Structure Unstructured
- · Profile Low
- · Closure Hook and loop

\$9.99

YOUR LOGO INCLUDED

Min order 25



Port Authority® Adjustable Mesh Back Cap



• Fabric: 100% cotton twill front panels; 100% polyester mesh mid and back panels

- · Structure: Structured
- Profile: Mid
- · Closure: Low-profile hook and loop

\$10.99

YOUR LOGO INCLUDED

Min order 25



Port Authority® Americana Flag Sandwich Cap



- · Fabric: 100% cotton twill
- · Structure: Structured
- Profile: Low
- Closure: Hook and loop

\$11.50

YOUR LOGO INCLUDED

Min order 25



Port Authority® Snapback Trucker Cap



• Fabric: 100% cotton twill front panels; 100% polyester mesh mid and back panels

- · Structure: Structured
- Profile: Mid
- · Closure: 7-position adjustable snap

\$11.50

YOUR LOGO INCLUDED

Min order 25



Sport-Tek® Dry Zone® Nylon Colorblock Cap


















- Structure: Structured
- Profile: Mid
- Closure: Hook and loop

\$12.99

YOUR LOGO INCLUDED

Min order 25





Fleece



F219

- 13.8-ounce, 100% polyester
- Twill-taped neck
- Reverse coil zipper
- Chin guard
- Bungee cord zipper pulls
- Tricot-lined armholes
- Front zippered pockets
- Open hem with drawcord and toggles for adjustability

\$25.99

YOUR LOGO INCLUDED

Min order 36



F218

- 13.8-ounce, 100% polyester
- Twill-taped neck
- Reverse coil zipper
- Chin guard
- Bungee cord zipper pull
- Open cuffs
- Open hem with drawcord and toggles for adjustability

\$27.99

YOUR LOGO INCLUDED

Min order 36



- 7.5-ounce, 100% polyester microfleece
- 100% polyester tricot pockets
- Non-zippered front pockets
- Open cuffs and hem

YOUR LOGO INCLUDED \$27.99

Min order 24

Hats



CP94

Port & Company® - Knit Skull Cap



· Fabric: 100% acrylic

YOUR LOGO **INCLUDED**

Min order 25



C908

Port Authority® Watch Cap



· Fabric: 100% acrylic

Min order 25



STC20

Sport-Tek® Spectator Beanie



· Fabric: 100% acrylic

YOUR LOGO **INCLUDED**

Min order 25



CS800

CornerStone® - Enhanced Visibility Beanie with Reflective Strip



• Fabric: 99/ 1 acrylic/ other

YOUR LOGO **INCLUDED**

Min order 25





YOUR LOGO

INCLUDED

Jackets



Port Authority® Zephyr Full-Zip Jacket



- · 100% polyester shell
- Zip-through cadet collar with chin
- Set-in sleeves
- Elastic binding at cuffs and hem
- Open front pockets





YOUR LOGO **INCLUDED**

Min order 36



Port Authority® Ladies Zephyr Full-Zip Jacket

- · 100% polyester shell
- Zip-through cadet collar with chin guard
- Set-in sleeves
- Elastic binding at cuffs and hem
- Open front pockets



YOUR LOGO **INCLUDED**

Min order 24



Port Authority® Zephyr Reflective Hit Full-Zip Jacke

J345

- 100% polyester shell
- Zip-through cadet collar
- Set-in sleeves
- Open front pockets
- · Elastic binding at cuffs and hem





YOUR LOGO **INCLUDED**

Port Authority®

Min order 36



Port Authority® Ladies Zephyr Reflective Hit **Full-Zip Jacket**

L345

- · 100% polyester shell
- Zip-through cadet collar with partial ruching
- Set-in sleeves
- Open front pockets
- Elastic binding at cuffs and hem





YOUR LOGO **INCLUDED**

Min order 24



- 100% polyester Taslan shell
- 100% polyester lightweight fleece body lining
- 100% polyester sleeve lining
- Front zippered pockets
- Vislon® zipper
- Interior pocket
- Port Pocket™ for easy embroidery access
- Elastic cuffs with adjustable self-fabric tabs and hook and loop closures
- Elastic waistband



Ladies Active Soft Shell Jacket



L717

- 1000MM fabric waterproof rating
- 1000G/M2 fabric breathability rating
- Zip-through cadet collar with chin guard
- Reverse coil zipper
- Front zippered pockets
- Elastic binding at cuffs
- Open hem with adjustable locking

YOUR LOGO

INCLUDED



J317

YOUR LOGO

INCLUDED

- 100% polyester woven shell bonded to a water-resistant film insert and a 100% polyester microfleece lining
- 92/8 poly/spandex woven shell bonded to a water-resistant film insert and a 100% polyester microfleece lining (Heathers)
- 1000MM fabric waterproof rating
- 1000G/M2 fabric breathability rating
- Zip-through cadet collar with chin guard
- Reverse coil zippers
- Front zippered pockets
- Open cuffs and hem





Min order 36



Charger Jacket

100% polyester Taslan shell

- 100% polyester fleece body lining
- 100% polyester heavyweight sleeve lining with 3-ounce polyfill
- Vislon® zipper
- Front zippered pockets
- Interior pocket
- Rib knit cuffs and waistband
- Port Pocket™ for easy embroidery access





YOUR LOGO **INCLUDED**

Min order 36

\$32.99

YOUR LOGO **INCLUDED**

Min order 36



\$33.99

Min order 24





Jackets



Port Authority® Ladies Core Soft Shell Jacket



- · 100% polyester woven shell bonded to a water-resistant film insert and a 100% polyester microfleece lining
- 92/8 poly/spandex woven shell bonded to a water-resistant film insert and a 100% polyester microfleece lining (Heathers) 1000MM fabric waterproof rating
- 1000G/M2 fabric breathability rating
- Zip-through cadet collar with chin guard
- Reverse coil zippers
- Front zippered pockets
- Open cuffs and hem



\$39.99

Min order 24



INCLUDED

- 100% polyester with DWR finish
- 7-ounce, polyester fleece inner body lining
- 2-ounce polyfill in sleeves 3000MM fabric waterproof rating
- 3000G/M2 fabric breathability rating
- Adjustable hood with locking drawcord to customize fit
- Waterproof chest pocket with locking zipper
- Front zippered pockets
- Full-length exterior storm flap with snap closures
- Self-fabric adjustable tab cuffs with hook and loop closures Port Pocket™ for easy embroidery access
- Open hem with drawcord and toggles



YOUR LOGO **INCLUDED**

Min order 36



- Teklon® nylon outer shell
- Vision zipper Poly-filled body with heavyweight fleece lining for extra warmth
- Poly-filled sleeves with polyester lining Rib knit cuffs and waistband

\$50.99

Min order 36

- Slash zippered pockets, interior zippered pocket
 Port Pockets™ for easy embroidery access
 *Due to the Tyvek inner lining, a silk screen or
 heat transfer treatment is not recommended.

INCLUDED

Port Authority®

Herringbone 3-in-1 Parka

J302

100% polyester 8000MM fabric waterproof rating

adjustability

Min order 36

Zippered chest pocket

Fully seam-sealed for additional waterproof protection 3000G/M² fabric breathability rating

Detachable hood with drawcord and toggles for

Front zippered pockets
External storm flaps with hook and loop closure

Self-fabric adjustable cuffs with hook and loop

Inner jacket has front zippered pockets, inner zippered chest pocket, Lycra binding at neck and

Open hem with drawcord and toggles for adjustability

YOUR LOGO

INCLUDED



7.25-ounce, 65/35 poly/cotton twill

Permanently lined

1x1 rib knit collar, cuffs and waistband Two lower inset slash pockets

YOUR LOGO

INCLUDED

- Utility pocket on left sleeve



Challenger™ Jacket with Reflective Taping

- Vision zipper Poly-filled body with heavyweight fleece lining for extra warmth
- Poly-filled sleeves with polyester lining
- 1-in. wide reflective taping on front, back and sleeves
- Rib knit cuffs and waistband
- Slash zippered pockets, interior zippered
- Port Pockets™ for easy embroidery access



\$50.99 Min order 36



100% polyester shell 3-ounce polyfill in body and sleeves

3.000 MM fabric waterproof rating

1,000 G/M2 fabric breathability rating

- Zip-off hood with locking drawcords for adjust-
- Exterior storm flap with snap closure
- Reverse coil zippered chest pocket
 Port Pocket™ in outer shell for easy embroidery
- access
- Front zippered pockets
- Adjustable self-fabric tab cuffs with hook and loop closures
- Open hem
 - Liner jacket has sherpa-like fleece lining



Min order 36

\$57.99

YOUR LOGO **INCLUDED**

Min order 36



100% polyester shell, 100% polyester quilted lining 8000MM fabric waterproof rating Fully seam-sealed for added waterproof protection 3000G/M² fabric breathability rating Span off adjustable bood

- Snap-off adjustable hood
- Storm flap

- Storm nap
 Two-way zipper with ergonomic pull
 Waterproof welded sleeve pocket
 Waterproof zippered pockets
 Hand warmer pocket
 Bellow pockets for storage
 Molded adjustable tab cuffs with hook and
 loop closures loop closures

- Interior media pocket Open hem with drawcord and toggles Port Pocket™ for easy embroidery access



YOUR LOGO **INCLUDED**

Min order 24

PARKING PROSHOP.COM 516-825-0727





VESTS

V40 COLORS

Black SM 2X	k 28601 28605	MD 3X	28602 28606	LG 4X	28603 82972	XL 5X	28604 82973
BUR SM 2X	GUNDY 28621 28625	MD 3X		LG 4X	28623 82974	XL 5X	28624 82975
HUN' SM 2X	TER GRI 28651 28655	MD	28652 28656	LG 4X	28653 82976	XL 5X	28654 82977
KHA SM 2X	KI 28671 28675	MD 3X		LG 4X	28673 82978	XL 5X	28674 82979
NAV' SM 2X	Y 28631 28635	MD 3X		LG 4X	28633 82980	XL 5X	28634 82981
RED SM 2X	28641 28645	MD 3X	28642 28646	LG 4X	28643 82982	XL 5X	28644 82983
ROY/ SM 2X	AL BLUE 28611 28615	MD 3X	28612 28616	LG 4X	28613 82984	XL 5X	28614 82985

V40 Chest Pocket Unisex Vest

Chest pocket with pencil stall and four color-matched buttons. Bound edges for finished appearance.

65/35 poly/cotton twill

SM - 5X



\$15.99

EMBROIDERY
INCLUDED

V65 COLORS

Black SM 2X	k 23323 23327			LG 4X			23326 82995
BRO SM 2X	WN 83265 83269	MD 3X		LG 4X		XL 5X	83268 83272
BUR SM 2X	GUNDY 23329 23333		23330 23334	LG 4X		XL 5X	23332 82997
HUN' SM 2X	TER GRI 23293 23297	MD					23296 82999
NAV' SM 2X	Y 23299 23303	MD 3X		LG 4X		XL 5X	23302 83001
PURI SM 2X	PLE 83336 83340	MD 3X		LG 4X		XL 5X	83339 83343
RED SM 2X	23305 23309	MD 3X		LG 4X		XL 5X	23308 83003
ROY/ SM 2X	AL BLUE 23311 23315	MD 3X	23312 23316	LG 4X	23313 83004	XL 5X	23314 83005

V65 Two Pocket Unisex Vest

Tailored finished facing, two separate patch pockets at waist-level and four color-matched buttons. Bound edges for finished appearance.

65/35 poly/cotton twill

SM - 5X



\$18.99

EMBROIDERY
INCLUDED





V41 Men's Regular Fitted Vest | V41L Men's Tall Fitted Vest

Tailored finished facing, two mock welt waist-level pockets and four color-matched buttons.

65/35 poly/cotton twill

SM - 5X

Ideal for caterers, event staff

V41

\$21.99

EMBROIDERY INCLUDED

V41L

\$24.99

EMBROIDERY INCLUDED



MEASUREMENTS

V41 (Regular)

V41L (Tall)

	Back Length	Chest	Back Length
XS	21.25"	18"	=
SM	21.5"	18.5"	24.25"
MD	22"	20"	25"
LG	22.5"	22"	25.5"
XL	23"	24"	26"
2X	23.5"	26"	26.5"
ЗХ	24"	28"	27.25"
4X	24.5"	30"	=
5X	25"	32"	=
6X	25.5"	34"	-

V41 - REGULAR

BLACK SM 23335 MD 23336 LG 23337 XL 2X 23339 3X 28406 4X 82986 5X

V41L-TALL

BLACK SM 82

M 82542 MD 82543 LG 82544 XL 82545 X 82546 **3X** 82547 **4X** 82988 **5X** 82989

V42 Women's Petite Vest | V42L Women's Regular Vest

Classic form-fitting shape, tailored finished facing, princess seams and four color-matched buttons.

65/35 poly/cotton twill

SM - 5X

Ideal for caterers, event staff

V42

\$21.99

EMBROIDERY INCLUDED

V42L

\$24.99

EMBROIDERY INCLUDED



MEASUREMENTS

V42 (Petite)

V42L (Regular)

82987

	Back Length	Chest	Back Length
XS	18"	17.75"	-
SM	18.5"	18.5"	20.5"
MD	19"	19"	21"
LG	19.5"	19.75"	21.5"
XL	20.25"	20.5"	22.25"
2X	20.75"	21.25"	22.75"
ЗХ	21.5"	22"	23.5"
4X	22.25"	22.25"	-
5X	23"	23.25"	-

V42 - PETITE

	BLA	CK						
	SM	23340	MD	23341	LG	23342	XL	23343
	2X	23344	3X	23345	4X	82990	5X	82991
V/OI	. DECI	ΠΛD						

V42L - REGULAF

DLA	CR			
		 	 82550 82992	





VESTS

V93 Two Pocket Women's Tunic Vest

Longer length tunic-style vest with princess seams for a form-fitting shape, tailored finished facing, two waist-level pockets and five color-matched buttons.

65/35 poly/cotton twill

SM - 5X

V93 COLORS

BLA(CK 81231	MD	81232	LG	81233	XL	81234
2X	81235	3X	81236	4X	83006	5X	83007
BUR	GUNDY						
SM 2X	81246 81250	MD 3X	81247 81251	LG 4X	81248 83008	XL 5X	81249 83009
HUN	TER GRI	EEN					
SM 2X	81252 81256		81253 81257	LG 4X	81254 83010	XL 5X	81255 83011
PUR	PLE						
SM 2X	83345 83349	MD 3X	83346 83350	LG 4X	83347 83351	XL 5X	83348 83352
ROY	AL BLUE	:					
SM 2X	83453 83457	MD 3X	83454 83458	LG 4X	83455 83459	XL 5X	83456 83460



\$20.99

EMBROIDERY
INCLUDED







Rain Coat





Rain Coat

The Classic series material is the most popular in the Industry. It combines the strength and waterproof qualities of PVC with the durability of a polyester backing. The 200C yellow 49" coat features a snap front, take up snaps at the wrists, detachable hood with drawstring, and 2 patch pockets. Come back to the Classics for your protective wear needs.

MCR Safety 200C

- .35 mm PVC on polyester coat, yellow
- Detachable hood with drawstring
- Rounded collar of same material
- 2 patch pockets on the front
- Cape ventilated back, underarm air vents

\$19.99 ea





Key Box











Capacity: 200/100/50 Keys

48 Key FOBS (optional)

Size:

100/200 keys: 48"x24"x4"

50 keys: 24"x24"

Features:

- Spring Loaded Doors with Soft Close Support
- Ultra Durable Welded Key Ring Hook Grid
- 3-1/2 in. Black Key Locking Hasp
- 3" TPR Rigid Plate Caster (optional)
- Portable Stick-on Battery Operated 32-LED Fixture With Wireless Motion and Light Sensor
- Heavy Duty 10" Strap On Handles with Spring Steel Insert
- Latex Printed Numbering Wit Scratch Proof Lamination
- Black Rigid Structural 12mm
 Dura-Foam Body With Matte Finish
- Key FOB pockets (optional)

KEYBOX 200 \$466.00

KEYBOX 100 \$346.00

KEYBOX 50 \$262.00

WHEELS \$30.00





Parking Signage

Reg SUV's \$ 12.67 \$ 2.33 \$ 15.00 Large SUV's \$ 16.90 \$ 3.10 \$ 20.00

Monthly Rates

 Motorcycle Parking
 \$ 211.19
 \$ 38.81
 \$ 250.00

 Regular Monthly
 \$ 549.10
 \$ 100.90
 \$ 650.00

 Oversize
 \$ 633.58
 \$ 116.42
 \$ 750.00

 Main Floor / Exotic
 \$ 760.30
 \$ 139.70
 \$ 900.00

Garage Name

Address:

91

License #

Capacity

Hours or Operation

24Hrs/7Days

ATTENTION MANHATTAN RESIDENTS
IF YOU GARAGE YOUR CAR ON A MONTH
BASIS OR LONGER, YOU MAY BE
ELIGIBLE FOR AN EXEMPTITION FROM TH
8% PARRING TAX SUPICINARGE
TO ADDIT TO ADDIT OF THE

TO APPLY FOR A
CERTIFICATE OF EXEMPTION
CONTACT: NYC DEPARTMENT OF FINANCE
PARKING TAX EXEMPTION SECTION
59 MAIDEN LANE, 19th FLOOR NY, NY 10038
212-233-1685 or 212-233-1642

NOTICE

damage of vehicle by fire, theft or explosion limited to \$25,000. No employee or Manager has the authority to modify or increase this liability NOTICE

GARAGE NOT RESPONSIBLE FOR ANY CONTENTS LEFT IN VEHICLE (CELL PHONE, CASH, ETC) OR BUMPER DAMAGE OF ANY KIND.

ANY DAMAGE CLAIMED MUST BE REPORTED TO GARAGE ATTENDANT BEFORE LEAVING AND AN INCIDENT REPORT MUST BE FILLED OUT ONSITE.

CUSTOMER MUST WAIT FOR GARAGE ATTENDANT TO ACCEPT AND INSPECT VEHICLE BEFORE LEAVING THE GARAGE, OTHERMISE GARAGE HAS NO RESPONSIBILITY FOR VEHICLE WHATSOEVER

CUSTOMER MUST LEAVE IGNITION KEY IN VEHICLE AND TURN OFF ANY ALARMS, FAILURE TO DO SO WILL RESULT IN \$100 SURCHARGE.

GARAGE NOT RESPONSIBLE FOR MECHANICAL FAILURES OF ANY KIND. Up to 1 hr 8.15 Up to 2 hrs 10.87 Up to 3 hrs 12.68

Up to 10 hrs 17.21 Up to 24 hrs 22.65 O'NITE Cars left after 6am 22.65

Early Bird In Gam-10am 8.15

Suv's, Vans add Daily 9.06 10.375% Parking Tax Extra

Fyou been a complete about this business, confact BYC Department of Comment Affairs, 42 Streetings, Bare Tools, BY 90004 DAIL 30 or SYNLAPS, QUIV'S STREETINGS Utention.

Litense Tilletiúž Garage Litense Worker(už

ATTENDED REPORTED EXECUTE P TO LANCE THE LAS DIA MERCY TALKS OF LINES. TO HAS IN CASES FOR HIS DEPORTED THE PLANT THE TALKS FOR HIS PROPOSITION OF COMMENTS OF TALKS CONCESS OF COMMENTS OF FAMOUR TALKS CONCESS OF COMMENTS OF FAMOUR TALKS, WIND COLLEGE ON TALKS, WIND COLLEGE ON.

NOTICE
Persons to law operator's leadily for two or denays of which by tim, feether opposes leaded to \$25,000. No employee or Micropy to the addressly to enably or increase the feethly



PARK

CLEARANCE 7'4"

■ WELCOME - PULL AHEAD ■

2 WAY TRAFFIC KEEP RIGHT

Special Any 3 hrs Max to Close

\$16.90













- PVC
- ALUMINUM
- ACM
- PLEXI
- CORO
- REFLECTIVE
- ADA





Vinyl Banners



Vinyl Banners

- Full Color
- Front and back printing
- Standard 13oz
- Premium 15oz
- Nickel grommets
- Hemming

SIZE	Grommets every 2ft	Hemming
4'x8'	\$93.00	\$97.00



Our strongest, smoothest and most versatile banner material Matte finish Lasts about 5 years outdoors, in temperatures as low as -22°F. Fungus resistant. Offers the ultimate tear-resistance. Tensile strength: 285 x 239 lbs/inch



Mesh Banners

- Full Color
- Front print only
- Premium 9oz vinyl mesh
- Nickel grommets
- Hemming

SI7F	Grommets			
SIZE	every 2ft			
4'x8'	\$128.00			



Allows 25% air-flow through.
Tear resistant: 218.94 x 184.22 lbs/in tensile strength and 81.13 x 61.51 lbs/in tear strength.
Can withstand outdoor temperatures as low as -4°F and as high as 176°F.

Advertising outdoors can be challenging especially in windy conditions.

Mesh banners have holes that allow wind to pass through.

These holes also allow the viewerto see through the banner.



FREE GRAPHIC DESIGN






Valet Podium Sign Packages

Smart Podium Reflective Signs

15"x36.5" **\$40** (magnetic) 15"x36.5" **\$30** (4mm coro) 3 sided 15"x36.5" + 17"x36.5" + 17"x36.5" **\$120** (magnetic) 15"x36.5" + 17"x36.5" **\$100** (coro)




Standard Podium Reflective Signs

23"x42" **\$60** (magnetic) 23"x42" **\$50** (4mm coro) 3 sided 23"x42" + 17"x35" + 17"x35" **\$130** (magnetic) 23"x42" + 17"x35" + 17"x35" **\$110** (4mm coro)



Compact Podium Reflective Signs

17.5"x40.75" **\$45** (magnet) 17.5"x40.75" **\$35** (4mm coro) 3 sided 17.5"x40.75" + 18.5"x36" + 18.5"x36" **\$125** (magnetic) 17.5"x40.75" + 18.5"x36" + 18.5"x36" **\$105** (4mm coro)




Deluxe Podium Reflective Signage

24"x43" **\$60** (magnetic) 24"x43" **\$50** (4mm coro) 3 sides

24"x43" + 22"X43" + 22"X43" **\$180** (MAGNETIC) 24"x43" + 22"X43" + 22"X43" **\$150** (4MM CORO)

Elite Podium Reflective Sins

27"x42" **\$60** (magnetic) 27"x42" **\$50** (4mm coro) 3 sided 27"x42" + 19"x42" + 19"x42" **\$160** (magnetic) 27"x42" + 19"x42" + 19"x42" **\$140** (4mm coro)




Portable Podium Reflective Signs

21.75"x32.5" **\$45** (magnet) 21.75"x32.5" **\$35** (4mm coro)



Classic Podium Reflective Signs

18"x42" **\$50** (magnetic) 18"x42" **\$40** (4mm coro) 3 sided 18"x42" + 18"x42" + 18"x42" **\$150** (magnetic) 18"x42" + 18"x42" + 18"x42" **\$120** (4mm coro)











Parking Hang Tags





2" X 5" Item # 588 Hang Tag



2" X 5" Item # 588 Hang Tag











3" X 4 3/4" Item # 585 Hang Tag



3" X 4 3/4" Item # 585 Hang Tag













3" X 3 1/2" Item # 584 Hang Tag



3" X 3 1/2" Item # 584 Hang Tag

Unlimited Number of Colors

Standard Sizes for our Parking Hang Tags

Custom Sizes are also available

Our Parking Hang Tags are printed on White 35 point plastic, that is Water and Weather Proof with UV Lamination for added protection. Affordable, Durable and Reusable. Helps organize and secure Business, High Schools & Apartment parking lots. WE also carry a Low Cost Card Stock Permit that can be used for temporary and one time events.

- FREE Shipping in the 48 Contiguous States!
- No Charge for Numbering for added Security!
- No Charge for Laminate for extra Protection!
- No Charge for Unlimited number of Colors!
- No Charge for School Mascots or Co. Logos!
- FREE Lavout for a Professional Look!





Graphic Reflective Delineator





Single

\$70.99

Double Sided

\$94.99

Includes:

- 8"x36" Graphics
- Reflective Arrows and Lettering
- 20lb Base
- 12lb Base (option)
- 42" Total Height
- 100% Recycled Rubber Base
- Arrow Direction: Custom Arrow

Direction Available

FREE CUSTOM DESIGN UPON REQUEST







GDR002

YOUR LOGO HERE








GDR003

GDR004

Е X T






RESER V Ē D YOUR LOGO HERE **GDR009**

GDR005







0 T F U **GDR013**

G A R Α G Ε **FULL GDR014**

M N Н **ONLY GDR015**

CASH CRED-T **GDR016**





Intersection Signs



S3030R11(H)A S3636R11(H)A S4848R11(H)A



S3030R12(H)A S3636R12(H)A S4848R12(H)A



S3030R51(H)A S3636R51(H)A



S3018R51A(H)A S3634R51A(H)A



S1806R13P(H)A



S2418R110P(H)A

TRAFFIC FROM LEFT DOES NOT STOP

S2412W44APL(H)A

TRAFFIC FROM RIGHT DOES NOT STOP

S2412W44APR(H)A

CROSS TRAFFIC DOES NOT STOP

S2412W44P(H)A

ONCOMING TRAFFIC DOES NOT STOP

S2412W44BPL(H)A

Speed Limit Signs

SPEED LIMIT

S1824R2105(H)A S2430R2105(H)A SPEED LIMIT 10

S1824R2110(H)A S2430R2110(H)A SPEED LIMIT 15

S1824R2115(H)A S2430R2115(H)A SPEED LIMIT 20

S1824R2120(H)A S2430R2120(H)A

SPEED LIMIT

S1824R2125(H)A S2430R2125(H)A SPEED LIMIT

S1824R2130(H)A S2430R2130(H)A SPEED LIMIT

S1824R2135(H)A S2430R2135(H)A SPEED LIMIT 40

S1824R2140(H)A S2430R2140(H)A

SPEED LIMIT 45

S2430R2145(H)A S2036R2145(H)A SPEED LIMIT 50

S2430R2150(H)A S3036R2145(H)A SPEED LIMIT 55

S2430R2155(H)A S3036R2155(H)A SPEED CHECKED BY RADAR

S1824R25D(H)A S2430R25D(H)A





Disabled Parking Signs State Specification





S1218R78VA(E)A



S1218B78D(F)A







S1218R75HPO(E)A



(North Carolina) SNC1226R78(E)A



(North Carolina) SNC1209R75(E)A



(New York) SNY1218R78(E)A



(Pennsylvania) SPA1218R78F(E)A



VAN ACCESSIBLE





STX1209R75(E)A

NO

PARKING

LOADING

ZONE

S1218R76D(E)A

NO



(Florida) SFL1218R75(E)A



SGA1218R75(E)A



(South Florida) SFLS1218R75(E)A



SNJ1012R78250(E)A



ACCESSIBLE

S1218R7504(E)A

ACCESSIBLE



ACCESSIBLE

ENTRANCE

S1218R7502N(E)A

\$250 FINE

S1206R78FG250(E)A S1206R78FG350(E)A



NO

PARKING

LOADING

ZONE

S1218R76(E)A



S1206R78PB(E)A

S1206R78PG(E)A

ACCESSIBLE

ENTRANCE

S1218R7502(E)A

S1212D96(E)

AS1818D96(E)A

\$350 FINE S1206R78FB250(E)A

No Parking Signs



S1218R83A(E) AS1824R83A(E)A



S1218R71D(E)A



S1218R712R(E)A



S1218R83AD(E)A

NO

PARKING

TIME

S1218R71L(E)A



S1218R83AL(E)A

N0

PARKING

TIME

S1218R71R(E)A





S1218R83AR(E)A



NO

PARKING

THIS SIDE

IOF STREET

S1218R713(E)A



S1218R7200(E)A



S1218R711(E)A



S1218R7232(E)A





(I) PARKING

ANY

TIME

S1218R7100(E)A



NO

PARKING

ANY

TIME

S1218R71(E)A

S1218R712L(E)A





S1218R7216(E)A



S1218R7217(E)A



S1218R7228(E)A



S1218R7221(E)A



S1218R7224(E)A



S1218R7225(E)A



S1218R7236(E)A



S1218R7235(E)A

NO **PARKING** THIS SIDE

S1218R7215(E)A



S1218R7227(E)A



S1218R7213(E)A



S1218R7222(E)A



S1218R74M(E)A



S1218R7212(E)A



S1218R7230(E)A



S1218R7220(E)A



S1218R7229(E)A



S1212R83(E)A S2424R83(E)A





Permissive Parking Signs



VISITOR PARKING

ONE HOUR **PARKING**

TW0 HOUR PARKING AUTHORIZED **VEHICLES** ONLY

RESERVED **FOR FACULTY**

FACULTY AND **STAFF** PARKING

RESERVED **FOR VISITORS**

CUSTOMER **PARKING** ONLY

RESIDENT **PARKING** ONLY

EMPLOYEE PARKING

S1218R7326(E)A \$1218R7303(E)A \$1218R7307(E)A \$1218R7309(E)A \$1218R7310(E)A \$1218R7333(E)A \$1218R7332(E)A S1218R7341(E)A S1218B7302(F)A







30 **MINUTE PARKING** RESERVED **FOR FACULTY** AND VISITORS

RESERVED FOR **POLICE** CARS

S1218R7322(E)A

RESERVED FOR SCHOOL BUSES

S1218R7323(E)A

PRIVATE PARKING

S1218R7345(E)A

STUDENT PARKING

S1218R7360(E)A

BUSES ONLY

S1218R7304(E)A

\$1218R731915(E)A \$1218R731920(E)A \$1218R731930(E)A

Private Parking Signs



S1218R7421(E)A

NO **VEHICLES** BEYOND THIS POINT

S1218R7422(E)A

PRIVATE ROAD NO TRESPASSING

S1218R7401(E)A

DO NOT **BLOCK** DRIVE

S1218R7413(E)A

PRIVATE DRIVE NO THRU STREET

S1218R7402(E)A

NO **ALCOHOLIC** BEVERAGES ALLOWED

S1218R7410(E)A

PRIVATE **PROPERTY** NO TRESPASSING

S1218R7406(E)A

NO **SOLICITORS** 0R **PEDDLERS** ALLOWED

S1218R7424(E)A

BICYCLES SKATEBOARDS SIDEWALK

S1218R7408(E)A

UNAUTHORIZED **VEHICLES** WILL BE TOWED AWAY AT OWNER'S EXPENSE

S1218R7444(E)A

ADDITIONAL **PARKING** REAR

S1218R7441(E)A

NO LOITERING

S1812R7428(E)A

TRESPASSING

S1812R7427(E)A

Parking Lot Signs



S1812R7431(E)A



S1812R7433(E)A





S2424R7200(E)A









S2424R7201(E)A




S2424W405(H)A S3030W405(H)A



SNON2424R51(H)A S3030R51(H)A



SNON2424R11(H)A S3030R11(H)A



S1218R7435(E)A *Specify Row Numbers



S1824R1014(E)A



S1824W404(H)A



S1218R74S(E)A

Road Closed & Weight Limit Signs

ROAD CLOSED THRU TRAFFIC

S6030R114(H)A

XX MILES AHEAD LOCAL TRAFFIC ONLY S6030R113A(XX)(H)A

ROAD CLOSED

ROAD CLOSED

S4830R112(H)A

BRIDGE CLOSED AHEAD LOCAL TRAFFIC ONLY

S6030R113CM(H)A

BRIDGE OUT XX MILES AHEAD LOCAL TRAFFIC ONLY

S6030R113B(XX)(H)A

BRIDGE CLOSED

S6030R113B(XX)(H)A

WEIGHT LIMIT XX TONS

S2430R121(XX)(H)A







Restrictive Traffic Prohibition Signs



S2424R31(H)A





No Left Turn S2424R32(H)A

NO LEFT

TURN



No U-Turn S2424R34(H)A

NO

TURN

S2418R34P(H)A



S2424R52(H)A



No Bicycles S2424R56(H)A

N0 **TRUCKS**



S2424R33(H)A

NO

BICYCLES



S2424R53(H)A



S2418R141(H)A

Pedestrian Signs





S1818R94(H)A

S2424R94(H)A





S1818R93(H)A S2424R93(H)A



S0912R103B(R)(H)A



S0912R103C(R)(H)A



S0912R103D(R)(H)A



S0915R103E(R)(H)A



S1236R16A(H)DAG



S1236R16(H)DAG

CROSS ONLY 0 N SIGNAL S0912R102(H)A







Passing and

Guidance Signs





Intersection and Center Lane Control Signs



Mandatory S3036R35I (H)A



Mandatory Straight S3036R35A(H)A



Mandatory Right Turn S3036R35R(H)A



Optional S3036R36L(H)A



S1824R41(H)A S2430R41(H)A



S1824R42(H)A S2430R42(H)A



S2430R107(H)A



S1824R62A(H)A

KEEP

RIGHT



Movement Right S3036R36R(H)A





Two Way Left Turn Overhead Mounted S3036R39A(H)A



S3030R37R(H)A



Two Way Left Turn Post Mounted S2436R39B(H)A



Double Turn Right S3030R38R(H)A





S3030R38L(H)A



Keep Left S1824R48(H)A S2430R48(H)A



S1824R109A(H)A



Keep Left S1824R48(H)A S2430R48(H)A



S1824R109(H)A



S1824R62L(H)A S2430R62L(H)A



S1824R62R(H)A S2430R62R(H)A











In-Street Pedestrian Crosswalk Signage



LEGEND
YIELD to Ped - Double Faced
YIELD to Ped - Single Faced
STOP for Ped - Double Faced
STOP for Ped - Single Faced
e to use with the Yeti Base
"The Yeti" 40# Portable Base
Quick Release Pin for 1.75" X-Tube Post



PART#	LEGEND			
RPOFPIPFG342FLGFX613	YIELD to Ped - Double Faced			
RPOFPIPFG342FLGFX612	YIELD to Ped - Single Faced			
RPOFPIPFG342FLGFX615	STOP for Ped - Double Faced			
RPOFPIPFG342FLGFX614	STOP for Ped - Single Faced			
Choose Sign from above to use with the Banana Base or Fixed Base				
RPOFZPBASEBANANA	35# Portable Banana Base			
RPOFZPFG300BAFYG	Fixed Base			
RHSMSCA3840	Asphalt Anchor Bolt			
RHSMSCA3825	Concrete Anchor Bolt			
RPOFZPFG300XPINS	Post Pins (Box of 50)			

In-Street Pedestrian Crosswalk Signage

















Portable School Zone Signage







Quick Release Mounting Style Post w/Sign				
PART#	L	EGEND		
RPOFPIIPDSTDQ	S	TOP for Ped	Double Faced	
RPOFPIIPDYDDQ	Υ	IELD to Ped	Double Faced	
RPOFPIIPDYDSQ	Υ	IELD to Ped	Single Faced	
RPOFPIIPSSTDQ	(:	SCHOOL) STOP for Ped	Double Faced	
RPOFPIIPSYDDQ	(:	SCHOOL) YIELD to Ped	Double Faced	
RPOFPIIPSYDSQ	(:	SCHOOL) YIELD to Ped	Single Faced	
Choose Sign from above to use with a Base below				
PART#		LEGEND		
RPOFZIQRFBASEI	3K	Quick Release Base - S	urface Mount	
RPOFZIRBHPQR	_	Recessed Base - High Pr	ofile for Asphalt	
RPOFZIRBLPQR		Recessed Base - Low Pro	ofile for Concrete	
RPOFZIQRPBASE		Portable One Base - 100%	Recycled Rubber	
RPOFZIQRPPIN		Quick Release Replace	ment Pin	
Fixed	M	ounting Style Post w/	Sign	
PART#		LEGEND		
RPOFPIIPDSTDF	S	TOP for Ped	Double Faced	
RPOFPIIPDSTSF	S	TOP for Ped	Single Faced	
RPOFPIIPDYDDF	Υ	IELD to Ped	Double Faced	
RPOFPIIPDYDSF	Υ	IELD to Ped	Single Faced	
RPOFPIIPSSTDF	(5	SCHOOL) STOP for Ped	Double Faced	
RPOFPIIPSYDDF	(5	SCHOOL) YIELD to Ped	Double Faced	
Choose Sign from above to use with a Base below				
PART#		LEGEND		
RPOFZISMFBBK	Fix	Fixed Base - Surface Mount		
RHSMSLS12	An	Anchor Kit with 4 lag screws (installs 1 base)		
Ped-in-a-Bag®				
PART# LEGEND				
RPOFPIIPSZSTDP		(SCHOOL) STOP for Ped	Double Faced	
RPOFPIIPSZYDDP ((SCHOOL) Yield to Ped	Double Faced	
RPOFZIQRPBASE	۱ L	Lightweight base for ped-in-a-bag		
		(base and top sold separately)		





Facility Signs



ISS0710A230



ISS0710A231



ISS0710A232



ISS0710A233



ISS0710A234



ISS0710A235



ISS0710A220



ISS1014A225



ISS1014A226



ISS1014A227



ISS1014A210



ISS1014A211



ISS1014A212

EMERGENCY EXIT ONLY

ISS1014A204

EMERGENCY ALARM WILL SOUND IF DOOR IS OPENED

ISS1014A205



ISS1014A206





S1218PC236(H)A



S1218PC236(H)A



S1218PC236(H)A

ISS1014A207



ISS1014A200





ISS1014A203

SHIPPING AND RECEIVING

ISS1420AP405



ISS1420AP407

AUTHORIZED PERSONNEL ONLY

ISS1420AP401

NOT RESPONSIBLE FOR THEFT OR DAMAGE TO VEHICLES

ISS1014A202

ISS1420AP402 POSTED

HUNTING

TRESPASSING ISS1420AP409

ΝÖ TRESPASSING VIOLATORS WILL BE PROSECUTED

ISS1420AP403

EMPLOYEES

ONLY

ISS1420AP410

SHIPPING

NOT

RESPONSIBLE

IN CASE OF

ACCIDENTS

ISS1420AP404

ISS1420AP411

RECEIVING

ISS1420AP412

ISS1420AP413 **KEEP**

CUSTOMER PICK-UP

ISS1420AP406



ISS1420AP420

ENTRANCE ONLY

ISS1420AP414

WARNING NO LIFEGUARD ON DUTY SWIM AT YOUR OWN RISK

ISS1420AP421

POOL RULES

NO GLASS IN POOL AREA
NO PETS ALLOWED
NO RUNNING OR ROUGH PLAY
ONLY SYMMER ALLOWED IN POOL
SHOWER BEFORE ENTERING POOL
NO CHILDREN UNDER 12 PERMITTEI
N POOL AREA WITHOUT AN ADULT
POOL HOURS. TO

ISS1420AP408

NO PARKING

ISS1420AP415

VISITOR

ISS1420AP416



ISS1420AP417

WOSB CERTIFIED



ISS1420AP418

N 0

ISS1420AP419





Tip and Roll Snap Frame Stanchion




Just Tip & Roll Portable Sign System

- 120lb Base
- Accommodates 28" x44" or 24"x36" Sign
- Engineer Grade Reflective Frame
- Heavy Duty Snap Frame 1.5" flaps
- Add sign, Starting from

\$39.99









Sign Stanchion





- >> 36"x60" Illuminated sign stanchion
- >> Outdoor SEG fabric display (fire rated) By Berger Samba Germany
- >> Anodized aluminum extrusion frame
- >> High output LED lights on the inside (IP68)





Overhanging Led Light Fixture



- >> 12"x96" Illuminated overhanging display
- >> Outdoor SEG fabric display (fire rated) By Berger Samba Germany
- >> Anodized aluminum extrusion frame
- >>> High output LED lights on the inside and outside (outdoor) (IP68)





Snap Frames, A Frames, Wind Masters





SFWB

28x44 Snap Frame

- Black
- Frame Only
- W/ Back Board

\$78.00

\$114.00



PLF-SCD4827BK PLF-SCD4827W

Signicade Deluxe

Colors:

• 24" x36"

\$130.00



PLF-SC4525W F PLF-SC45250 F PLF-SC4525BL

PLF-SC4525Y PLF-SC4525BK

Signicade

Colors:



• 24" x36"





Flex Frame

FIEX FIAILE

- Black, Double sided
- 24" x36"

\$210.00



PLF-WS3624GY

Plasticade Windsign II

- Water/Sand Base
- 24" x36"
- Double Sided

\$260.00



PLF-WS4428GY

Plasticade Windsign Deluxe

- Water/Sand Base
- 28" x44"
- Double Sided

\$369.99





Windmaster



Classic Tool-less legs

• Material: Aluminum Frame, White Fluted Polypropylene Back

• Finishes: Black, Satin Silver

• Colors: or

Available in 41x55

515.00

or

1015



Classic rolling base

• Material: Aluminum Frame, White Fluted Polypropylene Back

• Finishes: Black, Satin Silver

Colors: or

• Base Weight When Filled with Water: 87 lb.



WindMaster rolling base

• Frame Material: Black Aluminum Frame, White Fluted Polypropylene Back

Frame Finish: Black with Black Molded Corners

• Base: Black Molded Polyethylene

Colors:



WindMaster Rolling Base

• Material: Aluminum Frame, White Fluted Polypropylene Back

• Base Material: Black Molded Polyethylene

• Finishes: Black with Black Corners, Satin Silver with Black Corners

• Colors: or



WindMaster Rolling Base

• Material: Aluminum Frame, White Fluted Polypropylene Back

• Base Material: Black Molded Polyethylene

• Finishes: Satin Silver with Black Corners

• Colors:



WindMaster Slide-In Rolling Base

Material: Aluminum Frame,
 White Fluted Polypropylene Back
 Base Material: Black Molded
 Polyethylene Base

• Finishes: Black

Colors:






Letrapole











Is your city a true destination? How is that communicated? As you welcome visitors, let them know what's special about this place. Don't forget to advertise upcoming events



Show your school spirit. Honor your rich history and tradition. Showcase student artwork. Let people know about upcoming events. Welcome in new students.



Co-brand with suppliers. Introduce new products. Thank your customers. Be festive around the holidays. Point people in the right direction.



Feature new attractions. Partner with food and beverage brands. Announce upcoming events like "Halloween".
Use as a park directory.

Auto Dealerships

Advertise special financing. Introduce new models. Show off your awards. Brag about your service. Be festive and/or patriotic.



Showcase your post season success. Feature your past and present super stars. Announce upcoming events. Co-brand with food and beverage partners.

The most creative, cost effective, simplest and durable "automated" pole banner system available on the market.

Available in 3 sizes

98x36

55x30

36x24





Parking Warning Systems



CCV4807G-Kit



CR1806KIT



CC4008V-Kit



\$2,450.00

Car Coming Warning Post

Wall mounted 2 Sides >180°view Size: 40"H x 8"

Includes:

Timer Control Board Voice Alert Board Power Supply Speaker Vehicle Motion Detector

\$1,600.00

Car Alley Exit Sign

Ground mounted 4 Sides 360° view Size: 48"Hx6"x6"

Includes:

Timer Control Board Voice Alert Board Power Supply Speaker Vehicle Motion Detector

\$2,600.00

CAR Alley Exit Warning Sign

Wall mounted 3 Sides >180° view Size: 18"H x 6"x6"

Includes:

Timer Control Board Voice Alert Board Power Supply Speaker Vehicle Motion Detector

\$70.99

Entry Alert System, 22ft

Includes:

- NIR retro-reflectivesensor.
- Reflector.
- Speaker.
- 9VDC 200mA power adapter. 6ft cable

Pedestrian Alert Safety Sign (PASS) manufactures systems that alert pedestrians of vehicles exiting your parking garages, parking lots, driveways/alleyways and loading docks using audio voice & flashing light signals.







Wheel Dolly



GoJak® G6313

Weight: 47 lbs

Dimensions:

 $25.5 \times 26.125 \times 8.125$ in

Foot Pedal Orientation:

Standard (Right), Left

Max Rated Load (Lbs):

1575

Max Tire Tread (In):

13

Warranty:

Warranted to be free of defects in material or workmanship under normal use for seven years from the date of sale to user

\$329.00



GoJak Storage Cart - G567R

Weight:

18 lbs

Max Rated Load (Lbs):

250

\$119.00





Convex Mirrors

DomeVex Mirrors



4" DEEP 16"



5" DEEP 24"



5" DEEP 32"

Indoor					
SCVI - 16Z - 4DP	16"	\$69.70			
SCVI - 24Z - 5DP	24"	\$115.00			
SCVI - 32T - 7DP	32"	\$156.00			

Outdoor					
SCVO - 16Z - 4DP-PB	16"	\$97.00			
SCVO - 24Z - 4DP-PB	24"	\$172.00			
TCVO - 32T - 7DP-PB	32"	\$219.00			

Safety Border Caution Mirrors with Stripes

Indoor							
SCVI - 18Z - SB	18"	Z	\$68.00				
SCVI - 26T - SB	26"	Telescoping	\$111.00				
SCVI - 30T - SB	30"	Telescoping	\$130.00				

Outdoor						
DCVO - 18T - SB	18"	(2) Telescoping	\$93.00			
TCVO - 26T - SB	26"	(3) Telescoping	\$162.00			
TCVO - 30T - SB	30"	(3) Telescoping	\$188.00			





Indoor							
SCVI - 12Z	12"	Z	\$33.75				
SCVI - 18Z	18"	Z	\$45.90				
SCVI - 26T	26"	Telescoping	\$82.00				
SCVI - 30Z	30"	Telescoping	\$106.50				
SCVI - 36T	36"	Telescoping	\$151.00				
DCVI - 48T	48"	Telescoping	\$280.00				

Outdoor							
SCVO - 18Z - PB	18"	(2)Telescoping	\$79.00				
SCVO- 26T - PB	26"	(3)Telescoping	\$135.00				
SCVO - 30T - PB	30"	(3)Telescoping	\$162.00				
SCVO - 36Z - PB	36"	(3)Telescoping	\$216.00				
DCVO - 48T - PB	48"	(3)Telescoping	\$408.00				



Indoor	
DM-8C 8" Convex w/handle	\$74.00
DM-8F 8" Flat w/handle	\$74.00
DM-8LC 8" Convex w/handle+light	\$117.00
DM-8LF 8" Flat w/handle+light	\$117.00
DM-12C 12" Convex w/handle	\$96.00
DM-12F 12" Flat w/handle	\$96.00

Indoor						
DM-12LC 12" Cvx w/handle+light	\$134.00					
DM-12LF 12" Flat w/handle+light	\$134.00					
DM-12WC 12"Cvx W/wheels	\$168.00					
DM-12WF 12"Flat W/wheels	\$168.00					
DM-12WLC 12"Cvx W/wheels+light	\$206.00					
DM-12WLF 12"Flat W/wheels+light	\$206.00					






Bicycle Racks



Eco-Friendly Bike Racks provide users with a high level of security to lock up their bikes and other recreational toys. Made in America of 100% post-consumer recycled plastic, the six posts fit perfectly where space is limited. Promote a healthy lifestyle in your school, community, and public spaces by providing a secure rack to park bikes.

MODEL	INSERT	OVERALL SIZE		WEIGHT
NUMBER	POSITIONS	(W x L x H)	COLORS	(POUND)
BR-P6-BK-BK	6	42" x 48 ⁷ / ₁₆ " x 31"	BLACK/BLACK	125
BR-P6-BK-CD	6	42" x 48 ⁷ / ₁₆ " x 31"	BLACK/CEDAR	125
BR-P6-BK-CH	6	42" x 48 ⁷ / ₁₆ " x 31"	BLACK/CHARCOAL	125
BR-P10-BK-BK	10	42" x 72" x 31"	BLACK/BLACK	187
BR-P10-BK-CD	10	42" x 72" x 31"	BLACK/CEDAR	187
BR-P10-BK-CH	10	42" x 72" x 31"	BLACK/CHARCOAL	187
BR-ABK	(4) "L" BRACKETS 8	1		



model BR-ST-BK





Our Bicycle Racks make it easy to stor bikes where space is at a premium. Welded steel units feature eight (8) mounting flanges with pre-drilled 7/16" holes for easy mounting with the exception of model numbers BR-GL-BK and BR-GL-G which has two (2) ¾" mounting holes. Hardware is sold separately. Racks are shipped fully-assembled and ready to use. Available in powder coat black or galvanized finish. Other powder coar finishes are available. Please contact factory.

MODEL	BIKE	MOUNTIN	OVERALL SIZE	WEIGHT
NUMBER	CAPACITY	STYLE	(W x L x H)	(POUND)
BR-L2-BK	5	GROUND	4" x 31" x 36"	25
BR-L3-BK	7	GROUND	4" x 49" x 36"	36
BR-ST-BK	2	GROUND	20" x 38 ⁵ / ₁₆ " x 26 ¹ / ₂ "	31
BR-M3S-BK	3	GROUND	13 ¹³ / ₁₆ " x 45 ⁷ / ₈ " x 14 ⁹ / ₁₆ "	31
BR-L3D-BK	6	GROUND	27 ¹ / ₄ " x 42" x 14 ⁹ / ₁₆ "	53
BR-3S-W-BK	3	WALL	12 ⁷ /8" x 40 ³ /8" x 4 ¹ /16"	23
BR-GL-BK	4	GROUND	5 ⁵ / ₁₆ " x 12 ³ / ₄ " x 22 ¹ / ₂ "	22
BR-L2-GAL	5	GROUND	4" x 31" x 36"	25
BR-L3-GAL	7	GROUND	4" x 49" x 36"	36
BR-ST-GAL	2	GROUND	20" x 38 ⁵ / ₁₆ " x 26 ¹ / ₂ "	31
BR-M3S-GAL	3	GROUND	13 ¹³ /16" x 45 ⁷ /8" x 14 ⁹ /16"	31
BR-M3D-GAL	6	GROUND	27 ³ /16" x 42" x 14 ⁹ /16"	53
BR-M3S-W-GAL	3	WALL	12 ⁷ /8" x 40 ³ /8" x 4 ¹ /16"	23
BR-GL-G	4	GROUND	5 ⁵ / ₁₆ " x 12 ³ / ₄ " x 22 ¹ / ₂ "	22
AS-383	3/8" x 3"L CONCRE	1		
AS-584	4"L CONCRETE AN	1		

SPECIAL POWDER COAT FINISH OPTIONS						
ERGO BLUE	SODA RED					
SKY BLUE	BUBBLE GUM					
SILVER LINING	CITRUS ORANGE					
MACHINE GRAY	YELLOW					
BATTLESHIP GRAY	HUNTER GREEN					
BROWN	TRACTOR GREEN					
KHAKI TAN	SNOWY WHITE					
SANDY BEIGE	LIQUID ENAMEL PRIMER					











Bike-Shell

Model 301 Bicycle Locker



Signle

- One piece bicycle storage locker
- 2 bicycle capacity
- Tan or gray available
- 2 locking options available
- No assembly required
- Separate security and access to each bike with 2 doors
- Highly resistant to impact stains and will not corrode

Model 302 Bicycle Locker



Double

Product Details:

- Product Name: Bike-Shell Model 302 Bicycle Locker
- Dimensions: 49"H x 40"W x 74 1/2 "L
- Weight: 280 lbs
- Material: Fiberglass and polyester resin
- Hardware: Zinc plated door hinge
- Installation Accessories: Four expansion anchors included
- Locking Options: Pop out "T" Handle with 3 master keys or Padlock/U-Locking handle (padlock not included)
- Colors: Gray or tan
- Storage Capacity: 2 door/ 2 bicycles

CALL FOR PRICING

Call to Order **516-825-0727**Or Visit Us On-Line

Parkingproshop.com

Bulk Pricing Available





SKU: 301, 302

Speed bumps

Recycled Plastic Speed Bump














Recycled Plastic Sp	Recycled Plastic Speed Bumps - 4 Ft - * Specify hardware selection: L = Lag Screws; S = Steel Spikes									
MODEL WITH HARDWARE	MODEL WITHOUT HARDWARE	DESCRIPTION	LENGTH	HEIGHT	WIDTH	WEIGHT	COLOR	PRICE	PRICE W/ HARDWARE	MIN ORDER
SB4S*	SB4S	Standard 4 ft. Speed Bump	48 in	2 in	10 in	22 lb	Yellow	\$132.00	\$142.00	N/A
SB4D*	SB4D	Deluxe 4 ft. Speed Bump	48 in	2.25 in	12 in	28 lb	Yellow	\$138.00	\$148.00	N/A


Recycled Plastic Speed Bumps - 6 ft - * Specify hardware selection: L = Lag Screws; S = Steel Spikes										
MODEL WITH HARDWARE	MODEL WITHOUT HARDWARE	DESCRIPTION	LENGTH	HEIGHT	WIDTH	WEIGHT	COLOR	PRICE	PRICE W/ HARDWARE	MIN ORDER
SB6S*	SB6S	Standard 6 ft. Speed Bump	72 in	2 in	10 in	25 lb	Yellow	\$168.00	\$198.00	N/A
SB6D*	SB6D	Deluxe 4 ft. Speed Bump	72 in	2.25 in	12 in	41 lb	Yellow	\$210.00	\$234.00	N/A

Recycled Plastic Speed Bumps - 9 ft - * Specify hardware selection: L = Lag Screws; S = Steel Spikes										
MODEL WITH HARDWARE	MODEL WITHOUT HARDWARE	DESCRIPTION	LENGTH	HEIGHT	WIDTH	WEIGHT	COLOR	PRICE	PRICE W/ HARDWARE	MIN ORDER
SB9S*	SB9S	Standard 9 ft. Speed Bump	108 in	2 in	10 in	50 lb	Yellow	\$312.00	\$336.00	N/A

Alley Bumps







MODEL	SIZE	WEIGHT	BOLTS NEEDED	PRICE	MIN ORDER
26300	6 ft. L x 12 in. W x 3 in. H	76 lbs	4	\$204.00	N/A
24300	4 ft. L x 12 in. W x 3 in. H	51 lbs	3	\$156.00	N/A
26998 (end cap)	6 ft. L x 12 in. W x 3 in. H	8 lbs	1	\$24.00	N/A






Speed humps and wheel stops

Easy Rider® Speed Bumps







MODEL	SIZE	WEIGHT	BOLTS NEEDED	PRICE	MIN ORDER
26111	6 ft. L x 12 in. W x 2.25 in. H	51 lbs	4	\$150.00	N/A
24111	4 ft. L x 12 in. W x 2.25 in. H	32 lbs	3	\$114.00	N/A
26999 (end cap)	6 ft. L x 12 in. W x 2.25 in. H	5.5 lbs	1	\$25.00	N/A
VR-206-8-M	6 ft. L x 12 in. W x 2 in. H	55 lbs	4	\$98.00	N/A
VR-206-8-E	6 ft. L x 12 in. W x 2 in. H	51 lbs	1	\$26.00	N/A

Safety Rider® V Mini Humps





MODEL		SIZE	WEIGHT	BOLTS NEEDED	PRICE	MIN ORDER
23500V		35" x 19.5" x 2.1"	34 lbs	4	\$78.00	N/A
23501V	Male	35" x 19.5" x 2.1"	32 lbs	3	\$60.00	N/A
32502V	Female	35" x 19.5" x 2.1"	32 lbs	1	\$60.00	N/A

Includes Hardware Installation

Park-It® Recycled Rubber Parking Stop







MODEL	DESCRIPTION SIZE		WEIGHT	SPIKES	PRICE	Har	dware	MIN
				NEEDED		Spike	Cap+Bolt	ORDER
16101Y	6 ft. Park-It/Yellow Tape	6 ft. L x 6 in. W x 4 in. H	34 lbs	4	\$46.00	\$4.20	\$6.60	N/A
16101W	6 ft. Park-It/White Tape	6 ft. L x 6 in. W x 4 in. H	34 lbs	4	\$46.00	\$4.20	\$6.60	N/A
14101Y	4 ft. Park-It/Yellow Tape	4 ft. L x 6 in. W x 4 in. H	23 lbs	3	\$32.00	\$4.20	\$6.60	N/A
14101W	4 ft. Park-It/White Tape	4 ft. L x 6 in. W x 4 in. H	23 lbs	3	\$32.00	\$4.20	\$6.60	N/A
13101Y	3 ft. Park-It/Yellow Tape	3 ft. L x 6 in. W x 4 in. H	17 lbs	2	\$24.00	\$4.20	\$6.60	N/A
13101W	3 ft. Park-It/White Tape	3 ft. L x 6 in. W x 4 in. H	17 lbs	2	\$24.00	\$4.20	\$6.60	N/A
16201B	6 ft. ADA Park-It/Blue Car Stop	6 ft. L x 6 in. W x 4 in. H	34 lbs	4	\$72.00	\$4.20	\$6.60	N/A
14201B	4 ft. ADA Park-It/Blue Car Stop	4 ft. L x 6 in. W x 4 in. H	23 lbs	3	\$56.00	\$4.20	\$6.60	N/A
13201B	3 ft. ADA Park-It/Blue Car Stop	3 ft. L x 6 in. W x 4 in. H	17 lbs.	2	\$34.00	\$4.20	\$6.60	N/A





Wheel Stops, Speed Bumps and Humps

Protective Parking Stops & **Speed Bump-Cable Protectors**



1790Y	Parking Stop-Yellow Polyethylene	15 lb	\$78.00
1790B	Parking Stop-Blue Polyethylene	15 lb	\$78.00
1790BLK	Parking Stop-Black Polyethylene	15 lb	\$78.00
1790G	Parking Stop-Gray Polyethylene	15 lb	\$78.00
1792	Speed Bump/Cable Crossing Unit, 6 ft.	20 lb	\$124.00
1793	Speed Bump/Cable Crossing Kit, 9 ft.	25 lb	\$156.00

12x18 & 18x24 **Speed Humps and Bumps Caution Signs**













Corner and Wall Cushions



Wall Cushions

\$21.00

• 48"x 12"x 1.5"



Corner Cushions

\$22.00

48"x 5"x 5"

Volume discount available



Spray adhesive

\$14.00

• 1 can 12oz



Cg 900

Cg 800 **CORNER GUARDS**

CORNER GUARDS Medium Duty industri- Heavy Duty capaal strength rubber



WP 1000

WALL PROTECTOR ble of withstanding substantial impact



WALL PROTECTOR **Medium Duty** with four reflective yellow chevrons

\$24.99

Heavy Duty

industrial

• Weight: 5.5lbs

strength rubber

• Height: 1"

• Length: 36"

• Width: 4"

\$21.99

• Weight: 4.37lbs

• Height: 1/2"

• Length: 31 3/8"

• Width: 3 1/2"

\$33.99

• Weight: 11lbs

• Height: 2 1/4"

• Length: 39 3/4"

• Width: 6"

\$21.99

• Weight: 6lbs

• Height: 1/2"

• Length: 31 1/2"

• Width: 8 3/4"





Corner and Wall Cushions



ROI I

Column Protectors BumperWrap -Black/Yellow, 40 foot roll, 12" wide x 1/2" thick

- Padded protection for columns, light pole bases, beams and large obstacles
- Black/Yellow, 40 foot roll, 12" wide x 1/2" thick

Roll	40' Roll of Black/Yellow	\$358.00
	BumperWrap, 60 lbs.	



PS-Y-KIT

Park Sentry Column Protectors Yellow Square Kit (4 Corners, 4 planks, 2 straps)

- Standard kit perfectly fits a 24"x24" square column
- Easily modified to fit any sized square or rectangular industrial column
- Oil, chemical, water and flame resistant
- Available in Yellow or Black

PS-Y-KIT	7"x52" Bollard Cover	\$418.00
	(7.125" ID)	



PSR-045-Y-CTN

Park Sentry Round Plank - Yellow (3/carton)

- 1 carton fits up to a 24" diameter round column
- Can be installed in single or multiple layers
- Available in Yellow or Black
- Sold only in full cartons of three
- Straps sold separately

PSR-045-Y-CTN	Park Sentry	\$158.00
	Round Plank -	
	Yellow (3/carton)	



PSS-4000-BR-SL

Park Sentry Strap 158" - Black Reflective - Strap Lock Buckle, Two straps/ set

- 158" long x 2" wide adjustable strap
- Black Reflective
- Vandal resistant

PSS-4000-BR-SL	Park Sentry Strap	\$43.80
	158" - Black	
	Reflective - Strap	
	Lock Buckle, Two	
	straps/ set	



CW-36, CW-48, CW-60, CW-72

Cushioned Column Wrap, Soft Padded Cover

- 44"x36" stock height, 44"x48" stock height, 44"x60" stock height, 44"x72" stock height
- Two 2" white or red reflective sewn bands
- Waterproof, fade resistant and mold/mildew proof

	44" Tall x 36" Wide Column Wrap	
	44" Tall x 48" Wide Column Wrap	
	44" Tall x 60" Wide Column Wrap	
CW-72	44" Tall x 72" Wide Column Wrap	\$168



(108") (72") (50")

(50)

GG-50, GG-72, GG-108

Soft Padded Gate Arm Cover

- Fits 1"x4" standard gate arms.
- 2" white or red reflective sewn bands
- Waterproof, fade resistant and mold/mildew proof

GG-50		\$105
	standard 1"x4" gate arm stock	
GG-72	72" wide Gate Guard to fit	\$117
	standard 1"x4" gate arm stock	
GG-108 108" wide Gate Guard to fit		\$129
	standard 1"x4" gate arm stock	



Park Sentry Column Protectors Black Square Kit (4 Corners, 4 planks, 2 straps)

- Standard kit perfectly fits a 24"x24" square column
- Easily modified to fit any sized square or rectangular industrial column
- Oil, chemical, water and flame resistant
- · Available in Yellow or Black

PS-B-KIT	Park Sentry Black Square Kit (4 Corners	\$330.00
	4 planks, 2 straps)	





Ceiling Leak Diverter




Durable, puncture resistant, and watertight EnGuard™ I PVC coated yellow fabric is designed to channel overhead pipe and ceiling leaks to containers or floor drains. Diverters help provide a fast and economical way to protect your personnel, equipment, and inventory. Simply connect to a standard garden hose to drain water safely away. Flow rate of 3.3 gal/min (12.5 L/min).

Model	Description	Material	Color	Width	height	Net Weight	Price
28300	CEILING LEAK DIVERTER	PVC coated fabric	Yellow	5 ft	5 ft	4 lb	\$78.00
28302	CEILING LEAK DIVERTER WITH MAGNETS	PVC coated fabric	Yellow	5 ft	5 ft	4 lb	\$222.00
28304	CEILING LEAK DIVERTER	PVC coated fabric	Yellow	7 ft	7 ft	7 lb	\$138.00
28306	CEILING LEAK DIVERTER WITH MAGNETS	PVC coated fabric	Yellow	7 ft	7 ft	7 lb	\$282.00
28308	CEILING LEAK DIVERTER	PVC coated fabric	Yellow	10 ft	10 ft	14 lb	\$270.00
28310	CEILING LEAK DIVERTER WITH MAGNETS	PVC coated fabric	Yellow	10 ft	10 ft	14 lb	\$426.00
28312	CEILING LEAK DIVERTER	PVC coated fabric	Yellow	12 ft	12 ft	20 lb	\$522.00
28314	CEILING LEAK DIVERTERWITH MAGNETS,	PVC coated fabric	Yellow	12 ft	12 ft	21 lb	\$762.00
28315	CEILING LEAK DIVERTER	PVC coated fabric	Yellow	15 ft	15 ft	31 lb	\$558.00
28318	CEILING LEAK DIVERTER	PVC coated fabric	Yellow	20 ft	20 ft	56 lb	\$642.00





Clearance Bars



CB-4104	4.95"X104"	\$87.99
CB-4120	4.95"X120"	\$93.99
CB-7104	7.35"X104"	\$110.99
CB-7120	7.35"x120	\$112.99
CB-Logo	Lettering	\$21.00
HWK	Hardware	\$14.00





1780	5" x 76" Yellow Clearance Bar w/Eye Hooks	7.0 lb	\$164.00
1781	7" X 77" Yellow Clearance Bar w/Eye Hooks	9.0 lb	\$201.00
CB-Logo Lettering		\$21.00	
HWK	Hardware		\$14.00





Bollard Posts and Machine Guards

Bollard Post

Bollard Posts add protection to your facility and prevent damage. Posts feature a durable baked-on powder coat in safety yellow to provide high visibility. Each post is made of 1/4 in. (.63 cm.) thick (Schedule 40 or Schedule 10) steel mounted on 3/8 in. (.95 cm.) steel plates, pre-drilled (3/4 in./1.9 cm.) for easy installation. The black HDPE post caps are included and can be removed to fill posts with concrete for extra protection.

Machine Guards

Our machine guards provide superior protection for facilities and equipment by creating barriers between traffic areas and your valuable machinery.




1742	4" x 24" Round Bollard	35.0 lb	\$120.00
1742-10	4" x 24" Round Bollard-Schedule 10	22.0 lb	\$109.00
1743	4" x 36" Round Bollard	45.0 lb	\$169.00
1743-10	4" x 36" Round Bollard-Schedule 10	28.0 lb	\$154.00
1744	4" x 42" Round Bollard	50.0 lb	\$190.00
1744-10	4" x 42" Round Bollard-Schedule 10	30.0 lb	\$172.00
1749	4" Round Post Cap	2.0 lb	\$10.00
1755	5" x 24" Round Bollard	45.0 lb	\$140.00
1756	5" x 36" Round Bollard	60.0 lb	\$190.00
1757	5" x 42" Round Bollard	67.0 lb	\$211.00
1758	5" Round Post Cap	2.0 lb	\$12.00
1752	5" x 24" Square Bollard	35.0 lb	\$154.00
1753	5" x 36" Square Bollard	47.0 lb	\$204.00
1754	5" x 42" Square Bollard	53.0 lb	\$225.00
1759	5" Square Post Cap	2.0 lb	\$12.00
1763	6" x 36" Round Bollard	65.0 lb	\$190.00
1763-10	6" x 36" Round Bollard-Schedule 10	40.0 lb	\$172.00
1764	6" x 42" Round Bollard	72.0 lb	\$211.00
1764-10	6" x 42" Round Bollard-Schedule 10	44.0 lb	\$188.00
1769	6" Round Post Cap	2.0 lb	\$12.00





Bollards

Bollards can be used both indoors and outdoors to protect work areas, racking and personnel. Plastic caps are removable on ,1-3/4, 41/2" and 51/2" diameter units and bollard may be filled with concrete. Steel caps are welded on the 6-5/8, 8-5/8" diameter units. Base plate includes four (4) pre-drilled mounting holes. Mounting kits and replacement caps available. Baked in powder coat finish for added toughness.



24" Yellow Steel Pipe Bollard

BOL-24-2	24"x2"	\$64.99
BOL-24-4.5	24"x4½"	\$75.99
BOL-24-5.5	24"x5½"	\$72.99



36" Yellow Steel Pipe Bollard

BOL-36-2	36"x2"	\$79.99
BOL-36-4.5	36"x4½"	\$99.99
BOL-36-5.5	36"x5½"	\$115.99
BOL-36-6.5	36"x6½"	\$145.99
BOL-36-8.5	36"x8½"	\$165.99



B0L-42-2	42"x2"	\$90.99
BOL-42-4.5	42"x4½"	\$117.99
BOL-42-5.5	42"x5½"	\$128.99
BOL-42-6.5	42"x6½"	\$175.99
BOL-42-8.5	42"x8½"	\$187.99



6.625" Diameter **Fixed Stainless Steel Bollard**



4.5" OD Fixed **Stainless Steel** Bollard



4.5" Diameter. Steel Bollard



6.625" OD Removable Stainless Removable Stainless Steel Bollard



BOL-48-2	48"x2"	\$110.99
BOL-48-4.5	48"x4½"	\$170.99
BOL-48-5.5	48"x5½"	\$182.99
BOL-48-6.5	48"x6½"	\$201.99
BOL-48-8.5	48"x8½"	\$202.99

SSFB4	4.5" Diameter Fixed Stainless Steel Bollard x 35.4" height; .138" wall, satin finish, 34lbs	\$478.99
SSFB6	6.625" Diameter Fixed Stainless Steel Bollard x 35.4" height; .138" wall, satin finish, 65lbs	\$1,260.00
SSRB4	4.5" Diameter Removable Stainless Steel Bollard x 35.4" height; .138" wall, satin finish, 40lbs	\$637.00
SSRB6	6.625" Diameter Removable Stainless Steel Bollard x 35.4" height; .138" wall, satin finish, 70lbs	\$1,464.00





Bollards



These combos bring you the security of our ¼" (.9 cm.) thick steel Bollards, packaged with the protection and zero maintenance of our smooth Poly Post Sleeves. The combos are available in round 4" (15.1 cm.) and 6" (22.7 cm.) bollard/sleeves 36" (136.3 cm.) high and 42" (159 cm.) high. Each combo includes a foam installation kit for a perfect fit! Kit may be ordered separately.

1743PS	4" x 36" Round Bollard w/4" x 36" Smooth Post Sleeve & Kit	10.0 lb	\$234.00
1744PS	4" x 42" Round Bollard w/4" x 42" Smooth Post Sleeve & Kit	10.0 lb	\$260.00
1763PS	6" x 36" Round Bollard w/6" x 36" Smooth Post Sleeve & Kit	10.0 lb	\$260.00
1764PS	6" x 42" Round Bollard w/6" x 42" Smooth Post Sleeve & Kit	10.0 lb	\$280.00
1739KIT	Installation Kit for Post Sleeves w/Instructions	1.0 lb	\$14.00





Bollards

Poly Guide-Post Delineators™ & Poly Bollard Posts



Poly Guide-Post DelineatorsTM Lightweight, portable, yieldable HDPE posts used to warn, guide and delineate. Feature 3 in. (11.4 cm.) – wide reflective bands for increased visibility and are MUTCD compliant. Posts are mounted on a 10 in. (37.9 cm.) sq. poly plate with anchor slots (3/4 in./2.8 cm.) for permanent use or used with steel base for portable stability.

Poly Bollard Posts Create a low-cost, maintenance-free caution zone. These 42 in. (159 cm.) – high poly bollards are available in a 5 in. (18.9 cm.) or 7 in. (26.5 cm.) model with a poly base with anchor slots (3/4 in./2.8 cm.) that can be anchored for maximum stability or used with optional weighted steel base.

1734Y	Poly Guide-Post Delineator, Yellow w/Reflective		\$63.00
1734LM	Poly Guide-Post Delineator, Lime w/Reflective		\$63.00
1734OR	Poly Guide-Post Delineator, Orange w/Reflective 6		\$63.00
1731	5" x 42" Yellow Poly Bollard Post		\$43.00
1733	7" x 42" Yellow Poly Bollard Post		\$50.00
1731BASE	E Steel Weighted Base for 1731 & 1733 12.0		\$44.00






Standard Bollard Covers



4" BollardGard Reflective Bollard Covers

- 4.7" ID x 52", 64", or 72" lengths
- 1/8" wall thickness HDPE
- 5 year warranty against cracking and fading
- Having a hard time deciding on what color?
 Request our Bollard Cover Color Sample Kit
- Access our BollardGard Sizing information to help determine what size bollard cover fits your steel pipe



7" BollardGard Reflective Bollards

- 7.1" ID x 52", 60" or 72" lengths
- 1/8" wall thickness HDPE
- 5 year warranty against cracking and fading
- Having a hard time deciding on what color?
 Request our Bollard Cover Color Sample Kit
- Access our BollardGard Sizing information to help determine what size bollard cover fits your steel pipe




8" BollardGard Bollard Covers

- 9.125" ID x 72" lengths
- 1/8" wall thickness HDPE
- 5 year warranty against cracking and fading
- Having a hard time deciding on what color?
 Request our Post Cover Color Sample Kit
- Access our BollardGard Sizing information to help determine what size bollard cover fits your steel pipe



11" BollardGard Bolard Covers

- 11.125" ID x 60" lengths
- .187" wall thickness
- 5 year warranty against cracking and fading
- Having a hard time deciding on what color? Request our Bollard Cover Color Sample Kit
- Access our BollardGard Sizing information to help determine what size bollard cover fits your steel pipe



13" BollardGard Bollard Cover, Post Sleeve

- 13.167" ID x 60" lengths
- .200" wall thickness LDPE
- 5 year warranty against cracking and fading on our post sleeves
- Access our BollardGard Sizing information to help determine what size bollard cover fits your steel pipe

BC452	4"x52" Bollard Cover (4.700" ID)	\$46.00
BC752	7"x52" Bollard Cover (7.125" ID)	\$56.00
BC872	8"x72" Bollard Cover (9.125" ID)	\$99.00
BC1160	11"x60" Bollard Cover (11.125" ID)	\$120.00
BC1360	13"x60" Bollard Cover (13.125" ID)	\$159.00
SBC6560	6.5" x 60" Bollardgard – (6.5" ID x 6.5" ID with a .188" wall; two 1" recesses 10" apart with a peaked top)	\$118.00





Decorative Bollard Covers



7" x 65" Charcoal Grey Granite Slant Top Decorative Bollard Cover

- 7.1" ID x 65" height x .188" wall
- Fits up to a 6-5/8" pipe



7" x 65" Black Slant Top Decorative Bollard Cover

- 7.1" ID x 65" height x .188" wall
- Fits up to a 6-5/8" pipe



8" x 65" Brown Granite Decorative Bollard Cover with Slant Top

- 9.125" ID x 65" height x .188" wall
- Fits up to an 8-5/8" pipe



7" x 65" Tan Granite Slant Top Decorative Bollard Cover

- 7.1" ID x 65" height x .188" wall
- Fits up to a 6-5/8" pipe



8" x 65" Charcoal Grey Granite Decorative Bollard Cover with Slant Top

- 9.125" ID x 65" height x .188" wall
- Fits up to an 8-5/8" pipe



8" x 65" Black Slant Top Decorative Bollard Cover

- 9.125" ID x 65" height x .188" wall
- Fits up to an 8-5/8" pipe



7" x 65" Brown Granite Slant Top Decorative Bollard Cover

- 7.1" ID x 65" height x .188" wall
- Fits up to a 6-5/8" pipe



8" x 65" Tan Granite Decorative Bollard Cover with Slant Top

- 9.125" ID x 65" height x .188" wall
- Fits up to an 8-5/8" pipe



11" x 39" Charcoal Granite Slant Top Decorative Bollard Cover

- 9.125" ID x 65" height x .188" wall
- Fits up to an 8-5/8" pipe

Quick and secure installation with Gripper Tab

• 5 year warranty against cracking and fading

DBC765CC	7" x 65" Charcoal Gray (Ash #9966) Granite Decorative Slant Top Bollard Cover (7.1" ID x .188" wall)	\$102.00
DBC765TG	7" x 65" Tan (Sandstone #9206) Granite Decorative Slant Top Bollard Cover (7.1" ID x .188" wall)	
DBC765BNG	7" x 65" Brown (Dark Monzonite #14042) Granite Decorative Slant Top Bollard Cover (7.1" ID)	\$102.00
DBC765BKN	7" x 65" Black Decorative Slant Top Bollard Cover (7.1" ID x .188" wall)	\$80.00
DBC865CC	8" x 65" Charcoal Gray (Ash #9966) Granite Decorative Slant Top Bollard Cover (9.125" ID x .188" wall)	\$121.00
DBC865TG	8" x 65" Tan (Sandstone #9206) Granite Decorative Slant Top Bollard Cover (9.125" ID x .188" wall)	\$121.00
DBC865BNG	8" x 65" Brown (Dark Monzonite #14042) Granite Decorative Slant Top Bollard Cover (9.125" ID x .188" wall)	\$121.00
DBC865BKN	8" x 65" Black Decorative Slant Top Bollard Cover (9.125" ID x .188" wall)	\$94.00
DBC1139CC	11"x39" Charcoal Gray (Ash #9966) Granite Decorative Slant Top Bollard Cover (11.15" ID) (Max pipe height - 27")	\$138.00





Square Bollard Covers



6" Square BollardGard Bollard Covers

- 6.5" ID x 60" lengths
- .188" wall thickness LDPE
- 5 year warranty against cracking and fading



Decorative Square Covers

6.5" x 60" Brown Square Granite Decorative Bollard Cover

- 9.125" ID x 65" height x .188" wall
- Fits up to an 8-5/8" pipe



7" x 40" Bollard Pole Soft Padded Cover

- Fits up to 7" diameter bollard post x 40" tall
- Waterproof, fade resistant and mold/mildew proof



7" x 50" Bollard Pole Soft Padded Cover

- Fits up to 7" diameter bollard post x 50" tall
- Waterproof, fade resistant and mold/mildew proof



BollardGard Anywhere - 4" x 52"

- Heavy duty recycled rubber base
- Includes one 4" Bollardgard bollard cover
- Easily disassembled for transport



BollardGard Anywhere - 7" x 52"

- Heavy duty recycled rubber base
- Includes one 7" Bollardgard bollard cover
- · Easily disassembled for transport



BollardGard Anywhere™

BollardGard Anywhere Kit Parking Bollard


- (3) BollardGard Anywhere w/chain
- Spans up to 13'
- Limits access
- Indoor/outdoor use

SBC6560 Standard*	6.5" x 60" Square Bollardgard – (6.5" ID x 6.5" ID with a .188" wall; two 1" recesses 10" apart with a peaked top)	\$78.00
SBC6560BNG	6.5" x 60" Brown (Dark Monzonite #14042) Square Granite Bollardgard – (6.5" ID x 6.5" ID with a .188" wall; two 1" recesses 10" apart with a peaked top)	\$102.00
BP-40	7" x 40" Bollard Pole Soft Padded Cover	\$88.00
BP-50	7" x 50" Bollard Pole Soft Padded Cover	\$100.00
BGAW452	BollardGard Anywhere - 4" x 52" Cover with 25 lb Octagon Rubber Base, with (4) set screws to permanently attach the cover to the base	\$114.00
BGAW752	BollardGard Anywhere - 7" x 52" Cover with 25 lb Octagon Rubber Base, with (4) set screws to permanently attach the cover to the base	\$117.00
BGAWKIT	BollardGard Anywhere Kit – includes (3) BGAW (with screws), (6) threaded inserts & jack nuts, installed 2" below the bottom recess (2) on each cover, (6) eyebolts, (2) sections of 6' yellow chain, & (6) yellow C-links	\$392.76





Bollard Covers



HDPE Smooth Bollard Post Sleeves

Smooth Bollard Post Sleeves are available to fit over 4 in. (10.2 cm.), 6 in. (15.2 cm.) and 8 in. (20.3 cm.) pipe and are available in red, yellow, blue and white (available in other colors for quantity orders). The smooth sleeves are 56 in. (142.2 cm.) in length and provide the same maintenance-free protection as the original bumper post sleeves. Sleeve height may be easily trimmed for an exact fit.

1735	4" Bumper Post Sleeve-Smooth Sided	4 lb	\$58.00
1736	6" Bumper Post Sleeve-Smooth Sided	6 lb	\$64.00
1737	8" Bumper Post Sleeve-Smooth Sided	8 lb	\$78.00



Yellow HDPE Smooth Bollard Post Sleeves with Reflective Stripes

HDPE Smooth Bollard Post Sleeves with reflective stripes. Keep your facility safe and protected with sleeves to fit over 4 in. (10.2 cm.), 6 in. (15.2 cm.) and 8 in. (20.3 cm.) pipe in HDPE yellow with two red stripes. Sleeve height may be easily trimmed for an exact fit.

1735RWS	RWS 4" Bumper Post Sleeve w/Reflective Strip-Red w/3/4" White Stripes		\$63.00
1736RWS	6" Bumper Post Sleeve w/Reflective Strip-Red w/3/4" White Stripes	6 lb	\$69.00
1737RWS	8" Bumper Post Sleeve w/Reflective Strip-Red w/3/4" White Stripes	8 lb	\$81.00



Red HDPE Smooth Bollard Post Sleeves with Reflective Stripes

HDPE Smooth Bollard Post Sleeves with reflective stripes. Keep your facility safe and protected with sleeves to fit over 4 in. (10.2 cm.), 6 in. (15.2 cm.) and 8 in. (20.3 cm.) pipe in HDPE red with two white stripes. Sleeve height may be easily trimmed for an exact fit.

1735YRS	735YRS 4" Bumper Post Sleeve w/Reflective Strip-Yellow w/3/4" Red Stripes		\$63.00
1736YRS	6" Bumper Post Sleeve w/Reflective Strip-Yellow w/3/4" Red Stripes	6 lb	\$69.00
1737YRS	8" Bumper Post Sleeve w/Reflective Strip-Yellow w/3/4" Red Stripes	8 lb	\$81.00



Decorative Post Sleeves

Beautiful HDPE post sleeves slip over 4 in. (10.2 cm.) x 4 in. (10.2 cm.) wooden or steel posts or can be used free standing with optional rubber base. Available in three styles. Includes 6 ft. (182.9 cm.) of poly chain.





1713BLK	Classic Post Sleeve-Black	10.0 lb	\$88.00
1714BLK	Golf Traditions Post Sleeve-Black	10.0 lb	\$88.00
1714WHT	Golf Traditions Post Sleeve-White	10.0 lb	\$88.00
1715BLK	Hitching Post Sleeve-Black	10.0 lb	\$97.00
1718BASE	Molded Rubber Base	10.0 lb	\$26.00
1719BLK	1719BLK Replacement Chain Kit-Black		\$34.00
1719WHT	Replacement Chain Kit-White	1.0 lb	\$34.00





Bollard Covers

Yellow Only Model 1738-72 | Model 1730-72 | 8 x 72 | 8 x 72 | 8 x 72 | (20.3cm. x 182.9cm.) | (20.3cm. x 182.9cm.) | Model 1738 | 8 x 72 | (20.3cm. x 182.9cm.) | (20.3cm. x 182.9cm.) | (20.3cm. x 182.9cm.) | (20.3cm. x 182.9cm.)


Original HDPE Bumper Post Sleeves



Model 1730BR 6" (15.2 cm.) (Brown)

Poly Base

Poly bases available for 4" (10.2 cm.) and 6" (15.2 cm.) post sleeves to convert into poly bollard.



Vallow Pad Lima Prown Cropp Orange Plus White Plack

Yellow Red Lime Brown Green Orange Blue White Black

The Original HDPE Bumper Post Sleeves have a vertical fluted design to provide extra protection and easier installation. They come 56 in. (142.24 cm.) in length (to fit 4 in./10.2 cm., 6 in./15.2 cm. and 8 in./20.3 cm. pipe) and are available in yellow, red, blue, white, green, orange, lime, brown and black. The 72 in. (182.9 cm.) length Bumper Post Sleeves (to fit 6 in./15.2 cm. and 8 in./20.3 cm. pipe) are available in yellow only. Sleeve height may be easily trimmed for an exact fit.

1732	4" Bumper Post Sleeve		\$58.00
1732BASE	Poly Base for 4" Post Sleeves	1 lb	\$19.00
1730	6" Bumper Post Sleeve	8 lb	\$64.00
1730-72	6" Bumper Post Sleeve-72" Long	11 lb	\$78.00
1730BASE	Poly Base for 6" Post Sleeves 1 lb \$3		\$19.00
1738	8" Bumper Post Sleeve	9 lb	\$78.00
1738-72	8" Bumper Post Sleeve-72" Long	15	\$93.00





Jump Packs and Cables, Lockout Tool Kit



Jump Pack

TCB-ES5000

1 Unit | \$191.99

- Easy to use and lightweight, it is the ideal entry level professional jump starter
- Its compact size, rugged case and ability to jump up to 5 vehicles on a single charge make the ES5000 a perfect companion for any
- situation in which you need portable power
- 900 Peak Amps
- 300 Cranking Amps
- ES Series battery designed
- specifically for vehicle jump starting
- Automatic recharging
- LED battery status indicator
- 21" #4 AWG cables
- Industrial Grade Hot Jaw™ clamps
- DC outlet to power 12 Volt accessories
- 1 year limited warranty



Jump Cables

ATD-79700

1 Unit \$32.99

- Copper clad aluminum cables
- Tangle free cables remain flexible to -40° F
- 600 Amp parrot clamps



Lockout Tool Kit

STE-32900

Includes:

- (1) Universal lockout tool for most standard locks
- (1) Button jack lockout tool for button-type locks
- (1) Vent key lockout tool for truck and van vent windows
- (1) Slide-unlocked tool
- (1) K-key for opening locks directly through the key hole
- (1) Wedge

\$71.99





Wheel Clamp, Wheel Boot



Wheel Boot Lock Clamp

- Heavy Duty Steel, Plastic Gripped tips to avoid damaging wheel rims., Fits most tires by adjusting to the tire width., Tire Width Sizing: 6 3/4" - 10 1/2"
- No Assembly Required Instructions included
- Easy to install and remove
- One (1) Wheel Tire Lock
- Two (2) Keys

1 Unit \$27.99



Heavy Duty Wheel Boot

- Wheel immobilizer can be used for parking enforcement or theft deterrent
- Jawless "Hook-Loc" attachment system eliminates possibility of damaging, scratching or marring
- Fits U.S. and foreign subcompact to full size vehicles and light trucks
- Heavy Duty: Fits most Wheels and Tires 2" 17.5" wide x 12"-24" diameter
- Domed design prevents removal of the wheel; Available in 12", 14" or 15" domed wheel covers
- Installs in less than one minute
- No assembly required

HRV_12	12"x13.25"x32.5"	24.5 lbs	\$790.00
HRV_14	14"x13.25"x32"	25.25 lbs	\$805.00
HRV_15	16"x13.25"x32.5"	26.25 lbs	\$820.00

Bases



\$48.30

sign post

(SB20)

Square Sign Base 18"(L) x 18"(W) x2 "(H). (Square); 20 lbs. Accommodates 2" PVC



\$65.60

(SB30)

Square Sign Base 18"(L) x 18"(W) x 3 "(H). (Octagon); 30 lbs. Accommodates 1.5" PVC sign post



\$115.40

sign post

(SB60)

Octagon Sig Base 18"(L) x 18"(W) x 6 "(H). (Octagon); 60 lbs. Accommodates 1.5" PVC



\$190.00

Cast Iron Base and Post

Base: 14" and 18" Post: 48" black



\$21.80

U Channel Adapter Post Sizes Available 4',5',6' (SBUC)



\$88.50

Economy Base Empty 8lb filled 60lb (ECOB)



\$180.00

Rubber Form Base PVC Post 72lb (RFBPVC)



\$180.00

Rubber Form Base Square Post 72lb (RFBSP)





Sign Systems



20lb Sign System

- w/42" PVC post
- White PVC



30lb Sign System

• w/42" PVC post

1-3	\$87.99	
4-9	\$83.99	
10+ \$78.99		
Wheels \$20		



60lb Sign System

• w/42" PVC post

1-3	\$143.99	
4-9	\$137.99	
10+	\$131.99	
Wheels \$20		



20lbCast Iron Sign System

- w/48" Iron Post
- Black Iron Post

1-3	\$143.99
4-9	\$137.99
10+	\$131.99
Wheels \$20	



Economy Sign System

- 48" Metal Post
- 60lb when filled with water/sand

1-3	\$101.99
4-9	\$99.99
10+	\$251.99



Wind Resistant Sign System

- Just Tip And Roll
- w/42" PVC post
- 72lb base

1-3	\$203.99
4-9	\$197.99
10+	\$191.99



Wind Resistant Sign System


- Just Tip And Roll
- w/42" Metal post
- 72lb base

1-3	\$263.99
4-9	\$257.99
10+	\$251.99





Keyboard



KB50

	2.10
1 2 3	4 5 6 7 8 9 10
11 12 13	3 14 15 16 17 18 19 20
21 22 23	24 25 26 27 28 29 30
31 32 33	3 34 35 36 37 38 39 40
41 42 43	44 45 46 47 48 49 50
51 52 53	3 54 55 56 57 58 59 60
61 62 63 6	64 65 66 67 68 69 70
71 72 73	3 74 75 76 77 78 79 80
81 82 83 8	34 85 86 87 88 89 90
A 40 M	3 94 95 96 97 98 99 100

KB100

50 Keys

1-3	\$95.99
4-9	\$89.99
10+	\$84.99

100 Keys


1-3	\$167.99
4-9	\$161.99
10+	\$155.99

- 10mm coroplast
- Custom logo print available FREE
- 50 Keyboard 24"x24"x1"
- 100 Keyboard 24"x44"x1"
- Metal Hook Frame






Acrylic Portable Tip Box



Metal Portable Tip Box

Metal, Black w/lock Box Size: 7.125"w x 8.5"h x 6"d Post 1.5" Black PVC sch40 Glossy Base 18"x18"x3" 30lb

\$178.00



Acrylic Portable Tip Box

Acrylic, Black w/lock Box Size: 8"x6.5" Post 1.5" Black PVC sch40 Glossy Base 18"x18"x3" 30lb

\$190.00





Flags and Wands

Flags





18"x18"

1-24	\$3.50
25+	\$2.99



Vinyl Flag w/36" Dowel

24"x24"

1-24	\$4.79
25+	\$4.19

Plastic Wands





- 16.25"
- Batteries not Included

1-24	\$10.99
25+	\$9.99





- 21"
- Batteries not Included

1-24	\$11.99
25+	\$10.99

Wands

• Night Stick NIGHT STICK



• LED Wand • 3AAA Bat Inc

Water Proof	
Impact Resistance	\$16.99
• 18 hr Run Time	φιυ.99
• 16.5" Long	





Custom Traffic Barricade



- A-Frame is made of rigid impact resistant polyethylene 40" H
- Leg is sand fillable for ballasting
- Stackable for storage and transportation
- Impact resistant polyethylene 1" × 8" x 72" I Beam
- Engineer Grade reflective lettering
- Choose your color

\$298.99

Order 5
Get
Free Shipping





FlexPost-XL™ACCESSORIES



\$324.99

52" FLEXBOLLARD SYSTEM

#B52-C - Concrete #B52-A - Asphalt #B52-G - Natural Ground #B52-D - Adhesive Bollards come in 4.5" (slim) and 7" Diameters



\$237.99

78"

\$259.99

Standard FlexPost

#STD-C/#RGD-C - Concrete #STD-A/#RGD-A - Asphalt #STD-G/#RGD-G - Natural Ground #STD-D/#RGD— D — Adhesive



\$442.99

FLEXPOST XL -FINISHED HEIGHT 6.5' *INCLUDES SIGN BRACK-ETS (#A-XL-SB)* #XL-6PSK-C- Concrete #XL-6PSK-A - Asphalt #XL-6PSK-D- Adhesive



\$324.99

32" FLEXBOLLARD SYSTEM

#B32-C - Concrete #B32-A - Asphalt #B32-G - Natural Ground #B32-D - Adhesive Bollards come in 4.5" (slim) and 7" Diameters



\$442.99

XL REPLACEMENT BASE ALONE (*Anchoring kit sold separately*) #RE-XL-BP



\$598.99

52" FLEXBOLLARD XL 9' or 8' SIGNPOST *INCLUDES SIGN BRACK-ETS (#AXL-SB)*

#XL-B52/9-C - Concrete #XL-B52/9-A - Asphalt #XL-B52-/9-D - Adhesive #XL-B52/8-C - Concrete #XL-B52/8-A - Asphalt #XL-B52-/8-D - Adhesive



\$338.99

72" FLEXBOLLARD SYSTEM

#B72-C - Concrete #B72-A - Asphalt #B72-G - Natural Ground #B72-D - Adhesive Bollards come in 4.5" (slim) and 7" Diameters



\$550.99

Flex Bollard XL 52"

#XL-B52-C - Concrete #XL-B52-A - Asphalt #XL-B52-D -Adhesive



\$360.00

52" FLEXBOLLARD W/8FT SIGNPOST SYSTEM

#B52/8-C - Concrete #B52/8-A - Asphalt #B52/8-G - Natural Ground #B52/8-D - Adhesive Bollards come in 4.5" (slim) and 7" Diameters



\$562.99

72" FLEXBOLLARD XL

#XL-B72-C- Concrete #XL-B72-A - Asphalt #XL-B72-D - Adhesive



\$454.99

52" FLEXBOLLARD W/8FT SIGNPOST SYSTEM

#XL-9PSK-C- Concrete/#XL-8PSK-C- Concrete #XL-9PSK-A - Asphalt/ #XL-8PSK-A - Asphalt #XL-9PSK-D- Adhesive/ #XL-8PSK-D- Adhesive







Accessories



6' \$34.99

8' \$34.99

Optional 6' Sleeve (#A-PS6) Optional 8' Sleeve (#A-PS8)



\$24.99

Optional 6ft Black Powder Coated Post Upgrade #A-6BP



\$58.99

Optional 8ft Black Powder Coated Post Upgrade #A-8BP



\$27.99

Optional 8ft Signpost #A-8BP



\$45.99

Replacement 6ft Galvanized Signpost #RE-6P



\$64.99

Replacement 6ft Black Powder Coated Signpost #RE-6BP



\$57.99

Replacement 8ft Galvanized Signpost #RE-8P

\$46.99

Fastener Kit

Adhesive Mount-



\$85.99

Replacement 8ft Black Coated Signpost #RE-8BP



\$34.99

Optional Sign Brackets (1 set of 2 Brackets) #A-SB



\$46.99

Optional 18lb Portable Base #A-PB



\$46.99

Optional Spring Cover # RE-SC



\$46.99

Concrete Mounting Fastener Kit #RE-C



\$46.99

Asphalt Mounting Fastener Kit #RE-A



\$88.99

Replacement Bollard Cover #RE-B52 *Bollards Available as "Slim", add "S" before any part number



ing

#RE-D

\$34.99

Concrete Anchoring Kit #RE-C



\$88.99

Ground Spike #RE-GS



\$88.99

Base Plate #RE-BP



\$24.99

Optional ADA Handicap Decal #RE-ADA



\$88.99

Replacement Spring Kit #RE-SK



\$88.99



\$70.99

9 'Replacement Post (105") #RE-XL-9P 8' Replacement Post (99") #RE-XL-8P



\$58.99

6.5' Replacement Post (75") #RE-XL-6P



\$34.99

Asphalt Anchoring Kit #RE-A



\$34.99

Adhesive Anchoring Kit #RE-D



\$70.99

Detent Bracket Kit #A-XL-DK



\$34.99

Sign Bracket Kit #A-XL-SB







FLEXPOST-SM™ PRODUCTS



\$166.99

55" SIGN POST/ CHANNELIZER POST AND BASE

#SM-C-55P—Concrete #SM-A-55P—Asphalt #SM-G-55P-Ground #SM-D-55P-Adhesive



\$166.99

42" SIGN POST / CHANNELIZER POST **AND BASE**

#SM-C-42P-Concrete #SM-A-42P— Asphalt #SM-G-42P-Ground #SM-D-42P-Adhesive



\$169.99

GUIDE POST/ DELINETOR AND BASE

#SM-C-GP-Concrete #SM-A-GP-Asphalt #SM-G-GP— Ground #SM-D-GP-Adhesive



\$169.99

DELINEATOR PADDLE AND BASE

#SM-C-DP— Concrete #SM-A-DP-Asphalt #SM-G-DP-Ground #SM-D-DP— Adhesive



\$238.99

UNITS with 18LB PORTABLE BASE SM-55P + A-SM-PB18



\$238.99

UNITS with 18LB

PORTABLE BASE SM-42P+ A-SM-PB18



\$238.99

PORTABLE BASE SM-GP + A-SM-PB18

UNITS with 18LB



\$238.99

BASE SM-DP + A-SM-PB18 (No Decal)

with 18LB PORTABLE







FlexPost-SM™ Accessories





PEDESTRIAN CROSSWALK DECAL #A-PED



\$119.99

/ DELINEATOR



\$45.99

GROUND SPIKE #A-SM-GS



\$39.99

PEDESTRIAN STOP **CROSSWALK DECAL** #A-PED-S



\$24.99

CONCRETE MOUNTING FASTENER KIT #RE-SM-C



\$24.99

ASPHALT MOUNTING FASTENER KIT #RF-SM-A



\$24.99

ADHESIVE MOUNTING FASTENER KIT #RF-D



\$34.99

SM SIGN **BRACKET** #A-SM-SB



GUIDE POST ALONE (NO BASE) #RF-SM-GP



\$119.99

55" SIGN POST / CHANNELIZER POST / CHANNELIZER POST PADDLE ALONE **ALONE (NO BASE)** #RF-SM-55P



\$119.99

42" SIGN POST **ALONE (NO BASE)** #RF-SM-42P



\$119.99

DELINEATOR (NO BASE) #RF-SM-DP




\$24.99

TURN AND LOCK BASE #RE-SM-BP



TURN AND



\$70.99

TURN AND LOCK **18LB PORTABLE Base** #A-SM-PB18



\$39.99

BLACK/YELLOW DIAGONAL DECAL #A-YBDP



\$39.99

RED/WHITE DECAL #A-RWBP



\$39.99

BLACK/YELLOW CHEVRON DECAL #A-YBCD









Delineators



RP3420WB

Repo Post

- Post is constructed from UV Stabilized polmer, Dioxin-Free
- Surface mount for temporary or permanent installations
- ABS base made from 100% recycled material



Boomerang Delineators

- Meets all state specifications for two-way, two-lane delineators.
- The Boomerang base transfers the stress from impacts to the base, giving longer service life to the HDPE tube
- Round tube provides 360 degree visibility
- Boomerang is perfect for parking lots, islands, work zones, concrete barriers, gore zones, and bridges



523561

Boomerang Reboundable Base

- The Boomerang base transfers the stress from impacts to the base, giving longer service life to the HDPE tube
- Boomerang is perfect for parking lots, islands, work zones, concrete barriers, gore zones, and bridges
- Three times the elasticity of conventional rubber bases



523574

Boomerang Heavy Duty Base

- The Boomerang base transfers the stress from impacts to the base, giving longer service life to the HDPE tube
- Boomerang is perfect for parking lots, islands, work zones, concrete barriers, gore zones, and bridges
- Three times the elasticity of conventional rubber bases



523600

Boomerang Bolt Down Plate

- Square 8.5"x8.5" ABS base
- Designed to be used with Boomerang delineators

521039

Made from 100% recycled material

RP342OWB	3" Orange Repo Post x 42" (RP342), Hi-Intensity 3" x 9" White Sheeting (HI39S) with a Repo Base (RP3Base) (Also available in white)	\$31.00
521221	TD5200 Boomerang Delineator 2.25" x 42" Orange Post, Boomerang Base, 2-3" White HI Bands	\$38.00
521312W	TD5200 Boomerang Delineator 2.25" x 48" White Post & Boomerang Base, 2-3" White HI Bands	\$39.00
522209W	TD5200 3" Flat x 48" White Post & Boomerang Base, No reflective	\$37.10
521039W	TD5200 Boomerang Delineator 2.25" x 36" White Post, Boomerang Base, 2-3" White HI Bands	\$36.40
521039	TD5200 Boomerang Delineator 2.25" x 36" Orange Post, Boomerang Base, 2-3" White HI Bands	\$36.40
523561	Boomerang RB, Reboundable Base only, for delineators and markers	\$24.50
523574	Boomerang HB, Heavy Duty Base Only, for channelization & signs	\$24.50
523600	Boomerang FB, Bolt-Down Plate	\$12.30





Multipurpose Post



Multipurpose Post Fixed"

- Post is constructed of flexible plastic that is resistant to: ultraviolet light, ozone, and hydrocarbons.
- Unit has a reactive spring assembly that rebounds to upright when struck.
- Meets MUTCD Specifications
- NTPEP Tested (Report #99)
- Base & Hardware Sold Separately



3" Tubular Surface Mount Delineators

- Pricing on the Tubular Surface Mount Delineators come with Post, Collars, and Black Base
- Tubular Delins can be applied with Butyl Pads as well as asphalt/concrete anchors (not sold at Cortina)
- Tubular delineators come in various colors: Orange, Yellow, White
- Tubular delineators are offered in 28" and 36"



Multipurpose Post Quick Release

- Post is constructed of flexible plastic that is resistant to: ultraviolet light, ozone, and hydrocarbons.
- Unit has a reactive spring assembly that rebounds to upright when struck.
- Meets MUTCD Specifications
- NTPEP Tested (Report #99)
- Base & Hardware Sold Separately



2" Tubular Surface Mount Delineators

- Pricing on the Tubular Surface Mount Delineators come with Post, Collars, and Black Base (caps must be purchased separately)
- Tubular Delineators can be applied with Butyl Pads (see below) or asphalt/concrete anchors (buy locally)
- Tubular delineators come in various colors: Orange, Yellow, Black, Green, and White
- Tubular delineators are offered in 36" and 48"



Surface Mount Base Fixed

- Surface mount fixed base for use with Multipurpose posts, Tuff Posts, and Sign Posts
- each 16mm x 3" plasic sleeve, 1/2"x4" lag screw, and 1–1/4" metal washer



Surface Mount Base Quick Release"

- Surface mount quick release base for use with Multipurpose posts, Tuff Posts, and Sign Posts
- (4) each 16mm x 3" plasic sleeve, 1/2"x4" lag screw, and 1—1/4" metal washer

MP2-36-F	Multipurpose Post, 2.375" x 36", Fixed(BS-SMFB is needed for installation)	\$86.00
MP2-42-F	Multipurpose Post, 2.375" x 42", Fixed (BS-SMFB is needed for installation)	\$88.00
MP2-48-F	Multipurpose Post, 2.375" x 48", Fixed (BS-SMFB is needed for installation)	\$90.00
MP2-36-Q	Multipurpose Post, 2.375" x 36", Quick Release (BS-SMQB is needed for installation)	\$96.00
MP2-42-Q	Multipurpose Post, 2.375" x 42", Quick Release (BS-SMQB is needed for installation)	\$97.00
MP2-48-Q	Multipurpose Post, 2.375" x 48", Quick Release (BS-SMQB is needed for installation)	\$97.50
04-36	36" Tubular Delin (2)3" High Intensity Prismatic Collars	\$66.00
04-48	48" Tubular Delin (2)3" High Intensity Prismatic Collars	\$79.00
04-48-BEC	Black End Cap for Tubular Marker	\$1.80
04-10-BASE	Black Base for Tubular Markers - Universal for all sizes	\$15.00
04-728	28" Tubular Delin Post - (2)3" High Intensity Prismatic Collars	\$61.50
04-736	36" Tubular Delin Post - (2)3" High Intensity Prismatic Collars	\$67.00
04-10-BASE	Black Base for Tubular Markers - Universal for all sizes	\$15.00
4-10-PAD	Butyl Pad - Mounting Pad for Adhesive Mount Tubular Delineator	\$6.00
BS-SMFB	Surface Mount Base, Fixed Style, Black	\$32.00
BS-SMQB	Surface Mount Base, Quick Release, Black	\$34.00





Enviro-Cone®



Enviro-Cone - 18", 3lb Orange

- with 6" reflective collar, Orange.
- 18" Enviro-Cones can be made with 3lb bases. 16" reflective collar or no reflective collars.



Enviro-Cone - 28", 10lb Lime Green

- with 4" & 6" reflective collars, Lime Green.
- 28" Enviro-Cones can be made with 7lb, 10lb, or 12lb bases. 1 4", 1 6", 1 4" & 6", or no reflective collars.



Enviro-Cone - 18", 3lb Lime Green

- with 4" & 6" reflective collars, , Lime Green.
- 28" Enviro-Cones can be made with 7lb, 10lb, or 12lb bases. 1 4", 1 6", 1 4" & 6", or no reflective collars.



Enviro-Cone - 36", 12lb Orange

- with 4" & 6" reflective collars, Orange.
- 36" Enviro-Cones can be made with 10lb or 12lb bases; 1 4", 1 6", 1 4" & 6", or no reflective collars.



Enviro-Cone - 28", 10lb Orange

- with 4" & 6" reflective collars, Orange.
- 28" Enviro-Cones can be made with 7lb, 10lb, or 12lb bases. 1 4", 1 6", 1 4" & 6", or no reflective collars.



Enviro-Cone - 36", 12lb Lime Green

- with 4" & 6" reflective collars, Lime Green.
- 36" Enviro-Cones can be made with 10lb or 12lb bases; 1 4", 1 6", 1 4" & 6", or no reflective collars.

18" Enviro-Cone			
18" Enviro-Cone, 3LB Complete			
16018-NSWB-3	18" Cone, No Collars	\$10.90	
16018-HIWB-3	18" Cone w/(1) 6" Reflective Collar	\$15.6	
28" Enviro-Cone			
28" Enviro-Cone, 7 LB.	- Complete		
16028-NSWB-7	28" Cone, No Collars	\$16.60	
16028-HI4WB-7	28" Cone w/(1) 4" Reflective Collar (ON)	\$18.10	
16028-HI6WB-7	28" Cone w/(1) 6" Reflective Collar	\$21.60	
16028-HIWB-7	28" Cone w/(1) 6" & (1) 4" Reflective Collars	\$23.90	
28" Enviro-Cone, 10 LB	Complete		
16028-NSWB-10	28" Cone, No Collars	\$21.30	
16028-HI4WB-10	28" Cone w/(1) 4" Reflective Collar (ON)	\$22.10	
16028-HI6WB-10	28" Cone w/(1) 6" Reflective Collar	\$24.40	
16028-HIWB-10	28" Cone w/(1) 6" & (1) 4" Reflective Collars	\$27.80	
28" Enviro-Cone, 12 LB	Complete		
16028-NSWB-12	28" Cone, No Collars	\$24.20	
16028-HI4WB-12	28" Cone w/(1) 4" Reflective Collar (ON)	\$24.90	
16028-HI6WB-12	28" Cone w/(1) 6" Reflective Collar	\$28.00	
16028-HIWB-12	28" Cone w/(1) 6" & (1) 4" Reflective Collars	\$29.20	
36" Enviro-Cone			
36" Enviro-Cone, 10 LB	Complete		
16036-NSWB-10	36" Cone, No Collars	\$22.70	
16036-HI6WB-10	36" Cone w/(1) 6" Reflective Collar	\$28.20	
16036-HIWB-10	36" Cone w/(1) 6" & (1) 4" Reflective Collars	\$29.50	
36" Enviro-Cone, 12 LB	Complete		
16036-NSWB-12	36" Cone, No Collars	\$25.10	
16036-HI6WB-12	36" Cone w/(1) 6" Reflective Collar	\$29.50	
16036-HIWB-12	36" Cone w/(1) 6" & (1) 4" Reflective Collars	\$30.00	

• For Lime Color, add \$1.00 to above Prices and a -L to the middle of the Stock Number.

Example: 16028-L-HIWB-7





Color Traffic Cones



28" Orange Traffic **Cone Black Base** 2 Collars



28" Yellow Traffic Cone 28" Blue Traffic Cone **Black Base** 2 Collars



Black Base 2 Collars



28" White Traffic Cone **Black Base** 2 Collars

03-500-07	DW Traffic Cone 28" Orange 7#	\$23.00
03-500-64	DW Traffic Cone 28" Blue 7#	\$39.00
03-500-66	DW Traffic Cone 28" White 7#	\$39.00
03-500-67	DW Traffic Cone 28" Yellow 7#	\$39.00
03-500-10	DW Traffic Cone 28" Orange 7# 6"/4" Collars	\$32.50
03-500-69	DW Traffic Cone 28" Blue 7# 6"/4" Collars	\$43.50
03-500-75	DW Traffic Cone 28" Yellow 7# 6"/4" Collars	\$43.50
03-500-77	DW Traffic Cone 28" White 7# 6"/4" Collars	\$43.50



28" Spring Cones in the Cones Steel Tote



5 Spring Cones & Industrial Tote System				
Q5N5O-28R	Q5N5O-28R (5) 28" Reflective (6" & 4") 3# Spring Cones & (1) Tote \$234.90			
10 Spring Cones w/Locking Metal Box System				
Q10LB10O-28R	(10) 28" Reflective (6" & 4") 3# Spring Cones & (1) Tote	\$678.00		





Stacker Round Top Channelizer Cone











42" Round-Top Orange Cone

42" Round-Top Blue Cone

42" Round-Top Yellow Cone

42" Round-Top Lime Cone

10 Lbs Recycled Hexagon Rubber Base

03-770-36-P	36" Round-Top Orange Cone - No Collars	3 lbs.	\$21.00
03-770-36-64OW	36" Round-Top Orange Cone - 6"/4" Collars	3 lbs.	\$33.50
03-770-36B-P	36" Round-Top Blue Cone - No Collars	3 lbs.	\$28.00
03-770-36B64	36" Round-Top Blue Cone - 6"/4" Collars	3 lbs.	\$45.00
03-770-36Y-P	36" Round-Top Yellow Cone - No Collars	3 lbs.	\$28.00
03-770-36Y64	36" Round-Top Yellow Cone - 6"/4" Collars	3 lbs.	\$45.00
03-770-36L-P	36" Round-Top Lime Cone - No Collars	3 lbs.	\$28.00
03-770-36L64	36" Round-Top Lime Cone - 6"/4" Collars	3 lbs.	\$49.50
03-770-42-P	42" Round-Top Orange Cone - No Collars	4 lbs.	\$25.00
03-770-42-64OW	42" Round-Top Orange Cone - 6"/4" Collars	4 lbs.	\$40.00
03-770-42B-P	42" Round-Top Blue Cone - No Collars	4 lbs.	\$31.00
03-770-42B64	42" Round-Top Blue Cone - 6"/4" Collars	4 lbs.	\$45.00
03-770-42Y-P	42" Round-Top Yellow Cone - No Collars	4 lbs.	\$31.00
03-770-42Y64	42" Round-Top Yellow Cone - 6"/4" Collars	4 lbs.	\$45.00
03-770-42L-P	42" Round-Top Lime Cone - No Collars	4 lbs.	\$31.00
03-770-42L64	42" Round-Top Lime Cone - 6"/4" Collars	4 lbs.	\$38.00
03-770-5	Recycled Hexagon Rubber Base - 10 lbs.	10 lbs.	\$25.00
03-770-6	Recycled Hexagon Rubber Base - 15 lbs.	15 lbs.	\$27.50





Looper delineators



42" Orange Looper®			
46000-TRU8	10 lbs.	Non-Reflective	\$20.20
46133-TRU8HIP	10 lbs.	With (2) 3" Bands of HIP Reflective Tape	\$23.30
46144-TRU8HIP	10 lbs.	With (2) 4" Bands of HIP Reflective Tape	\$23.70
46133-TRU8DG	10 lbs.	With (2) 3" Bands of DG Reflective Tape	\$28.30
46144-TRU8DG	10 lbs.	With (2) 4" Bands of DG Reflective Tape	\$29.60
42" Orange Loop	er® Tube	with 12# Rubber Base	
46000-TRU12	14 lbs.	Non-Reflective	\$24.00
46133-TRU12HIP	14 lbs.	With (2) 3" Bands of HIP Reflective Tape	\$26.60
46144-TRU12HIP	14 lbs.	With (2) 4" Bands of HIP Reflective Tape	\$28.10
46133-TRU12DG	14 lbs.	With (2) 3" Bands of DG Reflective Tape	\$28.80
46144-TRU12DG	14 lbs.	With (2) 4" Bands of DG Reflective Tape	\$29.80
42" Orange Loop	er® Tube	with 18# Rubber Base	
46000-TRU18	20 lbs.	Non-Reflective	\$29.70
46133-TRU18HIP	20 lbs.	With (2) 3" Bands of HIP Reflective Tape	\$32.70
46144-TRU18HIP	20 lbs.	With (2) 4" Bands of HIP Reflective Tape	\$34.20
46133-TRU18DG	20 lbs.	With (2) 3" Bands of DG Reflective Tape	\$36.20
46144-TRU18DG	20 lbs.	With (2) 4" Bands of DG Reflective Tape	\$36.80
42" Orange Loop	er® Tube,	Stem Only (No Base)	
46000-TSO	2 lbs.	Non-Reflective	\$12.70
46133-TSO-HIP	2 lbs.	With (2) 3" Bands of HIP Reflective Tape	\$17.80
46144-TSO-HIP	2 lbs.	With (2) 4" Bands of HIP Reflective Tape	\$19.20
46133-TSO-DG	2 lbs.	With (2) 3" Bands of DG Reflective Tape	\$22.50
46144-TSO-DG	2 lbs.	With (2) 4" Bands of DG Reflective Tape	\$23.30

- For Colored Tubes (Black, White, Yellow & Lime) add \$1.00 to above price and change part number. See below
- For BLACK Looper Tube, change TRU or TSO to "TRB or TSB" in part number. Ex. 46133-TRB12HIP
- For WHITE Looper Tube, change TRU or TSO to "TRW or TSW" in part number. Ex. 46133-TRW18HIP
- For YELLOW Looper Tube, change TRU or TSO to "TRY or TSY" in part number. Ex. 46133-TSYHIP
- For LIME Looper Tube, change TRU or TSO to "TRL or TSL" in part number. Ex. 46133-TSLHIP

Tube Base Only,	Tube Base Only, Recycled Rubber					
42000-TB8	8 lbs.	8# Tube Base	\$13.00			
42000-TB12	12 lbs.	12# Tube Base	\$16.30			
42000-TB18	18 lbs.	18# Tube Base	\$22.40			





Ez Grab Delineator

EZ GRAB DELINEATOR PERMANENT



			7 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
03-735	3 lbs.	41" EZ Grab Straight Orange Post - (2)4" High Intensity Prismatic Collars	\$25.00
03-735B	3 lbs.	41" EZ Grab Straight Blue Post - (2)4" High Intensity Prismatic Collars	\$28.00
03-735Y	3 lbs.	41" EZ Grab Straight Yellow Post - (2)4" High Intensity Prismatic Collars	\$28.00
03-735FG	3 lbs.	41" EZ Grab Straight Forest Green Post - (2)4" High Intensity Prismatic Collars	\$28.00
03-735LI	3 lbs.	41" EZ Grab Straight Lime Post - (2)4" High Intensity Prismatic Collars	\$28.00
03-735W	3 lbs.	41" EZ Grab Straight White Post - (2)4" High Intensity Prismatic Collars	\$28.00
03-733-1	2 lbs.	Fiberglass Reinforced 8" Diameter Plastic Base w/channel clamp	\$25.00
EZ GRAB DELII	NEATOR PI	ERMANENT MOUNT - BOXED KITS	
03-746ABC	5 lbs.	41" EZ Grab Straight Orange Post - (2)4" HIP Collars & Base w/Clamp	\$52.00
03-746BABC	5 lbs.	41" EZ Grab Straight Blue Post - (2)4" HIP Collars & Base w/Clamp	\$55.00
03-746YABC	5 lbs.	41" EZ Grab Straight Yellow Post - (2)4" HIP Collars & Base w/Clamp	\$55.00
03-746FGABC	5 lbs.	41" EZ Grab Straight Forest Green Post - (2)4" HIP Collars & Base w/Clamp	\$55.00
03-746LIABC	5 lbs.	41" EZ Grab Straight Lime Post - (2)4" HIP Collars & Base w/Clamp	\$55.00
03-746RABC	5 lbs.	41" EZ Grab Straight Red Post - (2)4" HIP Collars & Base w/Clamp	\$55.00
03-746WABC	5 lbs.	41" EZ Grab Straight White Post - (2)4" HIP Collars & Base w/Clamp	\$55.00

EZ GRAB DELINEATOR PORTABLE



03-740	3 lbs.	45" EZ Grab Flared Orange Post - No Collars	\$20.50
03-734	3 lbs.	45" EZ Grab Flared Orange Post - (2)3" High Intensity Prismatic Collars	\$28.00
03-737	3 lbs.	45" EZ Grab Flared Orange Post - (2)3" HIP Collars w/(2) Amber Reflectors	\$41.50
03-747	3 lbs.	45" EZ Grab Flared Orange Post - (2)4" High Intensity Prismatic Collars	\$32.00
03-740B	3 lbs.	45" EZ Grab Flared Blue Post - No Collars	\$22.50
03-747B	3 lbs.	45" EZ Grab Flared Blue Post - (2)3" High Intensity Prismatic Collars	\$42.00
03-740Y	3 lbs.	45" EZ Grab Flared Yellow Post - No Collars	\$22.50
03-747Y	3 lbs.	45" EZ Grab Flared Yellow Post - (2)3" High Intensity Prismatic Collars	\$37.00
03-740FG	3 lbs.	45" EZ Grab Flared Forest Green Post - No Collars	\$22.50
03-747FG	3 lbs.	45" EZ Grab Flared Forest Green Post - (2)3" High Intensity Prismatic Collars	\$42.00
03-740LI	3 lbs.	45" EZ Grab Flared Lime Post - No Collars	\$22.50
03-747LI	3 lbs	45" EZ Grab Flared Lime Post - (2)3" High Intensity Prismatic Collars	\$34.00
03-740R	3 lbs.	45" EZ Grab Flared Red Post - No Collars	\$22.50
03-747R	3 lbs.	45" EZ Grab Flared Red Post - (2) 3" Reflective Collars	\$34.00
03-740W	3 lbs.	45" EZ Grab Flared White Post - No Collars	\$22.50
03-747W	3 lbs.	45" EZ Grab Flared White Post - (2)3" High Intensity Prismatic Collars	\$42.00
3-740BLK	3 lbs.	45" EZ Grab Flared Black Post - No Collars	\$22.50
03-747BLK	3 lbs.	45" EZ Grab Flared Black Post - (2)3" High Intensity Prismatic Collars	\$42.00

EZ GRAB BASE OPTIONS							
03-730	10 lbs.	Recycled Square Rubber Base - 10 lbs.	\$16.00				
03-731	15 lbs.	Recycled Hexagon Rubber Base - 15 lbs.	\$25.00				



<u>3-729-5</u>	25 IDS. 1	<u>-2 Grab 5 Oran</u>	<u>ge Post</u>	Curb Base System (includes: 5 ea. 03-734 and base	\$192.38
1	8	03-824CBKT	32 lbs.	EZ Grab Cone Bar System Includes: (2) 45" EZ	\$142.65
				Grab Flared Orange Post - (2)3" HIP Collars,	
				(2) Square Rubber 10 lb. Bases and Cone Bar,	
				Retractable 5'-9' Orange w/(3) 4" HI Collars (5"	
-	-			dia. ring)	





Call to Order **516-825-0727**Or Visit Us On-Line
Parkingproshop.com
Bulk Pricing Available

EZ GRAB DELINEATOR

PERMANENT MOUNT -

BOXED KITS

Plastic Chains

• Plastic Chain

Highest-quality plastic chain made in the US direct from the manufacturer. Choose from endless combinations of styles, colors and sizes.



	Chain	Feet	
1-100	3/4"	100	\$66.99
10001-100	1"	100	\$70.99
30001-100	1.5"	100	\$79.99
50001-100	2"	100	\$93.99
51001-100	2" HD	100	\$100.99
80001-100	3"	100	\$138.99

_				
		Chain	Feet	
	00101	3/4"	200	\$142.99
	10101	1"	250	\$190.99
	30101	1.5"	200	\$160.99
	50101	2"	125	\$115.99
	51101	2" HD	100	\$100.99
	80100	3"	60	\$82.99

	Chain	Feet	
10001	1"	350	\$258.99
30001	1.5"	300	\$238.99
50001	2"	160	\$150.99
51001	2" HD	120	\$118.99
80001	3"	70	\$94.99

Accessories

From plastic s-hook chain connectors to plasticstanchion c-hooks and o-rings, and 1"-2" clips to magnet ring/carabiner kits, we have the plastic chain and stanchion accessories to fit your needs.



Master Link							
00701-10	3/4"	10 Units	\$3.60				
10701-10	1"	10 Units	\$4.40				
30701-10	1.5"	10 Units	\$5.00				
50701-10	2"	10 Units	\$5.80				
51701-10	2" HD	10 Units	\$6.90				
80701-10	3"	10 Units	\$12.90				

S Hook							
00301-10	3/4"	10 Units	\$3.60				
10301-10	1"	10 Units	\$4.40				
30301-10	1.5"	10 Units	\$5.00				
50301-10	2"	10 Units	\$5.80				
80301-10	3"	10 Units	\$12.90				

Connect all Straps						
97603-S Small Black \$8.99 Unit						
97603-L Large Black \$9.99 Unit						





Parking Meter Hoods



Custom Cloth Meter Hoods

- Grommets
- Durable and weather resistant
- Made of 600 Denier Polyester Sunbrella is a top of the line fabric in fade resistance from the sun and or staining
- Available in:





Single

1-100	\$26.00	ea
101-199	\$24.50	ea
200+	\$21.99	ea

Screen manufacturing fee \$50 Screened add' \$1 per unit





Custom PVC Meter Hoods

- NO PARKING printed on both sides with grommets
- Custom marking available Available sizes:
- Single Hood 12"W x 20"H
- Double Hood 21"W x 25"H

Single

1-100	\$14.00	ea
101-199	\$13.80	ea
200+	\$12.99	ea

Screen manufacturing fee \$50 Screened add' \$1 per unit





Tickets











Standard Tickets

Hanging Tickets

CALL FOR PRICING

- 110lb paper
- All custom sizes available
- Logo and other custom design included
- Barcode available

CALL FOR PRICING









Green

White Yellow Blue







Manilla Salmon Gray







5-CHANNEL HEAVY DUTY LINEBACKER®

- HUV-stabilized polyurethane material
- Protects cables and hoses up to 1.35 in. outside dia.
- Patented T-Connectors to extend to any length
- Patented 5-bar tread surface for maximum traction
- Reinforced hinged lid for easy cable placement
- Easy to transport, setup, disassemble and store







ACCESSIBILITY RAMPS AND RAILS:

for 5-Channel Heavy Duty Linebacker®




RAILS MODEL: CPRL-4/5

RAMPS MODEL: CPRP-4/5

PROTECTOR BRIDGES

for 5-Channel Heavy Duty Linebacker®



Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CP5X125-Y0	5-CH LB HD	36 in. (91.4 cm)	20 in. (50.8 cm)	2.31 in. (5.72 cm)	1.35 in. (3.43 cm)	1.35 in. (3.43 cm)	25 lb. (11.3 kg)	<u>^</u>
CPT5X125-L-Y0	45° Left Turn	25 in. (63.5 cm)	20 in. (50.8 cm)	2.31 in. (5.72 cm)	1.35 in. (3.43 cm)	1.35 in. (3.43 cm)	13 lb. (5.9 kg)	<u>^</u>
CPT5X125-R-Y0	45° Right Turn	25 in. (63.5 cm)	20 in. (50.8 cm)	2.31 in. (5.72 cm)	1.35 in. (3.43 cm)	1.35 in. (3.43 cm)	13 lb. (5.9 kg)	<u>^</u>
CPEC5X125-0	End Caps (Pair Only)	F: 7.5 in. (19 cm) M: 5.25 in. (13.3 cm)	20 in. (50.8 cm) 20 in. (50.8 cm)	2.31 in. (5.72 cm) 2.31 in. (5.72 cm)	1.35 in. (3.43 cm) 1.35 in. (3.43 cm)	1.35 in. (3.43 cm) 1.35 in. (3.43 cm)	3.5 lb. (1.6 kg) 3.5 lb. (1.6 kg)	\triangle

Model	Description	Length	Width	Height	Weight	Prop 65
CPRP-4/5-BLU	Ramps Pair	36 in. (91.44 cm) (single)	21.88 in. (55.58 cm) (single)	2 in. (5.08 cm)	40 lb. (18.1 kg) (pair)	<u>^</u>
CPRL-4/5-Y	Rails Pair	1.5 in. (3.18 cm)	55.5 in. (140.97 cm)	2 in. (5.08 cm)	12.75 lb. (5.8 kg)	<u>^</u>


Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CL2X150-4/5-0	2-CH Protector Bridge for 5-CH LB HD	36 in. (91.44 cm)	14 in. (35.56 cm)	2.125 in. (5.3 cm)	1.5 in. (3.81 cm)	1.5 in. (3.81 cm)	18 lb. (8.2 kg)	<u>^</u>



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







4-CHANNEL HEAVY DUTY LINEBACKER®

- Protects cables and hoses up to 1.35 in. outside dia.
- Patented T-Connectors to extend to any length
- Patented 5-bar tread surface for maximum traction
- Reinforced hinged lid for easy cable placement
- All-weather polyurethane construction
- Easy to transport, setup, disassemble and store





MODEL: CP4X125-YO

ACCESSIBILITY RAMPS AND RAILS

for 4-Channel Heavy Duty Linebacker®






RAMPS MODEL: CPRP-4/5-Y

PROTECTOR BRIDGES

for 4-Channel Heavy Duty Linebacker®



MODEL: CL2X150-4/5-0

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CP4X125-Y0	4-CH LB HD	36 in. (91.4 cm)	20 in. (50.8 cm)	2.31 in. (5.72 cm)	1.85 in. (4.71 cm)	1.35 in. (3.43 cm)	26 lb. (11.8 kg)	<u>^</u>
CPT4X125-L-Y0	45° Left Turn	25 in. (63.5 cm)	20 in. (50.8 cm)	2.31 in. (5.72 cm)	1.85 in. (4.71 cm)	1.35 in. (3.43 cm)	13 lb. (5.9 kg)	<u>^</u>
CPT4X125-R-Y0	45° Right Turn	25 in. (63.5 cm)	20 in. (50.8 cm)	2.31 in. (5.72 cm)	1.85 in. (4.71 cm)	1.35 in. (3.43 cm)	13 lb. (5.9 kg)	<u>^</u>
CPEC4X125-0	End Caps (Pair Only)	F: 7.5 in. (19 cm) M: 5.25 in. (13.3 cm)	, ,	2.31 in. (5.72 cm) 2.31 in. (5.72 cm)	1.85 in. (4.71 cm) 1.85 in. (4.71 cm)	1.35 in. (3.43 cm) 1.35 in. (3.43 cm)	3.5 lb. (1.6 kg) 3.5 lb. (1.6 kg)	<u> </u>

Model	Description	Length	Width	Height	Weight	Prop 65
CPRP-4/5-BLU	Ramps Pair	36 in. (91.44 cm) (single)	21.88 in. (55.58 cm) (single)	2 in. (5.08 cm)	40 lb. (18.1 kg) (pair)	<u>^</u>
CPRL-4/5-Y	Rails Pair	1.5 in. (3.18 cm)	55.5 in. (140.97 cm)	2 in. (5.08 cm)	12.75 lb. (5.8 kg)	<u>^</u>


Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CL2X150-4/5-0	2-CH Protector Bridge for 5-CH LB HD	36 in. (91.44 cm)	14 in. (35.56 cm)	2.125 in. (5.3 cm)	1.5 in. (3.81 cm)	1.5 in. (3.81 cm)	18 lb. (8.2 kg)	<u>^</u>



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







3-CHANNEL HEAVY DUTY LINEBACKER®

- Protects cables and hoses up to 2.25 in. outside dia.
- Patented T-Connectors to extend to any length
- Reinforced hinged lid for easy cable placement
- All-weather polyurethane construction
- Patented 5-bar tread surface for maximum traction
- Easy to transport, setup, disassemble and store









MODEL: CP3X225-YO

MODEL: CPEC3X225-0

ACCESSIBILITY RAMPS AND RAILS

for 3-Channel Heavy Duty Linebacker®





MODEL: CPRP-3-BLU









Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CP3X225-Y0	3-CH LB HD	36 in. (91.4 cm)	20 in. (50.8 cm)	3.05 in. (7.75 cm)	2.25 in. (5.72 cm)	2.25 in. (5.72 cm)	28 lb. (12.7 kg)	<u>^</u>
CPT3X225-L-Y0	45° Left Turn	25 in. (63.5 cm)	20 in. (50.8 cm)	3.05 in. (7.75 cm)	2.25 in. (5.72 cm)	2.25 in. (5.72 cm)	15 lb. (6.8 kg)	<u>^</u>
CPT3X225-R-Y0	45° Right Turn	25 in. (63.5 cm)	20 in. (50.8 cm)	3.05 in. (7.75 cm)	2.25 in. (5.72 cm)	2.25 in. (5.72 cm)	15 lb. (6.8 kg)	<u>^</u>
CPEC3X225-0	End Caps (Pair Only)	F: 8.25 in. (20.96 cm) M: 6 in. (15.24 cm)	20 in. (50.8 cm) 20 in. (50.8 cm)	, ,	2.25 in. (5.72 cm) 2.25 in. (5.72 cm)	` ,	4 lb. (1.8 kg) 4 lb. (1.8 kg)	<u>^</u>

Model	Length	Width	Height	Weight	Prop 65
CPRP-3-BLU (Includes 2 ramps & 4 connectors)	36 in. (91.44 cm)	34.81 in. (88.42 cm)	2.88 in. (7.32 cm)	66 lb. (30 kg)	Λ




⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





4-CHANNEL GENERAL MANUFACTURING LINEBACKER®



2-CHANNEL HEAVY DUTY LINEBACKER®

- Protects cables and hoses up to 3.25 in. outside dia.
- Patented T-Connectors to extend to any length
- Reinforced hinged lid for easy cable placement
- All-weather polyurethane construction
- Patented 5-bar tread surface for maximum traction
- Easy to transport, setup, disassemble and store










Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CP2X325-Y0	2-CH HD LB	36 in. (91.4 cm)	22 in. (55.88 cm)	4.13 in. (10.16 cm)	3.25 in. (8.26 cm)	3.25 in. (8.26 cm)	33 lb. (15.0 kg)	<u>^</u>



4-CHANNEL GENERAL MANUFACTURING **LINEBACKER®**

- Protects cables and hoses up to 3 in. outside dia.
- Designed for manufacturing facilities
- Patented T-Connectors to extend to any length
- Thick lid and base allow for high volume of traffic
- Reinforced hinged lid for easy cable placement
- Modular interlocking design









MODEL: CP4X300-YO

MODEL: CPY4X300-YO

MODEL: CPCR4X300-YO

MODEL: CPEC4X300-0

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CP4X300-Y0	4-CH Gen. Manf. LB	36 in. (91.4 cm)	23.875 in. (60.64 cm)	3.875 in. (9.84 cm)	3 in. (7.62 cm)	3 in. (7.62 cm)	42.2 lb. (19.1 kg)	<u>^</u>
CPY4X300-Y0	45° Y Connector	24 in. (60.96 cm)	24 in. (60.96 cm)	3.875 in. (9.84 cm)	3 in. (7.62 cm)	3 in. (7.62 cm)	31.85 lb. (14.4 kg)	<u>^</u>
CPCR4X300-Y0	,	25.5 in. (64.77 cm)	24 in. (60.96 cm)				38.05 lb. (17.3 kg)	<u> </u>
CPEC4X300-0	End Caps (Pair Only)	F: 6.75 in. (17.15 cm) M: 6.75 in. (17.15 cm)	23.875 in. (60.64 cm) 23.875 in. (60.64 cm)	3.5 in. (8.89 cm) 3.5 in. (8.89 cm)	3 in. (7.62 cm) 3 in. (7.62 cm)	3 in. (7.62 cm) 3 in. (7.62 cm)	6.3 lb. (2.9 kg) 9.45 lb. (4.3 kg)	<u> </u>




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





5-CHANNEL GENERAL PURPOSE LINEBACKER®




5-CHANNEL GENERAL PURPOSE LINEBACKER®

- Protects cables and hoses up to 1.3 in. outside dia.
- Patented T-Connectors to extend to any length
- Reinforced hinged lid for easy cable placement
- All-weather polyurethane construction
- Patented 5-bar tread surface for maximum traction
- Easy to transport, setup, disassemble and store



ACCESSIBILITY RAMPS AND RAILS

for 5-Channel General Purpose Linebacker®





PROTECTOR BRIDGES

for 5-Channel General Purpose Linebacker®



MODEL: CL2X150-4/5-0

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CP5X125-GP-0Y	5-CH GP LB	36 in. (91.44 cm)	17.25 in. (43.82 cm)	1.95 in. (5.0 cm)	1.3 in. (3.3 cm)	1.3 in. (3.3 cm)	22 lb. (10 kg)	<u>^</u>
CPEC5X125-GP-OY	45° Right Turn	19.75 in. (50.17 cm)	17.25 in. (43.82 cm)	1.95 in. (5.0 cm)	1.3 in. (3.3 cm)	1.3 in. (3.3 cm)	9.4 lb. (4.3 kg)	<u>^</u>
CPEC5X125-GP-0		F: 4.75 in. (12.07 cm) F: 4.75 in. (12.07 cm)			1.3 in. (3.3 cm) 1.3 in. (3.3 cm)	1.3 in. (3.3 cm) 1.3 in. (3.3 cm)	2.7 lb. (1.2 kg) 2.7 lb. (1.2 kg)	<u> </u>

Model	Description	Length	Width	Height	Weight	Prop 65
CPRP-5GP-BLU	Ramps Pair	36 in. (91.44 cm) (single)	21.88 in. (55.58 cm) (single)	2 in. (5.08 cm)	40 lb. (18.1 kg) (pair)	<u>^</u>
CPRL-5GP-Y	Rails Pair	1.5 in. (3.18 cm)	54 in. (137.16 cm)	2 in. (5.08 cm)	12.75 lb. (5.8 kg)	<u>^</u>

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CL2X150-GP-0	2-CH Protector Bridge for 5-CH GP LB	36 in. (91.44 cm)	12.5 in. (21.6 cm)	1.875 in. (4.76 cm)	1.5 in. (3.81 cm)	1.5 in. (3.81 cm)	14 lb. (6.4 kg)	$\overline{\mathbf{V}}$




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





1-CHANNEL GENERAL PURPOSE LINEBACKER®



1-CHANNEL GENERAL PURPOSE LINEBACKER®

- Protects cables and hoses up to 2.25 in. outside dia.
- Patented T-Connectors to extend to any length
- Drop Over or Split Top models available
- All-weather polyurethane construction
- Modular interlocking design is lightweight and easy to transport, setup, disassemble and store










1.25 INCH SINGLE CHANNEL SPECIFICATIONS

Model	Description	Length	Width	Height	Maximum OD	Weight	Prop 65
CP1X125-GP*	1.25 in. 1-CH GP Split Top CP	36 in. (91.44 cm)	11.5 in. (29.21 cm)	1.6 in. (4.06 cm)	1.25 in. (3.18 cm)	13 lb. (5.9 kg)	<u>^</u>
CP1X125-GP-D0*	1.25 in. 1-CH GP Drop Over CP	36 in. (91.44 cm)	11.5 in. (29.21 cm)	1.6 in. (4.06 cm)	1.25 in. (3.18 cm)	13 lb. (5.9 kg)	<u>^</u>

2.25 INCH SINGLE CHANNEL SPECIFICATIONS

Model	Description	Length	Width	Height	Maximum OD	Weight	Prop 65
CP1X225-GP*	2.25 in. 1-CH GP Split Top CP	36 in. (91.44 cm)	14.25 in. (36.19 cm)	3 in. (7.62 cm)	2.25 in. (5.72 cm)	24 lb. (10.9 kg)	<u>^</u>
CP1X225-GP-D0*	2.25 in. 1-CH GP Drop Over CP	36 in. (91.44 cm)	14.25 in. (36.19 cm)	3 in. (7.62 cm)	2.25 in. (5.72 cm)	24 lb. (10.9 kg)	<u>^</u>







RAILS MODEL: CPRL-1X125-Y RAMPS MODEL: CPRP-1X125-BLU & CPRP-1X225-BLU

Model	Description	Length	Width	Height	Weight	Prop 65
CPRP-1X125-BLU	Ramps Pair (for 1 Channel 1.25 in. max OD)	36 in. (91.44 cm) (single)	21.88 in. (55.58 cm) (single)	2 in. (5.08 cm)	40 lb. (18.1 kg) (pair)	<u>^</u>
CPRL-1X125-Y	Rails Pair	1.5 in. (3.81 cm)	47 in. (119.38 cm)	2 in. (5.08 cm)	12.7 lb. (5.8 kg)	<u>^</u>
CPRP-1X225-BLU	Ramps Pair (for 1 Channel 2.25 in. max OD)	36 in. (91.44 cm) (single)	34.81 in. (88.42 cm) (single)	2.88 in. (7.32 cm)	66 lb. (30 kg) (pair)	<u>^</u>



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





5-CHANNEL HEAVY DUTY YELLOW JACKET®



5-CHANNEL HEAVY DUTY YELLOW JACKET®

- Protects cables and hoses up to 1.25 in. outside dia.
- The "original" cable protector
- Dog Bone Connectors to extend to any desired length
- Thick lid and base allow for high volume of traffic
- Hinged lid for easy cable placement
- Modular interlocking design










AMS®ACCESSIBILITY RAMPS AND RAILS:

for 5-Channel Heavy Duty Yellow Jacket®



AMS®ACCESSIBILITY RAMPS KITS

for 5-Channel Heavy Duty Yellow Jacket®





Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
YJ5-125-YB	5-CH HD YJ CP	36 in. (91.4 cm)	19.75 in. (50.2 cm)	1.875 in. (4.76 cm)	1.375 in. (3.49 cm)	1.25 in. (3.17 cm)	28.2 lb. (12.8 kg)	<u>^</u>
YJ5TL-125-YB	45° Left Turn	24 in. (61 cm)	19.75 in. (50.2 cm)	1.875 in. (4.76 cm)	1.25 in. (3.18 cm)	1.325 in. (3.37 cm)	14.2 lb. (6.4 kg)	<u>^</u>
YJ5TR-125-YB	45° Right Turn	24 in. (61 cm)	19.75 in. (50.2 cm)	1.875 in. (4.76 cm)	1.25 in. (3.18 cm)	1.325 in. (3.37 cm)	14.2 lb. (6.4 kg)	Λ
YJ5EB-125-Y	End Caps (Pair Only)	F: 7.375 in. (18.7 cm) M: 4.25 in. (10.8 cm)	19.75 in. (50.2 cm) 19.75 in. (50.2 cm)	1.875 in. (4.76 cm) 1.875 in. (4.76 cm)	1.25 in. (3.18 cm) 1.25 in. (3.18 cm)	1.125 in. (2.86 cm) 1.125 in. (2.86 cm)	4.05 lb. (1.8 kg) 3.45 lb. (1.6 kg)	<u>^</u>
YJ5X-125-YB	90° 4-Way Cross	W= 28.5 in. (72.4 cm) W2= 24.5 in. (62.2 cm)	19.75 in. (50.2 cm)	1.875 in. (4.76 cm)	1.339 in. (3.4 cm)	1.325 in. (3.37 cm)	23.1 lb. (10.5 kg)	<u> </u>

Model	Description	Length	Width	Height	Weight	Prop 65
WSA-125-RFAH-Y	Female Ramp	36 in. (91.44 cm)	20.38 in. (51.75 cm)	1.875 in. (4.76 cm)	26 lb. (11.8 kg)	<u>^</u>
WSA-125-RMAH-Y	Male Ramp	36 in. (91.44 cm)	20 in. (50.8 cm)	1.875 in. (4.76 cm)	24.85 lb. (11.3 kg)	<u>^</u>
WSA-125-BFF-BLU	Side Ramps - Female Pair	17.75 in. (45.09 cm)	20.5 in. (52.07 cm)	1.875 in. (4.76 cm)	16.8 lb. (7.6 kg)	<u>^</u>
WSA-125-BFM-BLU	Side Ramps - Male Pair	17.75 in. (45.09 cm)	20.5 in. (52.07 cm)	1.875 in. (4.76 cm)	18.9 lb. (8.6 kg)	<u>^</u>
YJ5-125-AMS-CTR-YB	AMS® Center Section	36 in. (91.44 cm)	11.75 in. (29.85 cm)	1.875 in. (4.76 cm)	16.7 lb. (7.6 kg)	<u>^</u>
YJ5I-125-YB	Interconnect (Interconnects can connect to Guard Dog® or Yellow Jacket® 5-Channel)	17.88 in. (45.4 cm)	19.75 in. (50.17 cm)	1.875 in. (4.76 cm)	M: 16 lb. (7.3 kg) F: 15.6 lb. (7.1 kg)	<u>^</u>

Model	Description	Length	Width	Height	Weight	Prop 65
WSA-125-KIT1-HS	Dog Bone Connector	111.13 in. (228.3 cm)	51.25 in. (130.2 cm)	1.875 in. (4.76 cm)	151.5 lb. (68.7 kg)	<u>^</u>
WSA-125-KIT2-HS	Hourglass® Connector	75.38 in. (191.5 cm)	51.25 in. (130.2 cm)	1.875 in. (4.76 cm)	101 lb. (45.8 kg)	<u>^</u>
WSA-125-KIT3-HS	Hourglass® Connector	36 in. (91.44 cm)	51.25 in. (130.2 cm)	1.875 in. (4.76 cm)	67.5 lb. (30.6 kg)	<u>^</u>




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





5-CHANNEL HEAVY DUTY ADA/DDA YELLOW JACKET® 4-CHANNEL HEAVY DUTY YELLOW JACKET®



MODEL: YJ5-125-ADA-YBLU


5-CHANNEL HEAVY DUTY ADA/DDA YELLOW JACKET®

- Protects cables and hoses up to 1.325 in. outside dia.
- ADA/DDA accessibility ramps built in
- Interconnects directly to a Standard Ramp 5-Channel
- Yellow Jacket Cable Protector
- Dog Bone Connectors to extend to any desired length
- Reinforced hinged lid for easy cable placement





Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
YJ5-125-ADA*	5-CH HD ADA YJ	18 in. (45.7 cm)	50.0 in. (127.0 cm)	1.875 in. (4.76 cm)	1.339 in. (3.4 cm)	1.325 in. (3.37 cm)	21 lb. (9.6 kg)	<u>^</u>



4-CHANNEL HEAVY DUTY YELLOW JACKET®

- Protects cables and hoses up to 1.25 in. outside dia.
- The "original" cable protector
- Dog Bone Connectors to extend to any desired length
- Thick lid and base allow for high volume of traffic
- Hinged lid for easy cable placement
- Modular interlocking design







MODEL: YJ4EB-12-Y

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
YJ4-125-YB	4-CH HD YJ CP	36 in. (91.4 cm)	17.5 in. (44.45 cm)	2 in. (5.08 cm)	1.25 in. (3.18 cm)	1.25 in. (3.18 cm)	23.5 lb. (10.7 kg)	Λ
YJ4EB-125-Y	End Caps (Pair Only)	F: 7.25 in. (18.42 cm) M: 4.25 in. (10.8 cm)	17.625 in. (44.77 cm) 17.625 in. (44.77 cm)	2 in. (5.08 cm) 2 in. (5.08 cm)	1.25 in. (3.18 cm) 1.25 in. (3.18 cm)	1.25 in. (3.18 cm) 1.25 in. (3.18 cm)	3.8 lb. (1.7 kg) 3 lb. (1.4 kg)	Λ



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





3-CHANNEL HEAVY DUTY YELLOW JACKET®



3-CHANNEL HEAVY DUTY YELLOW JACKET®

- Protects cables and hoses up to 2.125 in. outside dia.
- The "original" cable protector
- Available with Standard or Wide ramps
- Dog Bone Connectors to extend to any desired length
- Thick lid and base allow for high volume of traffic
- Modular interlocking design







MODEL: YJ3TL-225-YB

MODEL: YJ3TR-225-YB

MODEL: YJ3EB-225-Y

AMS®ACCESSIBILITY RAMPS AND RAILS

for 3-Channel Heavy Duty Yellow Jacket®



MODEL: YJ3-225-YB

AMS®ACCESSIBILITY RAMPS KITS

for 3-Channel Heavy Duty Yellow Jacket®





Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
YJ3-225-YB	3-CH HD YJ CP	36 in. (91.4 cm)	18.5 in. (50.8 cm)	2.875 in. (7.3 cm)	2.125 in. (5.4 cm)	2.125 in. (5.4 cm)	34.15 lb. (15.5 kg)	<u>^</u>
YJ3-225W-YB	3-CH HD YJ CP Wide Ramp	34.75 in. (88.3 cm)	26.75 in. (67.9 cm)	3.25 in. (8.3 cm)	2.125 in. (5.4 cm)	2.125 in. (5.4 cm)	62.9 lb. (28.5 kg)	Λ
YJ3TL-225-YB	45° Left Turn	23.5 in. (59.69 cm)	18.75 in. (47.63 cm)	2.875 in. (7.3 cm)	2.125 in. (5.4 cm)	2.125 in. (5.4 cm)	19 lb. (8.6 kg)	\triangle
YJ3TR-225-YB	45° Right Turn	23.5 in. (59.69 cm)	18.75 in. (47.63 cm)	2.875 in. (7.3 cm)	2.125 in. (5.4 cm)	2.125 in. (5.4 cm)	18.8 lb. (8.5 kg)	<u>^</u>
YJ3EB-225-Y	End Caps (Pair Only)	F: 8.25 in. (20.96 cm) M: 8.375 in. (21.27 cm)	18.625 in. (50.17 cm)		2.125 in. (5.4 cm) 2.125 in. (5.4 cm)	2.125 in. (5.4 cm) 2.125 in. (5.4 cm)	6.2 lb. (2.8 kg) 8.2 lb. (3.7 kg)	Λ

Model	Description	Length	Width	Height	Weight	Prop 65
WSA-225-RFAH-Y	Female Ramp	36 in. (91.44 cm)	33.25 in. (84.46 cm)	3 in. (7.62 cm)	90.1 lb. (40.9 kg)	\wedge
WSA-225-RMAH-Y	Male Ramp	36 in. (91.44 cm)	33.375 in. (84.77 cm)	3 in. (7.62 cm)	90.1 lb. (40.9 kg)	<u>^</u>
WSA-225-BFF-BLU	Side Ramps - Female Pair	17.75 in. (45.09 cm)	35.5 in. (90.17 cm)	3 in. (7.62 cm)	17.2 lb. (7.8 kg) (each)	<u>^</u>
WSA-225-BFM-BLU	Side Ramps - Male Pair	17.75 in. (45.09 cm)	35.5 in. (90.17 cm)	3 in. (7.62 cm)	18.4 lb. (8.3 kg) (each)	<u>^</u>
YJ3-225-AMS-CTR-YB	3-Channel AMS® Center Section	36 in. (91.44 cm)	9.87 in. (25.07 cm)	3 in. (7.62 cm)	19.5 lb. (8.8 kg)	<u>^</u>

Model	Description	Length	Width	Height	Weight	Prop 65
WSA-225-KIT1-HS	Dog Bone Connector	71.25 in. (180.98 cm)	77.875 in. (197.8 cm)	3 in. (7.62 cm)	290.4 lb. (131.7 kg)	<u>^</u>
WSA-225-KIT2-HS	Hourglass® Connector	36 in. (91.44 cm)	77.875 in. (197.8 cm)	3 in. (7.62 cm)	199.7 lb. (90.6 kg)	<u>^</u>



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







5-CHANNEL HEAVY DUTY YELLOW JACKET® **AMS® SYSTEM**

- System includes 1 AMS® center section and 1 pair of ramps
- Protects cables and hoses up to 1.25 in. outside diameter
- Connect unlimited center sections and add ramps
- Hourglass® connectors to extend to any length
- Hinged lid for easy cable placement
- Patented technology with modular interlocking design
- Can be used with the YJ5 Interconnect to be used with the YJ5 standard ramps.

(can only be used with one center section between side ramps)



Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
YJ5-125-AMS-YB	AMS System (includes 1 center section & 1 pair of ramps)		19.75 in. (50.17 cm)	2 in. (5.08 cm)	1.375 in. (3.49 cm)	1.25 in. (3.18 cm)	29.35 lb. (13.3 kg)	<u>^</u>
YJ5-125-AMS-CTR-YB	AMS Center Section	36 in. (91.44 cm)	11.75 in. (29.85 cm)	1.875 in. (4.76 cm)	1.375 in. (3.49 cm)	1.25 in. (3.18 cm)	16.65 lb. (7.6 kg)	<u>^</u>
YJ5-125-AMS-F-B	AMS Ramp Female	36 in. (91.44 cm)	5.125 in. (13.02 cm)	2 in. (5.08 cm)	N/A	N/A	7.35 lb. (3.3 kg)	<u>^</u>
YJ5-125-AMS-M-B	AMS Ramp Male	36 in. (91.44 cm)	5 in. (12.7 cm)	2 in. (5.08 cm)	N/A	N/A	5.35 lb. (2.4 kg)	Λ
YJ5I-125-YB	Interconnect	17.88 in. (45.4 cm)	19.75 in. (50.17 cm)	1.875 in. (4.76 cm)	N/A	N/A	M: 16 lb. (7.3 kg) F: 15.6 lb. (7.1 kg)	<u>^</u>



3-CHANNEL HEAVY DUTY YELLOW JACKET® **AMS® SYSTEM**

- System includes 1 AMS® center section and 1 pair of ramps
- Protects cables and hoses up to 2.25 in. outside diameter
- Connect unlimited center sections and add ramps
- Dog Bone connectors to extend to any length
- Hinged lid for easy cable placement
 - Patented technology with modular interlocking design



Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
YJ3-225-AMS-YB	AMS System (includes 1 center section & 1 pair of ramps)		18.61 in. (47.27 cm)	3 in. (7.62 cm)	2.25 in. (5.72 cm)	2.25 in. (5.72 cm)	39 lb. (17.7 kg)	<u> </u>
YJ3-225-AMS-CTR-YB	AMS Center Section	36 in. (91.44 cm)	9.87 in. (25.07 cm)	3 in. (7.62 cm)	2.25 in. (5.72 cm)	2.25 in. (5.72 cm)	19.5 lb. (8.8 kg)	<u>^</u>
YJ3-225-AMS-F-B	AMS Ramp Female	36 in. (91.44 cm)	5.5 in. (13.97 cm)	3 in. (7.62 cm)	N/A	N/A	10.1 lb. (4.6 kg)	<u>^</u>
YJ3-225-AMS-M-B	AMS Ramp Male	36 in. (91.44 cm)	4.7 in. (11.96 cm)	3 in. (7.62 cm)	N/A	N/A	9.4 lb. (4.3 kg)	<u>^</u>




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





5-CHANNEL GENERAL PURPOSE GUARD DOG®



5-CHANNEL GENERAL PURPOSE GUARD DOG®

- Protects cables and hoses up to 1.325 in. outside dia.
- Reinforced hinged lid for easy cable placement
- All-weather polyurethane construction
- Patented 5-bar tread surface for maximum traction
- Includes four through-holes for temporary mounting











MODEL: GDT5X125-L-OB

MODEL: GDT5X125-R-OB

MODEL: GDEC5X125-0

MODEL: GDCR5X125-0B

ACCESSIBILITY RAMPS AND RAILS

for 5-Channel General Purpose Guard Dog®





PROTECTOR BRIDGES

for 5-Channel General Purpose Guard Dog®







MODEL: CL2X150-GD5-0

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GD5X125*	5-CH GP GD CP	36 in. (91.4 cm)	19.75 in. (50.17 cm)	1.875 in. (4.76 cm)	1.339 in. (3.4 cm)	1.325 in. (3.37 cm)	21 lb. (9.6 kg)	<u>^</u>
GDT5X125-L*	45° Left Turn	24.5 in. (62.23 cm)	19.75 in. (50.17 cm)	1.875 in. (4.76 cm)	1.339 in. (3.4 cm)	1.325 in. (3.37 cm)	11 lb. (5.0 kg)	<u>^</u>
GDT5X125-R*	45° Right Turn	24.5 in. (62.23 cm)	19.75 in. (50.17 cm)	1.875 in. (4.76 cm)	1.339 in. (3.4 cm)	1.325 in. (3.37 cm)	11 lb. (5.0 kg)	<u>^</u>
GDEC5X125*	End Caps (Pair Only)	F: 8.75 in. (22.23 cm) M: 5.25 in. (13.34 cm)	19.75 in. (50.17 cm)	1.875 in. (4.76 cm)	1.339 in. (3.4 cm)	1.325 in. (3.37 cm)	3 lb. (1.4 kg) 3 lb. (1.4 kg)	<u>^</u>
GDCR5X125*	90° 4-Way Cross	A: 28.5 in. (72.39 cm) A2: 24.5 in. (62.23 cm)	19.75 in. (50.17 cm)	1.875 in. (4.76 cm)	1.339 in. (3.4 cm)	1.325 in. (3.37 cm)	23.1 lb. (10.5 kg)	Λ

Model	Description	Length	Width	Height	Weight	Prop 65
CPRP-5GP-BLU	Ramps Pair (Blue)	36 in. (91.44 cm) (single)	21.88 in. (55.58 cm) (single)	2 in. (5.08 cm)	40 lb. (18.1 kg) (pair)	<u>^</u>
CPRL-5GD-Y	Rails Pair (Yellow)	2 in. (5.08 cm)	55.5 in. (140.97 cm)	2 in. (5.08 cm)	12.75 lb. (5.8 kg)	<u>^</u>

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CL2X150-GD5*	2-CH Protector Bridge for 5-CH GP GD CP	36 in. (91.44 cm)	13 in. (33.02 cm)	2 in. (5.08 cm)	1.5 in. (3.81 cm)	1.5 in. (3.81 cm	16 lb. (7.3 kg)	$\overline{\mathbf{V}}$



★ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov








5-CHANNEL FLAT EDGE GENERAL PURPOSE **GUARD DOG®**

- Fits flush to walls, stages, curbs, or any vertical wall
- Protects cables and hoses up to 1.325 in. outside dia.
- Dog Bone Connectors to extend to any desired length
- Reinforced hinged lid for easy cable placement
- All-weather polyurethane construction
- Modular interlocking design for easy setup



ACCESSIBILITY RAMPS

for 5-Channel Flat Edge General Purpose Guard Dog®





for 5-Channel Flat Edge General Purpose Guard Dog®





RAMPS MODEL: CPRP-5GD

nel Width	Maximum OD	Weight	Prop 65

MODEL: CL2X150-GD5-0

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GDFE5X125*	5-CH Flat Edge GP GD CP	36 in. (91.4 cm)	19.75 in. (50.17 cm)	1.875 in. (4.76 cm)	1.339 in. (3.4 cm)	1.325 in. (3.37 cm)	26.1 lb. (11.9 kg)	<u>^</u>

Model	Description	Length	Width	Height	Weight	Prop 65
CPRP-5GD-BLU	Ramps Pair (Blue)	36 in. (91.44 cm) (single)	21.88 in. (55.58 cm) (single)	2 in. (5.08 cm)	40 lb. (18.1 kg) (pair)	<u>^</u>

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
CL2X150-GD5*	2-CH Protector Bridge for 5-CH Flat Edge GP GD CP	36 in. (91.44 cm)	13 in. (33.02 cm)	2 in. (5.08 cm)	1.5 in. (3.81 cm)	1.5 in. (3.81 cm)	16 lb. (7.3 kg)	lack



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





5-CHANNEL GENERAL PURPOSE ADA/DDA GUARD DOG® 3-CHANNEL GENERAL PURPOSE GUARD DOG®



5-CHANNEL GENERAL PURPOSE ADA/DDA **GUARD DOG®**

- Protects cables and hoses up to 1.325 in. outside dia.
- ADA/DDA accessibility ramps built in
- Interconnects directly to a Standard Ramp 5-Channel Guard Dog Cable® Protector
- Dog Bone Connectors to extend to any desired length
- Reinforced hinged lid for easy cable placement

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GD5X125-ADA*	5-CH GP ADA GD	18 in. (45.7 cm)	50.0 in. (127.0 cm)	1.875 in. (4.76 cm)	1.339 in. (3.4 cm)	1.325 in. (3.37 cm)	21 lb. (9.6 kg)	<u>^</u>


3-CHANNEL GENERAL PURPOSE GUARD DOG®



- Protects cables and hoses up to 2.25 in. outside dia.
- Dog Bone Connectors to extend to any desired length
- Reinforced hinged lid for easy cable placement
- All-weather polyurethane construction
- Patented 5-bar tread surface for maximum traction
- Modular interlocking design for easy setup

ACCESSIBILITY RAMPS

for 3-Channel General Purpose Guard Dog®



Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GD3X225*	3-CH GP GD CP	36 in. (91.4 cm)	20 in. (51.0 cm)	3 in. (7.65 cm)	2.25 in. (5.72 cm)	2.25 in. (5.72 cm)	30 lb. (13.6 kg)	<u>^</u>

Model	Length	Height	Height	Weight	Prop 65
CPRP-GD3-BLU	36 in. (91.4 cm)	3 in. (7.62 cm)	2.88 in. (7.32 cm)	66 lb. (30 kg) (pair of ramps)	<u>^</u>



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





LOW PROFILE GENERAL PURPOSE GUARD DOG®



LOW PROFILE GENERAL PURPOSE GUARD DOG®

- Protects cables and hoses up to .75 in. outside dia.
- Reinforced hinged lid for easy cable placement
- Available with or without ADA/DDA Accessibility Ramps
- Patented 5-bar tread surface for maximum traction







5-CHANNEL LOW PROFILE GENERAL PURPOSE GUARD DOG®









Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GD5X75-ST*	5-CH w/Standard Ramp	36 in. (91.44 cm)	16.9 in. (43.0 cm)	1.25 in. (3.18 cm)	1.28 in. (3.25 cm)	.75 in. (1.9 cm)	14.75 lb. (6.69 kg)	<u>^</u>
GD5X75*	5-CH w/ADA Ramp	36 in. (91.44 cm)	33.3 in. (84.6 cm)	1.25 in. (3.18 cm)	1.28 in. (3.25 cm)	.75 in. (1.9 cm)	24.5 lb. (11.11 kg)	<u>^</u>

3-CHANNEL LOW PROFILE GENERAL PURPOSE GUARD DOG®









Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GD3X75-ST*	3-CH w/Standard Ramp	36 in. (91.44 cm)	13.8 in. (35.07 cm)	1.25 in. (3.18 cm)	1.25 in. (3.25 cm)	.75 in. (1.9 cm)	12.2 lb. (5.53 kg)	<u>^</u>
GD3X75*	3-CH w/ADA Ramp	36 in. (91.44 cm)	30.3 in. (76.98 cm)	1.25 in. (3.18 cm)	1.25 in. (3.25 cm)	.75 in. (1.9 cm)	23.4 lb. (10.61 kg)	<u>^</u>



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov






LOW PROFILE GENERAL PURPOSE GUARD DOG®

2-CHANNEL LOW PROFILE GENERAL PURPOSE GUARD DOG®







Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GD2X75-ST*	2-CH w/Standard Ramp	36 in. (91.44 cm)	11.94 in. (30.3 cm)	1.25 in. (3.18 cm)	1.5 in. (3.8 cm)	.75 in. (1.9 cm)	9.05 lb. (4.1 kg)	<u>^</u>
GD2X75*	2-CH w/ADA Ramp	36 in. (91.44 cm)	28.38 in. (72.09 cm)	1.25 in. (3.18 cm)	1.5 in. (3.8 cm)	.75 in. (1.9 cm)	22.85 lb. (10.36 kg)	<u>^</u>

1-CHANNEL LOW PROFILE GENERAL PURPOSE GUARD DOG®







Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GD1X75-ST*	1-CH w/Standard Ramp	36 in. (91.44 cm)	10.81 in. (27.46 cm)	1.25 in. (3.18 cm)	2.25 in. (5.72 cm)	.75 in. (1.9 cm)	7.8 lb. (3.54 kg)	<u>^</u>
GD1X75*	1-CH w/ADA Ramp	36 in. (91.44 cm)	27.25 in. (69.22 cm)	1.25 in. (3.18 cm)	2.25 in. (5.72 cm)	.75 in. (1.9 cm)	21.1 lb. (9.55 kg)	<u>^</u>



ANTI-SLIP TRACTION KITS for Low Profile Standard Guard Dog® Ramp Models


Model	Description	Weight	Prop 65
CPRPKIT.75-20	Anti-Slip Rubber Pad Kit for all Guard Dog Low Profile Protectors with Standard Ramps (includes 20 anti-slip rubber pads)	.11 lb. (.05 kg)	Λ
CPGLUE	½ oz. Bottle of Checkers' Clear Super Glue (best if kept refrigerated). Use for permanent application of Anti-Slip Rubber Pads	.07 lb. (.032 kg)	\triangle
CPCARPETKIT-3	Carpet Kit with VELCRO® Brand Fasteners for all Guard Dog Low Profile Protectors with Standard Ramps (includes two 37 in. x .25 in. Black Traction Strips and a ½ oz. Bottle of Checkers' Clear Super Glue)	.09 lb. (.041 kg)	<u>^</u>



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







3-CHANNEL GENERAL PURPOSE DROP-OVER GUARD DOG®

- Protects cables and hoses up to 1.325 in. outside dia.
- Dog Bone Connectors to extend to any desired length
- Fast install with drop-over design
- All-weather polyurethane construction
- Patented 5-bar tread surface for maximum traction
- Connects to standard Guard Dog® 5-channel










ACCESSIBILITY RAMPS & RAILS

for 3-Channel General Purpose Drop Over Guard Dog®





RAILS MODEL: CPRL-3GD-DO-Y





- U	TOU	I	
		ı	
		Ħ.	
		L	
A			

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GD3-D0*	3-CH GP Drop Over GD CP	18 in. (45.72 cm)	19.75 in.(50.36 cm)	1.87 in. (4.76 cm)	3.2 in (8.16 cm) 1.65 in. (4.21 cm)	1.325 in. (3.37 cm)	9 lb. (4.2 kg)	<u>^</u>

Model	Description	Length	Width	Height	Weight	Prop 65
CPRP-4/5-BLU	Ramps Pair	36 in. (91.44 cm) (single)	21.88 in. (55.58 cm) (single)	2 in. (5.08 cm)	40 lb. (18.1 kg) (pair)	<u>^</u>
CPRL-3GD-D0-Y	Rails Pair	2 in. (5.08 cm)	54 in. (137.16 cm)	2 in. (5.08 cm)	12.7 lb. (5.8 kg)	<u>^</u>



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





FIREFLY ILLUMINATED CABLE PROTECTOR® 5-CHANNEL LIGHT DUTY BUMBLE BEE®



FIREFLY ILLUMINATED CABLE PROTECTOR®

- Battery-powered LED lights built-in to side ramps
- Multiple lid color options to match your current cable protectors
- 2 LED colors (red or blue) to choose from in the Illuminated cable protector models
- On and off push button to easily turn the cable protector on or off when the LED's are needed
- Can replace AA batteries for continued uses
- High-visibility lid colors make it easily seen in low light
- Interconnects directly to a standard cable protector with a Dog Bone connection
- Protects cables and hoses up to 1.15 in. outside dia.
- All-weather polyurethane construction





5-CHANNEL LIGHT DUTY BUMBLE BEE®

- Protects cables and hoses up to 1.25 in. outside dia.
- Available with either patented T-Connectors OR Dog Bone Connectors to extend to any desired length
- Reinforced hinged lid for easy cable placement
- Modular interlocking design
- Light duty works great for general use





Non-Illuminated Models	Light Color	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
FF5X125-BLUB	N/A	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X125-0B	N/A	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X125-YB	N/A	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X125-GB	N/A	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
Illuminated Models	Light Color	Length	Width	Height	Channel Width	Maximum OD	Weight	
FF5X125BLUB-BLU	Blue	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X125BLUB-R	Red	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X125GB-BLU	Blue	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X125GB-R	Red	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X1250B-BLU	Blue	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X1250B-R	Red	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X125YB-BLU	Blue	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u>^</u>
FF5X125YB-R	Red	32 in. (81.28 cm)	19.75 in. (60.17 cm)	1.91 in. (4.85 cm)	1.35 in. (3.43 cm)	1.15 in. (2.92 cm)	25.25 lb. (11.45 kg)	<u> </u>

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
BB5-125-T-BY	5-CH LD BB CP w/T-Conn.	36 in. (91.4 cm)	17.5 in. (44.5 cm)	2.0 in. (5.1 cm)	1.25 in. (3.18 cm)	1.25 in. (3.18 cm)	21.0 lb. (9.53 kg)	Λ
BB5-125-D-BY	5-CH LD BB CP w/DB-Conn.	36 in. (91.4 cm)	19.75 in. (50.2 cm)	2.0 in. (5.1 cm)	1.25 in. (3.18 cm)	1.25 in. (3.18 cm)	21.0 lb. (9.53 kg)	Λ
BB5Y-125-T-BY	45° "Y" Connector	19.5 in. (49.53 cm)	18.0 in. (45.7 cm)	2.0 in. (5.1 cm)	1.25 in. (3.18 cm)	1.25 in. (3.18 cm)	12.0 lb. (5.44 kg)	<u>^</u>
BB5X-125-T-BY	90° 4-WAY Cross	17.5 in. (44.45 cm)	18.0 in. (45.7 cm)	2.0 in. (5.1 cm)	1.25 in. (3.18 cm)	1.25 in. (3.18 cm)	12.0 lb. (5.44 kg)	<u>^</u>
BB5EB-125-T-Y	End Caps (Pair Only)	4.8 in. (12.19 cm)	18.0 in. (45.7 cm)	2.0 in. (5.1 cm)	1.25 in. (3.18 cm)	1.25 in. (3.18 cm)	7.0 lb. (3.18 kg)	<u>^</u>





CABLE PROTECTOR TRANSPORT CARTS





MODEL: YJ2-400-YB

CABLE PROTECTOR TRANSPORT CARTS

- Easy and convenient way to transport or store multiple cable protectors
- Rugged, tubular steel frame construction
- Durable black powder-coat paint finish
- Includes front wheel locks
- Transport or store up to 10 cable protectors
- Two each 8 in. solid rubber rear wheels
- Two each 5 in. molded-on rubber, swiveling front casters with wheel locks



M	odel	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
C	T4W-ST	CP Transport Cart	32 in. (81.3 cm)	19 in. (48.3 cm)	42 in. (106.7 cm)	39 lbs. (17.7 kg)	2.25 in. (5.72 cm)	23.0 lb. (10.43 kg)	-



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





5-CHANNEL 3-CHANNEL LIGHTWEIGHT GRIP GUARD®




5-CHANNEL LIGHTWEIGHT GRIP GUARD®


- Patented 5-Bar tread pattern for maximum traction
- Protects cables and hoses up to 2.25 in. outside diameter
- Made from tough, high impact absorbing, non-conductive polyurethane
- Resistant from oil, fuels and lubricants
- Recessed carrying handle molded in to the underside of the protector
- Optional Anti-Slip Traction Kits for use on carpet or slick surfaces
- Custom logo and colors available



Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GG5X125-YGRY	5-CH LW GG CP	36 in. (91.4 cm)	16.44 in. (41.76 cm)	1.59 in. (4.04 cm)	1.25 in. (3.18 cm)	1.25 in. (3.18 cm)	12.75 lb. (5.78 kg)	<u>^</u>



Model	lodel Length		Prop 65
CPRPKIT1-8	(includes 8 anti-stip rubber pads)		<u>^</u>
CPGLUE	½ oz. Bottle of Checkers' Clear Super Glue (best if kept refrigerated). Use for permanent application of Anti-Slip Rubber Pads	.07 lb. (.032 kg)	<u>^</u>
CPCARPETKIT-3	Carpet Kit with VELCRO® Brand Fasteners for all Guard Dog Low Profile Protectors with Standard Ramps (includes two 37 in. x .25 in. Black Traction Strips and a ½ oz. Bottle of Checkers' Clear Super Glue)	.09 lb. (.041 kg)	<u> </u>




3-CHANNEL LIGHTWEIGHT GRIP GUARD®

- Patented 5-Bar tread pattern for maximum traction
- Protects cables and hoses up to 2.25 in. outside diameter
- Made from tough, high impact absorbing, non-conductive polyurethane
- Resistant from oil, fuels and lubricants
- Recessed carrying handle molded in to the underside of the protector
- Optional Anti-Slip Traction Kits for use on carpet or slick surfaces
- Custom logo and colors available



Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
GG3X225-YGRY	3-CH LW GG CP	36 in. (91.44 cm)	2.69 in. (6.83 cm)	2.25 in. (5.72 cm)	2.25 in. (5.72 cm)	23.0 lb. (10.43 kg)	12.75 lb. (5.78 kg)	Λ



Model	Description	Weight	Prop 65
CPRPKIT1-8	Anti-Slip Rubber Pad Kit for Grip Guard Cable Protectors (includes 8 anti-slip rubber pads)	.11 lb. (.05 kg)	Λ
CPGLUE	½ oz. Bottle of Checkers' Clear Super Glue (best if kept refrigerated). Use for permanent application of Anti-Slip Rubber Pads	.07 lb. (.032 kg)	<u> </u>
CPCARPETKIT-3	Carpet Kit with VELCRO® Brand Fasteners for all Guard Dog Low Profile Protectors with Standard Ramps (includes two 37 in. x .25 in. Black Traction Strips and a ½ oz. Bottle of Checkers' Clear Super Glue)	.09 lb. (.041 kg)	<u>^</u>




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





LIGHTWEIGHT DROP-OVER FASTLANE®



LIGHTWEIGHT DROP-OVER FASTLANE®

- Protects cables and hoses up to 1 in. outside dia.
- Patented L-Connectors to extend to any length
- For lightweight vehicles and pedestrian traffic
- Patented 5-bar tread surface for maximum traction
- Universal safety colors (UV stabilized)
- Modular interlocking design for easy setup







1-CHANNEL LIGHTWEIGHT **DROP-OVER FASTLANE**



Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
FL1X1.5*	1.5 in. Channel	36 in. (91.44 cm)	5.25 in. (13.33 cm)	.75 in. (1.9 cm)	1.5 in. (3.81 cm)	.5 in. (1.27 cm)	3 lb. (1.4 kg)	<u>^</u>
FL45LT 1X1.5* FL45RT 1X1.5*	45° Turn (L/R)	7 in. (17.78 cm)	5.25 in. (13.33 cm)	.75 in. (1.9 cm)	1.5 in. (3.81 cm)	.5 in. (1.27 cm)	1 lb. (.46 kg)	<u>^</u>
FL90LT 1X1.5* FL90RT 1X1.5*	90° Turn (L/R)	7 in. (17.78 cm)	7 in. (17.78 cm)	.75 in. (1.9 cm)	1.5 in. (3.81 cm)	.5 in. (1.27 cm)	1.8 lb. (.82 kg)	<u> </u>
FL1X4*	4 in. Channel	36 in. (91.44 cm)	10.75 in. (27.30 cm)	1.5 in. (3.81 cm)	4 in. (10.16 cm)	1 in. (2.54 cm)	8 lb. (3.6 kg)	<u>^</u>
FL45LT 1X4* FL45RT 1X4*	45° Turn (L/R)	12 in. (30.48 cm)	10.25 in. (26.04 cm)	1.5 in. (3.81 cm)	4 in. (10.16 cm)	1 in. (2.54 cm)	4 lb. (1.9 kg)	<u> </u>
FL90LT 1X4* FL90RT 1X4*	90° Turn (L/R)	12 in. (30.48 cm)	12 in. (30.48 cm)	1.5 in. (3.81 cm)	4 in. (10.16 cm)	1 in. (2.54 cm)	6 lb. (2.8 kg)	Λ





2-CHANNEL LIGHTWEIGHT **DROP-OVER FASTLANE**



MODEL: FL90LT 2x1.75-0

Model	Description	Length	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
FL2X1.75*	1.75 in. Channel	36 in. (91.44 cm)	10.75 in. (27.3 cm)	1.5 in. (3.81 cm)	1.75 in. (4.45 cm)	1 in. (2.54 cm)	9 lb. (4.2 kg)	<u>^</u>
FL45LT 2X1.75* FL45RT 2X1.75*	45° Turn (L/R)	12 in. (30.48 cm)	10.25 in. (26.04 cm)	1.5 in. (3.81 cm)	1.75 in. (4.45 cm)	1 in. (2.54 cm)	4 lb. (1.9 kg)	<u>^</u>
FL90LT 2X1.75* FL90RT 2X1.75*	90° Turn (L/R)	12 in. (30.48 cm)	12 in. (30.48 cm)	1.5 in. (3.81 cm)	1.75 in. (4.45 cm)	1 in. (2.54 cm)	6 lb. (2.8 kg)	<u>^</u>





ANTI-SLIP TRACTION KITS for Lightweight Drop-Over Fastlane®

Model	Description	Weight	Prop 65
CPRPKIT.75-18	Anti-Slip Rubber Pad Kit (includes 18 rubber pads) for FL1X1.5	.11 lb. (.05 kg)	\wedge
CPRPKIT1-8	Anti-Slip Rubber Pad Kit for Grip Guard Cable Protectors (includes 8 anti-slip rubber pads)	.11 lb. (.05 kg)	Λ
CPGLUE	½ oz. Bottle of Checkers' Clear Super Glue (best if kept refrigerated). Use for permanent application of Anti-Slip Rubber Pads	.07 lb. (.032 kg)	Λ
CPCARPETKIT-3	Carpet Kit with VELCRO® Brand Fasteners for all Guard Dog Low Profile Protectors with Standard Ramps (includes two 37 in. x .25 in. Black Traction Strips and a ½ oz. Bottle of Checkers' Clear Super Glue)	.09 lb. (.041 kg)	<u> </u>



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





RUBBER DUCT PROTECTORS

OPTIONAL CONNECTOR KIT



OPTIONAL CARPET KIT



RUBBER DUCT PROTECTORS

- Reduces tripping hazards
- Protects and organizes portable cords and cables
- Non-metallic, industrial-grade rubber construction
- Multiple sizes for various cable diameters
- Grooved underside for better traction
- Optional Connector Kit available for most sizes




Model	Description	Weight	Prop 65
CPCARPETKIT-5	Carpet Kit with VELCRO® Brand Fasteners for 5 ft. Rubber Duct Protectors (includes two 61in. x .25 in. Black Traction Strips and a ½ oz. Bottle of Checkers' Clear Super Glue)	.09 lb. (.041 kg)	Λ
CPCARPETKIT-10	Carpet Kit with VELCRO® Brand Fasteners for 10 ft. Rubber Duct Protectors (includes two 121in. x .25 in. Black Traction Strips and a ½ oz. Bottle of Checkers' Clear Super Glue)	12 lb. (.054 kg)	\triangle

RFD1

- Single channel protector for a phone line or smalls 14 through 22 gauge wire
- Can be slit if necessary (supplied unslit)

Model	Description	Color	Weight Per Length	Prop 65
RFD1-10	10 ft. Length	В	4.60 lb. (2.1 kg)	<u>^</u>






RFD2

- Two-channel protector multiple communication lines or 14 through 22 gauge wire
- Can be slit if necessary (supplied unslit)

Model	Description	Color	Weight Per Length	Prop 65
RFD2-10	10 ft. Length	В	3.70 lb. (1.7 kg)	<u>^</u>






RFD3

- Center channel sized to fit standard power cords and CAT5 cable
- Protector must be slit for standard power cords due to
- size of plug connectors (supplied unslit)

Model	Description	Color	Weight Per Length	Prop 65
RFD3-10	10 ft. Length	В	6.85 lb. (3.2 kg)	<u>^</u>







MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov






RUBBER DUCT PROTECTORS

RFD4

- Large channel size can accommodate multiple cables and some power plug connectors
- Can be slit if necessary (supplied unslit)

Model	Description	Color	Weight Per Length	Prop 65	
RFD4-10	10 ft. Length	В	9.3 lb. (4.3 kg)	<u>^</u>	
RFDCN-3/8	Optional Connecto	<u>^</u>			




MODEL: RFD4-10



- Three-channel protector for multiple cable applications
- Can be slit if necessary (supplied unslit)


Model	Description	Color	Weight Per Length	Prop 65
RFD5-5	5 ft. Length	В	6.20 lb. (2.8 kg)	<u>^</u>
RFD5-10	10 ft. Length B		12.40 lb. (5.7 kg)	<u>^</u>
RFDCN-3/8	Optional Connector Kit (Includes two connectors)			<u>^</u>





- Large two-channel protector ideal for most multiple cable applications
- Can be slit if necessary (supplied unslit)

Model	Description	Color	Weight Per Length	Prop 65
RFD6-5	5 ft. Length	В	9.15 lb. (4.2 kg)	<u>^</u>
RFD6-10	10 ft. Length	В	18.30 lb. (8.4 kg)	<u>^</u>
RFDCN-1/2	Optional Connecto	<u>^</u>		






RFD7

- Heavy duty single channel protector for cable and hose lines up to 1 in. diameter
- Slit at bottom

Model	Description	Color	Weight Per Length	Prop 65
RFD7-5	5 ft. Length	В	11.4 lb. (5.2 kg)	<u>^</u>
RFDCN-1/2	Optional Connecto	<u>^</u>		






MODEL: RFD7-10

MODEL: RFD8-10

RFD8


- Heavy duty single channel protector for cable and hose lines up to 1.25 in. diameter
- Slit at bottom

Model	Description	Color	Weight Per Length	Prop 65
RFD8-5	5 ft. Length	В	14.6 lb. (6.7 kg)	<u>^</u>
RFDCN-1/2	Optional Connecto	Λ		



- Heavy duty single channel protector for cable and hose lines up to 1.5 in. diameter
- Slit at bottom

Model	Description	Color	Weight Per Length	Prop 65
RFD4-10	10 ft. Length	В	9.3 lb. (4.3 kg)	\wedge
RFDCN-3/8	Optional Connecto	<u>^</u>		







MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





1-TUNNEL LARGE HOSE BRIDGE DIAMONDBACK SYSTEMS® **CUSTOM BRIDGE SYSTEMS**





LOAD CAPACITY

Model	Max Load Per Tire
UHB2025	23,700 lb. (10,750 kg)
UHB3035	19,800 lb. (8,981 kg)
UHB4045	19,300 lb. (8,754 kg)
UHB5060	17,100 lb. (7,757 kg)



1-TUNNEL LARGE HOSE BRIDGE DIAMONDBACK **SYSTEMS®**

- Protect large lines up to 6.5 in. outside diameter
- Single or multiple tunnel systems available
- Multiple sizes for various hose & cable diameters
- Reduces maintenance and replacement costs
- Modular interlocking design for easy setup, transport & storage Polyurethane construction is abrasion, impact and weather resistant with high load-bearing capacity
- Diamond-plate tread surface increases traction Yellow caution color for high visibility
- Built-in hand holds allow for handling with ease and double as attachment points for mounting brackets



Model	Description	A: Bridge Length	B: Bridge Width	C: Bridge Height	D: Tunnel Diameter	E: Tunnel Top Length	F: Tunnel Base Length	G: Ramp Top Length	H: Ramp Base Length	Weight	Prop 65
UHB2025	Bridge for up to 3 in. lines	34.75 in. (88.7 cm)	16 in. (40.6 cm)	3.88 in. (9.9 cm)	3 in. (7.62 cm)	5.38 in. (13.9 cm)	13.25 in. (33.8 cm)	14.75 in. (37.7 cm)	10.75 in. (27.5 cm)	32 lb. (14.5 kg)	<u>^</u>
UHB3035	Bridge for up to 3.5 in. lines	38.25 in. (97.6 cm)	16 in. (40.6 cm)	4.63 in. (11.8 cm)	3.5 in. (8.89 cm)	6.5 in. (16.6 cm)	14.38 in. (36.7 cm)	16 in. (40.8 cm)	12 in. (30.6 cm)	40 lb. (18.1 kg)	<u>^</u>
UHB4045	Bridge for up to 4.5 in. lines	44 in. (111.8 cm)	16 in. (40.6 cm)	5.5 in. (14.1 cm)	4.5 in. (11.43 cm)	7.75 in. (19.8 cm)	15.63 in. (39.9 cm)	18.25 in. (46.6 cm)	14.25 in. (36.4 cm)	50 lb. (22.7 kg)	<u>^</u>
UHB5060	Bridge for up to 6.5 in. lines	60 in. (153.0 cm)	16 in. (40.6 cm)	8.13 in. (20.8 cm)	7 in. (17.9 cm)	9.13 in. (23.3 cm)	18.25 in. (46.6 cm)	25.5 in. (65.1 cm)	20.88 in. (53.3 cm)	92 lb. (41.7 kg)	<u>^</u>



CUSTOM BRIDGE SYSTEMS

LOAD CAPACITY

Model	Max Load Per Tire
UHB2025	23,700 lb. (10,750 kg)
UHB3035	19,800 lb. (8,981 kg)
UHB4045	19,300 lb. (8,754 kg)
UHB5060	17,100 lb. (7,757 kg)

3 INCH TUNNEL OPTIONS

Model	Description	Weight	Prop 65
UHB2025T (Each)	Tunnel only, for up to 3 in. lines	15 lb. (6.8 kg)	<u> </u>
UHB2025R (Pair)	Ramps only, for UHB2025 Tunnel	18 lb. (8.2 kg)	<u> </u>
UHB2025TC (Each)	Tunnel Connector only, for UHB2025T Tunnel	11 lb. (5 kg)	<u>^</u>

3.5 INCH TUNNEL OPTIONS

Model	Description	Weight	Prop 65
UHB3035T (Each)	Tunnel only, for up to 3.5 in. lines	17 lb. (7.7 kg)	<u> </u>
UHB3035R (Pair)	Ramps only, for UHB3035 Tunnel	22 lb. (10 kg)	<u> </u>
UHB3035TC (Each)	Tunnel Connector only, for UHB3035T Tunnel	16 lb. (7.3 kg)	<u> </u>

4.5 INCH TUNNEL OPTIONS

Model	Description	Weight	Prop 65
UHB4045T (Each)	Tunnel only, for up to 4.5 in. lines	21 lb. (9.5 kg)	<u>^</u>
UHB4045R (Pair)	Ramps only, for UHB4045 Tunnel	30 lb. (13.6 kg)	\triangle
UHB4045TC (Each)	Tunnel Connector only, for UHB4045T Tunnel	21 lb. (9.5 kg)	<u>^</u>

6.5 INCH TUNNEL OPTIONS

Model	Description	Weight	Prop 65
UHB5060T (Each)	Tunnel only, for up to 6.5 in. lines	32 lb. (6.8 kg)	Ţ
UHB5060R (Pair)	Ramps only, for UHB5060 Tunnel	58 lb. (26.3 kg)	\triangle
UHB5060TC (Each)	Tunnel Connector only, for UHB5060T Tunnel	26 lb. (11.8 kg)	<u>^</u>



▲ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Call to Order **516-825-0727** Or Visit Us On-Line Parkingproshop.com Bulk Pricing Available

CREATE A CUSTOM BRIDGE SYSTEM

100% RECYCLED PLASTIC HOSE BRIDGES, CURB RAMPS , UTILITY CROSSOVER SYSTEMS





MODEL: CHHBS

100% RECYCLED PLASTIC HOSE BRIDGES

- Create a pedestrian/vehicle bridge anywhere
- Modular system that one person can carry and easily assemble
- Standard Bridge includes 2 female sections Standard Bridge includes 2 female sections complete ramps that can accommodate hoses up to 5 in. outside diameter Super Bridge includes 3 female sections and 3 male sections which makes two complete
- ramps that can accommodate hoses up to 10 in. outside diameter
- 100% recycled plastic construction
- Industrial gradeCustom logo and colors available

Model	Length	Width	Height	Weight	Prop 65
CHHBS (Standard)	70 in. (177.8 cm)	24.5 in. (62.2 cm)	6.75 in. (17.2 cm	240 lb. (109 kg)	-
CHHBS68 (Super)	126 in. (320 cm)	24.5 in. (62.2 cm)	12.5 in. (31.8 cm	540 lb. (245 kg)	-

OPTIONS

Model	el Description				
CHWSHBS	-				
CHWSHBS68	Grit Top Walking Surface for Super Bridge	-			
CH-HJ	Hose Bridge Joiner	-			
CHPD-R	Single Side Rail	-			
CHPB-R2	Double Side Rail	-			





BEFORE










CURB RAMPS

Optional single or double railing configurations available in powder-coated yellow or brushed aluminum.

Model	Length	Width	Height	Weight	Prop 65
CHCR	36 in. (91.4 cm	24 in. (60.9 cm)	6.75 in. (17.1 cm)	52 lb. (23.6 kg)	-



UTILITY CROSSOVER SYSTEMS

- Polyurethane construction
- Convenient carrying handle
- Replaceable rubber traction pads
- 4.5 in. tunnel size
- Lightweight and portable



Model	Description	Width	Height	Channel Width	Maximum OD	Weight	Prop 65
COP2200-4.5-Y	Utility Crossover System	30 in. (76.2 cm)	6 in. (15.2 cm)	4.5 in. (11.4 cm)	35 lb. (15.9 kg)	9 lb. (4.2 kg)	Λ



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





HEAVY DUTY MC SERIES (CONT.)



MC3009 recommended tire diameter 46 in. to 65 in. (116.8 cm to 165.1 cm)

- For mine support equipment such as lubrication trucks and maintenance vehicles
- Max Gross Vehicle Operating Weight up to 245,000 lbs. or 111,130 kg
- For Payloads up to 70 tons* (63,503 kg) use two MC3009
- Tough urethane construction
- Recessed carrying handle
- Safety yellow color
- Mounting hole for ropes, chains or brackets
- Replaceable rubber anti-slip traction pads with aluminum
- mounting plates to resist delamination due to corrosion
- Molded-in ANSI Z535.4 compliant proper chocking guidelines



MCSTU


Model	Length	Width	Height	Weight	Color	Prop 65
MC3009	15 in. (38.1 cm)	15.1 in. (38.4 cm)	11 in. (28.0 cm)	14.5 lb. (6.6 kg)	Yellow	Λ
MCPAD12X2.5	Replacement traction pad for MC30	Replacement traction pad for MC3009 & MC1909				-
MCSTUD-3/8X1.5	Optional stainless steel studs for snow and ice. Requires 4 per MC3009 and MC1909			.06 lb. (.027 kg) Each	Grey	ı



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MC SERIES MOUNTING BRACKET for MC3011, MC3012, MC3010 & MC3009 chocks

Mounting Hardware NOT included





MODEL: MC1900

Model	Description	Specifications	Weight	Prop 65
MC1900	Universal Dual Mounting Bracket holds 2 each of MC Series Wheel Chocks. Primer Finish.	36 in. (91.4 cm) Length . Bracket Rod with 6" (15.2 cm) Mounting Plate	16 lb. (7.3 kg)	-





HEAVY DUTY AT SERIES

HEAVY DUTY AT SERIES

- Lighter weight with tough urethane construction
- ANSI compliant color written guidelines on proper chocking procedures
- Complies with SAE-J348, NFPA 1901, 1906, and 1911 Standard
- Resistant to oils, fuels and solvents
- Recessed carrying handle on the backside of the chock
- Replaceable aluminum traction cleats or rubber pads
- Mounting hole for ropes, chains or brackets

AT3514 recommended tire diameter 36 in. to 46 in. (91.4 cm to 116.8 cm)

For vehicles with tire sizes of 36 in. to 46 in. (91.4 cm to 116.8 cm) and gross vehicle operating weight up to 150,000 lb. (68,039 kg)

Model	Base Design	Length	Width	Height	Weight	Prop 65
AT3514-AC-Y	Aluminum Cleat Cored Bottom	21 in. (53.3 cm)	11.25 in. (28.6 cm)	12.25 in. (31.1 cm)	16.5 lb. (7.5 kg)	<u>^</u>
AT3514-FBAC-Y	Aluminum Cleat Flat Bottom	21 in. (53.3 cm)	11.25 in. (28.6 cm)	12.25 in. (31.1 cm)	18.8 lb. (8.6 kg)	<u>^</u>
AT3514-RP-Y	Rubber Pad Cored Bottom	21 in. (53.3 cm)	11.25 in. (28.6 cm)	12.25 in. (31.1 cm)	16.1 lb. (7.3 kg)	<u>^</u>
AT3514-FBRP-Y	Rubber Pad Flat Bottom	21 in. (53.3 cm)	11.25 in. (28.6 cm)	12.25 in. (31.1 cm)	17.5 lb. (8.0 kg)	<u>^</u>
ATCLEAT-3514	Replacement Aluminum Cleat for cored or flat bottom				2.0 lb (.9 kg)	-
ATPAD-2514	Replacement Rubber Pad for core	.9 lb (.4 kg)	-			





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

AT3512 recommended tire diameter 28 in. to 38 in. (71.1 cm to 96.5 cm)

For vehicles with tire diameter of 28 in. to 38 in. (71.1 cm to 96.5 cm) and gross vehicle operating weight up to 80,000 lb. (36,287 kg)

Model	Base Design	Length	Width	Height	Weight	Prop 65
AT3512-AC-Y	Aluminum Cleat Cored Bottom	15.5 in. (39.4 cm)	8.5 in. (21.6 cm)	8.25 in. (21.0 cm)	7.1 lb. (3.2 kg)	<u>^</u>
AT3512-FBAC-Y	Aluminum Cleat Flat Bottom	15.5 in. (39.4 cm)	8.5 in. (21.6 cm)	8.25 in. (21.0 cm)	7.5 lb.(3.4 kg)	<u>^</u>
AT3512-RP-Y	Rubber Pad Cored Bottom	15.5 in. (39.4 cm)	8.5 in. (21.6 cm)	8.25 in. (21.0 cm)	7.1 lb. (3.2 kg)	<u>^</u>
AT3512-FBRP-Y	Rubber Pad Flat Bottom	15.5 in. (39.4 cm)	8.5 in. (21.6 cm)	8.25 in. (21.0 cm)	7.5 lb.(3.4 kg)	<u>^</u>
ATCLEAT-3512	Replacement Aluminum Cleat for	.625 lb (.3 kg)	-			
ATPAD-2512	Replacement Traction Pad for cor	2.0 lb (.9 kg)	-			






WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

AT SERIES MOUNTING BRACKET for AT3512, AT514 & AT3500 Chocks

Model	Description	Coating	Weight	Prop 65
AT2512VM	Vertical Mounting Bracket for 3512 Series 14" x 12" x 5.75"	Zinc Plated	3.2 lb. (1.5 kg)	-
AT2512HM	Horizontal Mounting Bracket for 3512 Series16" x 11.13" x 6.25"	Zinc Plated	5.3 lb. (2.4 kg)	-
AT2514HM	Horizontal Mounting Bracket for 3514 Series 21.75" x 14.13" x 6.75"	Zinc Plated	8.0 lb. (3.7 kg)	ı
AT2500	Universal Dual Mounting Bracket holds 2 each 3500 Series Wheel Chocks of any size.	Black Powder	13.5 lb.	
ATZOUU	26.26" (66.7 cm) Length Bracket Rod with 6" (15.2 cm) Square Mounting Plate.	Coated Finish	(6.2 kg)	-







AC200 SERIES for small aircraft

AC200 SERIES for small aircraft

Fits the curvature of the tire to absorb wheel-squat during loading and fueling operations. Features molded-in soft base for increased traction. 3/8 in. x 24 in. replaceable polyester rope lanyard connects two chocks together. Custom rope lengths available. Sold in pairs.








Model	Length	Width	Height	Lanyard	Weight (pair)	Color	Prop 65
AC201	5.5 in. (14.0 cm)	4.5 in. (11.4 cm)	2.75 in. (7.0 cm)	24 in. (61.0 cm)	1.5 lb. (.68 kg)	Hi-Vis Yellow	<u>^</u>
UC200-S	5.5 in. (14 cm)	4.5 in. (11.4 cm)	2.5 in. (6.3 cm)	24 in. (61.0 cm)	1.6 lb (.7 kg)	Orange	<u>^</u>



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov











GENERAL PURPOSE RUBBER WHEEL CHOCKS BARRICADE LIGHT REPLACEMENT PARTS

GENERAL PURPOSE RUBBER WHEEL CHOCKS

- Highly durable rubber construction
- Resistant to weather elements
- Either side can be positioned against the tire

- Ideal for smaller vehicles and trailers
- Small design makes for easy storage
- RC450 Series offers 4 different base options

RC450 standard of the utility industry

- RC450 is available with either a steel loop carrying handle or an eyebolt for ropes or chains
- Fits most chock storage compartments











compartr	compartments MODEL: RC		RC450-S	RC450-CL	RC450-GR	MODEL: F	RC450-E	
Model	Description			Length	Width	Height	Weight	Prop 65
RC450	Bottom Void, Steel Lo	ор	10 in	ı. (25.4 cm)	8 in. (20.3 cm)	5.5 in. (14.0 cm)	7 lb. (3.2 kg)	
RC450-S	Solid Bottom, Steel Lo	ор	10 in	ı. (25.4 cm)	8 in. (20.3 cm)	5.5 in. (14.0 cm)	10 lb. (4.5 kg)	-
RC450-CL	Bottom Void and Aluminum Ice C	eat, Steel Loop	10 in	ı. (25.4 cm)	8 in. (20.3 cm)	5.5 in. (14.0 cm)	8.5 lb. (3.9 kg)	
RC450-GR	Bottom Void and 14ga. Steel Gra	te, Steel Loop	10 in	ı. (25.4 cm)	8 in. (20.3 cm)	5.5 in. (14.0 cm)	9.2 lb. (4.2 kg)	-
RC450-E	Bottom Void, Eyebo	lt	10 in	ı. (25.4 cm)	8 in. (20.3 cm)	5.5 in. (14.0 cm)	7 lb. (3.2 kg)	-

RC815 for "over the road" trucks and trailers and loading dock facilities

- Ribbed pyramid design
- Eyebolt for ropes or chains
- Either side can be positioned against tire
- Ideal for keeping truck trailers in place during loading or unloading

MODEL: RC815



Model	Description	Lenath	Width	Height	Weight	Dron 65
Model	Description	Lengin	Wiulii	Height	Weight	Prop 65
RC815	Wheel Chock with Bottom Void	10 in. (25.4 cm)	8 in. (20.3 cm)	6 in. (15.2 cm)	8.5 lb. (3.9 kg)	-

RC915 for heavy trucks, trailers and road construction equipment

- Ribbed pyramid design
- Eyebolt for ropes or chains
- Either side can be positioned against the tire

MODEL: RC915






Model	Description	Length	Width	Height	Weight	Prop 65
RC915	Wheel Chock with Bottom Void	11.5 in. (29.2 cm)	10 in. (25.4 cm)	7.25 in. (18.4 cm)	15 lb. (6.8 kg)	-

GENERAL PURPOSE RUBBER WHEEL CHOCKS

D-CELL ECONOMY BARRICADE LIGHT REPLACEMENT PARTS



#	Model	Description	Prop 65
1	Z503.09*	Barricade Lens	-
2	04.BC3.CKT.A	D-Cell Economy Circuit	$\overline{\mathbf{V}}$
3	04.BC. EMITTER.A	LED and Holder	$\overline{\mathbf{V}}$
4	Z503.03**	Economy D-Cell Top	$\overline{\mathbf{V}}$
5	Z503.04**	Economy D-Cell Bottom	-
6	Z503.006	Nut Plate	-
7	Z503.008	Replacement Lens Screw	-
8	Z503.03D	D3 3.5 in. D Bolt	-
	Z503.013	Switch Pin (not pictured)	<u>^</u>
	Z503.017D	D Bolt Wrench (not pictured)	-
		·	

6 VOLT ECONOMY BARRICADE LIGHT REPLACEMENT PARTS




Model	Description	Prop 65
Z503.09*	Barricade Lens	-
04.BC6.CKT.A	6 Volt Economy Circuit	$\overline{\mathbf{V}}$
04.BC. EMITTER	LED and Holder	<u> </u>
Z506.015**	6 Volt Economy Top Case	<u>^</u>
Z506.016**	6 Volt Economy Bottom Case	-
Z503.006	Nut Plate	-
Z503.008	Replacement Lens Screw	-
Z503.03D	D3 3.5 in. D Bolt	-
Z503.013	Switch Pin (not pictured)	<u>^</u>
Z503.017D	D Bolt Wrench (not pictured)	-
	Z503.09* 04.BC6.CKT.A 04.BC. EMITTER Z506.015** Z506.016** Z503.006 Z503.008 Z503.03D Z503.013	Z503.09* Barricade Lens

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov






BARRICADE LIGHT REPLACEMENT PARTS



D-CELL PREMIUM BARRICADE LIGHT REPLACEMENT PARTS

#	Model	Description	Prop 65
1	Z503.09*	Replacement Barricade Lens	ı
2	04.BR3.CKT.A	D-Cell Premium Circuit	<u>^</u>
3	Z503.05**	Premium D-Cell Top	<u>^</u>
4	Z503.06**	Premium D-Cell Bottom	1
5	Z503.006	Nut Plate	-
6	Z503.03D	D3 3.5 in. D Bolt	-
7	Z503.008	Replacement Lens Screw	ı
_	Z503.013	Switch Pin (not pictured)	<u>^</u>
<u> </u>	Z503.017D	D Bolt Wrench (not pictured)	-

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



6 VOLT PREMIUM BARRICADE LIGHT REPLACEMENT PARTS

#	Model	Description	Prop 65
1	Z503.023*	Replacement B-Light Lens	ı
2	04.BB.CKTM.A	B-Light Premium Circuit	<u>^</u>
3	Z503.018	Yellow Visor	-
4	Z503.024W	White Back	-
5	Z503.021**	Premium 6 Volt Top Case	A
6	Z503.022**	Premium 6 Volt Bottom Case	ı
7	Z503.006	Nut Plate	-
8	04.BB.CKT6V. SW	6 Volt Battery Board	ı
9	Z503.008	Replacement Lens Screw	ı
10	Z503.03D	D3 3.5 in. D Bolt	ı
	503.013	Switch Pin (not pictured)	⚠
	Z503.017D	D Bolt Wrench (not pictured)	1

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

*SPECIFY LENS COLOR: A = AMBER, B = BLUE, C = CLEAR, G = GREEN, R = RED * * SPECIFY CASE COLOR: Y = YELLOW (CUSTOM COLORS AVAILABLE)



PREMIUM SOLAR BARRICADE LIGHT REPLACEMENT PARTS

#	Model	Description	Prop 65
1	Z507.03*	360 Degree Dome Lens	-
2	Z503.050	Lens Clamp	-
3	Z503.09*	Replacement Barricade Lens	ı
4	Z503.047**	Solar Barricade Case Back Side	ı
5	Z503.046**	Solar Barricade Case Front Side	ı
6	05.BS.CKT. ASM.***	Solar Type A/C Circuit	<u> </u>
7	Z544.020	Solar Nut Plate	-
8	Z400.100	Nut Plate O-Ring	ı
9	Z503.060	Solar Case Screw	ı
10	Z503.008	Replacement Lens Screw	ı
11	Z503.017	D3 2.25" in. D Bolt	ı
12	Z503.075D	D3 1.75 in. D Bolt	-
	Z503.013	Switch Pin (not pictured)	<u>^</u>
	Z503.017D	D Bolt Wrench (not pictured)	-









LED1350 CLASS II LED BEACONS

LED1350 CLASS II LED BEACONS

- Integrated heat sink allows LEDs to be driven at higher intensities without sacrificing performance
- Can be used as a steady burn, non-flashing beacon
- Lens and dust cover made from UV-stabilized polycarbonate
- Only high powered LED beacon on the market that can be used as a steady burn, non-flashing beacon
- 10 changeable flash patterns including high intensity rotational light outtput
- Intelligent automatic dimming control included
- Magnet Mount option includes Neodymium anti-scratch magnets that are positioned wider on the base for superior holding power while eliminating vehicle scratches and scuffs
- Dual power plug switch allows user to easily switch flash patterns without leaving driver seat (including off)



	LED1350 Specifications	
Lens Color	Amber	
Operating Voltage	12-48 Volts, DC	
Maximum Current	750 mA @ 12 VDC	
Flash Patterns	10 Flash Patterns including Steady, Rotational Flash, HexaFlash, PentaFlash, Quad, Double, Day/Night mode, and more.	
Flashes Per Minute (FPM)	120-360 Range (Varies per mode)	
Lumen Output	1350	
LED Count	12 LEDs	
Base Diameter	6.4 Inches	
Overall Height	High Dome - 6 in.; Low Dome - 4 in.	
Mounting	Standard - 3 hole flange with three 12 in. wire pigtails. Optional bolt on attachment for 1in. NPT pipe mount; Magnet - Combination 3 hole flange and 100 lb. pull magnet mount including 15 ft straight cord and 2-way switch power plug. Optional bolt on attachment for 1in. NPT pipe mount.	
Approval	Independent Lab Certified, SAE-J845 Class I; CA Title 13	
Temperature Range	-60° F to 140° F (-50° C to 60° C)	
Warranty	5 Year	



Integrated heat sink to control heat

Dome is now UV stabilized polycarbonate optic lens and clear CA 13 compliant dust cover and available in either a 4 in. or 6 in. height for increased visibility

High efficiency power supply produces multiple high intensity flashes while minimizing or eliminating RFI-producing spikes and electrical noise




Integrated Heat Sink to control heat



Optional Neodymium anti-scratch magnets are positioned wider on the base for superior holding power

15 ft. power cord with 2-way switch power plug

HEAVY DUTY LED1350 BEACONS



Model Description Lumens Diameter Height Prop 65 LED Beacon Class II with Magnet Mount (3 hole flange, and 100 lb. pull magnet mount including 15 6.5 in. SL.1350.HMA 1350 (16.5 cm) ft straight cord and 2-way switch power plug) Optional 1 in. pipe mount (16.25 cm) LED Beacon Class II with Standard Mount (3 hole flange with three 12 in. wire pigtails) Optional 1 6.4 in. 6.5 in. SL.1350.HSA ⚠ in. pipe mount. (16.25 cm) (16.5 cm) LED Beacon Class II with Magnet Mount (3 hole flange, and 100 lb pull magnet mount including 15 f 6.4 in. 4.65 in. SL.1350.LMA 1350 Λ straight cord and 2-way switch power plug) Optional 1 in. pipe mount. (16.25 cm) (11.9 cm) LED Beacon Class II with Standard Mount (3 hole flange with three 12 in. wire pigtails) Optional 1 in. 6.4 in. 4.65 in. SL.1350.LSA 1350 (16 25 cm) (11.9 cm)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





LED2250 CLASS I BEACONS

LED2250 CLASS I BEACONS

- Integrated heat sink allows LEDs to be driven at higher intensities without sacrificing performance
- Can be used as a steady burn, non-flashing beacon
- Lens and dust cover made from UV-stabilized polycarbonate
- Only high-powered, 15 watt LED beacon on the market that can be used as a steady burn, non-flashing beacon
- 10 changeable flash patterns including high intensity rotational light outtput
- Intelligent automatic dimming control included
- Magnet Mount option includes Neodymium anti-scratch magnets that are positioned wider on the base for superior holding power while eliminating vehicle scratches and scuffs
- Dual power plug switch allows user to easily switch flash patterns without leaving driver seat (including off)



	LED2250 Specifications
Lens Color	Amber
Operating Voltage	12-48 Volts, DC
Maximum Current	1.5 A @ 12 VDC
Flash Patterns	10 Flash Patterns including Steady, Rotational Flash, HexaFlash, PentaFlash, Quad, Double, Day/Night mode, and more.
Flashes Per Minute (FPM)	120-360 Range (Varies per mode)
Lumen Output	2250
LED Count	24 LEDs
Base Diameter	6.4 Inches
Overall Height	High Dome - 6 in.; Low Dome - 4 in.
Mounting	Standard - 3 hole flange with three 12 in. wire pigtails. Optional bolt on attachment for 1"in. NPT pipe mount; Magnet - Combination 3 hole flange and 100 lb. pull magnet mount
g	including 15 ft straight cord and 2-way switch power plug. Optional bolt on attachment for 1in. NPT pipe mount.
Approval	Independent Lab Certified, SAE-J845 Class I; CA Title 13
Temperature Range	-60° F to 140° F (-50° C to 60° C)
Warranty	5 Year



Integrated heat sink to control heat

Dome is now UV stabilized polycarbonate optic lens and clear CA 13 compliant dust cover and available in either a 4 in. or 6 in. height for increased visibility

Dome is now UV stabilized polycarbonate optic lens and clear CA 13 compliant dust cover and available in either a 4 in. or 6 in. height for increased visibility




Integrated Heat Sink to control heat



Optional Neodymium anti-scratch magnets are positioned wider on the base for superior holding power

15 ft. power cord with 2-way switch power plug

HEAVY DUTY LED2250 BEACONS



Model	Description	Lumens	Diameter	Height	Prop 65
SL.2250.HMA	LED Beacon Class 1 with Magnet Mount (3 hole flange, and 100 lb pull magnet mount including 15 ft straight cord and 2-way switch power plug) Optional 1 in. pipe mount.	2250	6.3 in. (16 cm)	6.5 in. (16.5 cm)	<u>^</u>
SL.2250.HSA	LED Beacon Class 1 with Standard Mount (3 hole flange with three 12 in. wire pigtails) Optional 1 in. pipe mount.	2250	6.3 in. (16 cm)	6.5 in. (16.5 cm)	<u> </u>
SL.2250.LMA	LED Beacon Class 1 with Magnet Mount (3 hole flange, and 100 lb pull magnet mount including 15 ft straight cord and 2-way switch power plug) Optional 1 in. pipe mount.	2250	6.3 in. (16 cm)	4.65 in. (11.9 cm)	<u> </u>
SL.2250.LSA	LED Beacon Class 1 with Standard Mount (3 hole flange with three 12 in. wire pigtails) Optional 1 in.	2250	6.3 in. (16 cm)	4.65 in. (11.9 cm)	<u> </u>

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





LED300 CLASS III BEACONS

LED300 CLASS III BEACONS

- Four high intensity LEDs for increased visibility
- Can be used as a steady burn, non-flashing beacon
- High efficiency power supply
- Dome made from UV-stabilized polycarbonate
- Meets SAE-J845 Class III requirements
- Easy twist-on dome made from durable, UV-stabilized polycarbonate
- 8 flash patterns including steady (Additional Flash Patterns can be programmed)
 Magnet Mount option includes Neodymium anti-scratch magnets that are positioned wider on the base for superior holding power while eliminating vehicle scratches and scuffs
- Dual power cord switch allows user to easily switch flash patterns without leaving driver seat (including off)
- Optional 1/2 in. NPT Pipe Mount available as an accessory
- Made in the USA



	LED300 Specifications
Lens Color	Amber, Blue, White, Green, Red
Operating Voltage	12-48 Volts, DC
Amps	200mA to 700mA @ 12 Volts, DC
Flash Patterns	8 Flash Patterns including Steady, HexaFlash, PentaFlash, Quad, Double, Day/Night mode and more. (Additional Flash Patterns can be added)
Flashes Per Minute (FPM)	120-360 Range (Varies per mode)
Lumen Output	300
LED Count	4 High Intensity LEDs
Base Diameter	5.2 inches
Overall Height	4.4 inches
Mounting	Standard - 3 hole flange with three 12 in. wire pigtails; Magnet - Combination 3 hole flange with 40 lb pull magnet mount including 15 ft straight cord and 2-way switch power plug.
Mounting	1/2 in. NPT Pipe mount kit sold separately.
Approval	Independent Lab Certified SAE-J845 Class III
Temperature Range	-60° F to 140° F (-50° C to 60° C)
Warranty	5 Year



Durable materials used to withstand the harsh weather and working conditions frequently experienced in industrial applications

Easy twist-on dome made from UV-stabilized polycarbonate for increased visibility

Electronics are potted in epoxy, which protects against vibrations, dust, and water - the leading cause of failure



Optional 1/2 in. NPT Pipe Mount Kit



2-Way Switch Power Plug




3 Hole Flange with three 12 inch wire pigtails



15 ft. straight cord and 2-way switch power plug

HEAVY DUTY LED2250 BEACONS



Model	Description	Lumens	Diameter	Height	Prop 65
SL.300.M*	LED Beacon Class III with Magnet Mount (Combination 3 hole flange with 40 lb pull magnet mount, including 15 ft straight cord and 2-way switch power plug)	300	5.2 in. (13.2 cm)	4.4 in. (11.2 cm)	<u>^</u>
SL.300.S*	LED Beacon Class III with Standard Mount (3 hole flange with three 12 in. wire pigtails)	300	5.2 in. (13.2 cm)	4.4 in. (11.2 cm)	<u>^</u>
PIPEMOUNT300 Optional 1/2 in. NPT Pipe Mount for the LED300 LED Beacon only			-		

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Eagle Eye 1.0

Put an end to bogus claims - Record every vehicle in and out of your facility in high definition Improve customer service - Listen to every conversation that your staff is having with the client This Parking Pro Shop systems will quickly pay for itself

- 8ch 4TB HD 1080P DVR
- (4) HD 1080P, 2.8-12mm Varifocal (manual zoom) Lens, Vandal DomeCamera
- (4) HD 1080P, Fixed Lens, Vandal Dome Camera
- (1) Microphone for live listening and play back
- (1) Security box for DVR
- (1) Wall brackets for security box
- (1) LCD Screen with built in speakers
- (1000ft) Copper core wire
- (1) 9ch 10A power supply
- Video connectors and power connectors included



Eagle Eye 2.0

For Larger Operations (2 or more entrance lanes)

Put an end to bogus claims - Record every vehicle on way in and out in high definition **Improve customer service** - Listen to every conversation that your staff is having with the client

This Parking Pro Shop system will quickly pay for itself

- 16ch 4TB HD 1080P DVR
- (8) HD 1080P, 2.8-12mm Varifocal (manual zoom) Lens, Vandal Dome Camera
- (8) HD 1080P, Fixed Lens, Vandal Dome Camera
- (1) Microphone for live listening and play back
- (1) Security box for DVR
- (1) Wall brackets for security box
- (1) LCD Screen with built in speakers
- (2000ft) Copper core wire
- (1) 18ch 20A power supply
- Video connectors and power connectors included







Surgical Mask & Face Cover



SURGICAL MASK

(3 PLY) LEVEL 3

- 4 PLY, 3 PLY
- Level 3
- Case of 50
- Easy to breathe
- Prevents dust and bacteria

FACE COVERS

This budget-friendly, single-ply face covering is breathable, comfortable and designed to cover the wearer's nose and mouth. Earhole slots offer a customized fit.

- 240 units per pack
- Available to ship today
- Black or Navy
- 1 ply 50/50 blend
- Ultra breathable
- size adjustment

\$17.99

Case of 50

3 PLY

Only

\$192.00





Bioprotect ™ Hydrating Hand Sanitizer



Bioprotect™ Hydrating Hand Sanitizer

BIOPROTECT ™ hand sanitizer is a unique hand sanitizer that moisturizes and hydrates your hands as it cleans away surface germs and bacteria.

- Provides up to 6 hours of extended hand protection
- Kills 99.99% of germs and bacteria on hands
- Water based, Alcohol free, Paraban free, Sulfate free formula
- Aloe Vera infused for hydration

Case of 24	\$49.99
Case of 96	\$179.99
Case of four 1 Gallon units	\$129.99
One 5 Gallon unit	\$129.99





Dispenser



Dispenser

- High quality
- Top Fill
- 33.80z
- Dimensions5.11"x4.72"x10.82"



buy 5 or more get 10% off

BUY 1 GAL CASE OF 4 OR 5 GAL HAND SANITIZER GET FREE DISPENSER





BIOPROTECT

GLOBAL VIRUS NETWORK STUDY FOR SARS-COV-2



BIOPROTECT™ RTU

- Ready to use, water based antimicrobial surface protectant
- Remains active on applied surfaces for up to 90 days
- Non-leaching & non-migrating

5 Gal **\$199.99**

Become a Distributor



SmartTouch Disinfectant



SmartTouch Disinfectant

Disinfect using SmartTouch®, hospital grade disinfectant.

- EPA registered
- NSF registered D2 sanitizer on food contact surfaces
- Kills 99.999% of bacteria in less than 60 seconds



Become a Distributor





Washroom/Restroom Accessories

Hand Dryer and Accessories











Black

\$260.00

Coffee

\$260.00

White

\$260.00

\$200100

Chrome

\$260.00

\$200.00

Gray

\$260.00

ALP405-10-BLA


ALP405-10-CHR AL

ALP405-10-COP

ALP405-10-GRY

ALP405-10-WHI

REPLACEMENT HEPA FILTER



Brushed Stainless Steel

\$260.00

ALP405-10-SSB



\$24.00

ALP405-FILTER

WILLOW HIGH-SPEED ELECTRIC HAND DRYER


- 8 second drying time
- Equipped with heat and speed controls
- Contains replaceable HEPA filter
- ADA compliant without recess kit
- 5-year limited warrant

BRUSHED STAINLESS STEEL

Horizontal baby changing stations



- Meets global ADA, FDA, and ASTM safety standards
- 2 liner dispensers, liners not included
- Safety belt securely holds the child in place
- 2 side hooks for hanging diaper bag and personal items



\$260.00

ALP411 White



\$260.00

ALP411-GRY Gray



\$260.00

ALP411-SSB





Washroom/Restroom Accessories

Paper Towel Dispensers / Holders



RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

- Holds up to 600 C-fold or 800 multifold towels
- 12 Gallon Waste Capacity
- Keeps restrooms clean with space-saving efficiency

\$396.00

ALP492

BRUSHED STAINLESS STEEL



2 GALLON WASTE RECEPTACLE CAPACITY

RECESSED PAPER TOWEL DISPENSER\WASTE RECEPTACLE

- Holds up to 350 C-fold or 475 multifold paper towels
- Keeps restrooms clean with recessed space-saving efficiency
- 2 Gallon Waste Capacity

\$205.00

ALP492

BRUSHED STAINLESS STEEL

Soap/Sanitizer Dispensers



AUTOMATIC HANDS-FREE BULK SOAP/SANITIZER DISPENSER

• Sleek floor stand allows you to use this dispenser anywhere

Black

\$92.00

ALP430-F-S-BLK



STAND WITH DRIP TRAY FOR HAND SANITIZER/SOAP DISPENSERS

- Durable powder-coated black metal construction
- Universally designed for most soap/sanitizer dispensers
- Conveniently place anywhere

Black

\$59.00

ALP430-STAND-BLK





Washroom/Restroom Accessories

Toilet Seat covers and dispensers





PLASTIC TOILET SEAT COVER DISPENSER

• Dispense covers one at a time



250 SHEETS/SLEEVE

TOILET SEAT COVERS

- Flushable and biodegradable.
- 250 sheets/sleeve

3 Pack

\$9.50

ALPP400 3 Pack

20 Pack

\$75.00

ALPP400-C







BRUSHED STAINLESS STEEL

STAINLESS STEEL TOILET SEAT COVER DISPENSER

Dispense covers one at a time

\$34.00 ALP483





Outdoor trash cans - With ashtray Lid



OUTDOOR DECORATIVE STEEL TRASH CANS

- Domed top keeps rain out
- Includes removable leakproof plastic trash liner
- Lockable lid
- Opens easily to remove trash.



ALP471 - 40 replacement key

ALP472-40 - STO

\$597.00

Stone Panel

ALP472-40 - SIL

\$597.00

Silver Panel

ALP472-40 - GRYS

\$597.00

Gray Panel

\$3.00

2 pack



OUTDOOR METAL SLATTED TRASH CAN

- For parks, offices, and city streets.
- Slatted steel bars deter vandalism
- Weather and rust-resistant, powder-coated finish
- Includes black liner

ALP479-38

\$634.00

flat

ALP479-38-1

\$735,00

bonnet

ALP479-38- A

\$125.00

Bonnet lid



CORRUGATED PLASTIC RECYCLING STATION

- Lightweight and portable
- Decals included: glass, plastic, paper, recyclables, ALP471-03-BLK (3 bin) cans, and waste
- 12-inch round deposit opening
- Ships KD

ALP471-02-BLK (2 bin)

\$65.00

\$80.00





Wipes and Dispenser

Wipes dispenser



WALL-MOUNTABLE STAINLESS STEEL LARGE ROLL WET WIPE DISPENSER

- 0" x 10" white plastic bucket included
- Holds up to an 800-wipe roll
- Space-saving design



WALL-MOUNT



ALP477 – black

ALP4777 – stainless steel

\$253.00





Janitorial

Umbrella accessories



ALP489 \$65.00

F F ...

ALP489-100

\$13.00

ALP489-TOU

\$68.00

UMBRELLA STAND

- Reduces housekeeping maintenance and labor from rainy day mop-ups
- Built-in sign frame for customizing your own messages
- Umbrella bag comes with handles for an easy carry

UMBRELLA BAGS

• Equipped with an easy carry handle on each bag





Odor Control

Urinal Screen















ELUXE URINAL SCREEN

- 10x more fragrant than vinyl screens. Deodorizes up to 30 days
- Efficiently eliminates 99% of splashback and averts clogging
- Flexible 8-sided design snugly fits any urinal configuration
- Shipped in packages of 10 individually packaged screens
- Dual-sided, position it in any way

\$22.50

ALP4111-SA Spiced Apple

\$22.50

ALP4111-OM Ocean Mist

\$22.50

ALP4111-MANGO Mango

\$22.50

ALP4111-KG Kiwi Grapefruit

\$22.50

ALP4111-CM Cucumber Melon

\$22.50

ALP4111-CHERRY Cherry

\$22.50

ALP4111-CB Cotton Blossom





Storage and Shelving

Safes



DIGITAL DEPOSITORY SAFE

- Programmable digital keypad lock
- Drop slot bin door
- Backup key included
- Carpeted interior to protect valuables

Black **\$298.00**

ADI670-200-BLK

Key Cabinets



BOTH INCLUDE:





HEAVY-DUTY KEY CABINETS WITH DUAL DIGITAL/KEYED LOCK

- Key hooks and tags included
- Combination lock with over 1,000 re-settable combinations
- Dual key, combination lock
- Color-coded, numbered key hook bars

\$133.00

ADI683-100-blk

\$189.00

ADI683-200-white





Storage and Shelving

Magazine Racks

ADI640-2023-CLR



ADI640-2923-CLR



ADI640-3020-CLR





ADI640-2023-BLK - 8 slots

ADI640-2923-CLR – 12 slots

\$120.00

ADI640-3020-BLK -12 slots

\$103.00

ADI640-3020-CLR - 12 slots

\$111.00

ADI640-2935-BLK -18 slots

\$164.00

ADI640-2935-CLR - 18 slots

\$164.00

ADI640-5110-BLK - 20 slots

\$200.00

ADI640-5110-CLR - 20 slots

\$200.00

ADI640-2948-BLK - 24 slots

\$202.00

ADI640-2948-CLR - 24 slots

\$202.00

ADI640-5120-BLK - 48 slots

\$347.00

ADI640-5120-CLR - 48 slots

\$347.00

ADI640-2935-BLK



ADI640-5110-BLK

ADI640-5120-BLK









HEAVY-DUTY KEY CABINETS WITH DUAL DIGITAL/KEYED LOCK

- Accommodates 8.5 x 11 magazines and slim 4 x 9 brochures
- Adjustable pockets are customizable to hold both magazines and brochures
- Clear acrylic for easy viewing





Car Cover



Water Calcium Damage Protector

Need a temporary protection for your vehicle's exterior. We have the best disposable vehicle cover for you. "Parking ProShop Water Calcium Protector Cover" are made of environmental friendly light-weight plastic, protects against dirt, dust, paint and its water resistant. Be penny wise with our disposable covers.


- This cover fits cars up to 264" in length
- Protects against water damage, dust, dirt and more
- Light weight

Case of 20 | \$259.00





Parking Maintenance services







Paint and Epoxy

Paint









5 Gal	\$180.74
1 Gal	\$36.15

5 Gal	\$138.90
1 Gal	\$27.18

5 Gal	\$103.86
1 Gal	\$20.37

5 Gal \$174.13 1 Gal | \$34.13









5 Gal	\$98.63
1 Gal	\$19.53

\$87.64 5 Gal 1 Gal | \$19.33

5 Gal \$87.64 1 Gal | \$19.33

5 Gal \$138.90 1 Gal | \$27.18



Ероху







5 Gal \$273.00

5 Gal \$358.95

5 Gal \$303.50









Non Slip Coating

Call to Order 516-825-0727



5 Gal \$358.95

Or Visit Us On-Line

Textured Non-Slip in 2 colors safety YELLOW and BATTLESHIP GRAY.

A decorative, chemically resistant product that is excellent for use as an anti slip safety coating in high traffic areas







PORTABLE SAFETY AND SECURITY MIRROR

Just Tip And Roll

Starting at

\$238

- Perfect for commercial and residential parking facilities
- 72lb base
- 18" wide
- 2" post





Sign Conversion

Upgrade your signage to the latest technology Parking ProShop makes light box conversion fast and easy

Save on utility bills


Improve brand appearance

Improve life span

Go green

Before









Calcium Chloride Pellets



Calcium Chloride

- Pellets 50lb bag
- 55 Bag pallets
- Fast shipping
- Peladow brand (CALCP50)









Spill Kit



\$74.99





Car Charging







Achieve high velocity airflow in an ultra compact design The XPOWER P-130A offers up to 800 CFM with its high efficiency 1/5 HP motor. Drawing only 2 Amps at its highest speed, this multipurpose air mover is a household must have Great for cooling your garage or drying carpets, leaks, and spills – the P-130A's wide pattern of airflow allows you to dry and ventilate like a pro at a fraction of the cost.

- Wide pattern of airflow- great for cooling your garage and home or drying carpets, leaks, and spills
- Compact size fits to tight spaces to direct airflow inside auto interiors, under counters, and more
- Lightweight, compact and durable polypropylene (PP) plastic housing design
- Built-in power outlets for daisy chain with dual thermal protection
- 3 speeds with 4-angle drying positions (0°, 20° kickstand, 45° and 90°)
- Powerful and energy efficient 1/5 HP induction motor
- Low 2 Amps draw with 700 CFM airflow capacity
- Convenience Grab-N-Go handle and wrap-around power cord design
- Stackable up to 4 units high for easy storage and transportation
- ETL/CETL safety certified and meet OSHA safety requirements
- Xactimate code for professional water damage estimates: WTRDRY-

- HEIGHT INCHES 12
- COLOR FINISH Yellow
- BRAND XPower
- CFM 800
- CONSTRUCTION Plastic
- DESCRIPTION Air Mover W/ Daisy Chain
- HORSEPOWER 1/5
- MANUFACTURERS PART NUMBER P-130A
- POWER CORD LENGTH 10'
- SPEED 3
- TYPE Air Mover
- VOLTAGE 115
- WATTAGE **230**
- WEIGHT LBS 12
- WIDTH INCHES 11
- RPM 1500
- HERTZ **60**
- AMPS 2
- DEPTH INCHES 12-4/5





pressure washers



The Simpson® MegaShot Series is perfect for the "Do-it-Yourselfer" looking for maximum performance with minimal investment. Simple to use and great for cleaning decks, patios, outdoor furniture, house siding, and prepping home exteriors for painting. Its compact design is lightweight and small enough to be easily transported by one person. Equipped with a premium Honda® engine built with high-quality components, designed for optimum performance and renowned for being easy to start.

- Honda® GCV160 engine is easy to start and operate
- Reliable, maintenance-free OEM Technologies™ axial cam pump with thermal relief
- MorFlex® 1/4" x 25' the high-pressure hose is non-marring, flexible and abrasion-resistant
- Steel frame construction with a powder-coated finish for durability and corrosion resistance
- 12" never-flat wheels for ease of maneuverability across various terrain
- 4 quick connect nozzle tips include 0°, 15°, 40° and soap to use for a variety of cleaning applications
- The actual product may vary slightly from product images
- This product has limited consumer warranty of 2 and 1 years on engine and pump respectively, along with 5 year limited consumer warranty on frame and 90 day limited warranty on accessories

- BRAND Simpson
- HORSE POWER --
- MANUFACTURERS PART NUMBER 60784
- MAXIMUM PSI 2800
- TYPE Pressure Washer
- WEIGHT LBS 57
- ENGINE/MOTOR TYPE Gas
- PUMP TYPE Axial Cam
- HOSE ID INCHES 1/4
- WHEEL TYPE Never-Flat
- WHEEL DIAMETER INCHES 12
- MAXIMUM GALLONS PER MINUTE 2.3
- ENGINE BRAND **Honda**
- PUMP BRANDOEM Technologies
- ELECTRIC START No
- DRIVE Direct
- SERIES MegaShot
- CA COMPLIANT Yes
- MANUFACTURER LIMITED WARRANTY YEARS (ENGINE) 2
- MANUFACTURER LIMITED WARRANTY YEARS (PUMP) 1
- STATIONARY OR MOBILE Mobile
- WATER TYPE Cold
- HOSE LENGTH (FEET) 25
- THERMAL RELIEF VALVE Yes
- ENGINE SERIESGCV 160
- ENGINE DISPLACEMENT(CC) 160





Snow Blowers







- Powered by a dependable 243cc 4-Cycle Electric Start OHV gas engine with 6 forward and 2 reverse speeds for optimal control while operating
- Clears snowy walkways up to 26 inches wide and 21 inches deep in one pass and equipped with deluxe reversible skid shoes for more control
- Equipped with an extended 2-way manual discharge chute that propels snow farther away from you before the wind can catch it
- Durable 15 x 5-inch airless tires provide good traction in snowy conditions
- Equipped with Just One Hand operation that allows you to adjust the 200 degree chute direction control without stopping

- Powerful Engine Performance: 212cc PowerSmart engine offers powerful snow-clearing action, 24 inch clearing width keeps you blasting snow and throwing it up to 40 feet.
- Dual-Stage Snow Blower: powerful auger cuts through tough snow and diverts it away from the chute to prevent clogging and keeps snow blowing stay the course.
- Snow Blower Capability: allows a snow clearing width of 24 in. and a clearing depth of 20 in. clear driveways that can hold 10 parked cars and 6 in.-10 in. of snow.
- Self-Propelled System: easily cut through snow with speed control,
 6 forward and 2 reverse speeds for enhanced driving convenience.
- Corded Electric Starter & Recoil Pull Starter: corded to household power, push button electric start; or just pull to start in a snap. 13 in. inflatable tires deep snow tread bites into slippery terrain, ideal for concrete, asphalt and gravel surfaces.

\$1295.00

- High capacity belt system for extra capability in heavy snow
- 4 steps height adjustable handle for ergonomic operation
- The option of disconnecting the differential lock and choosing which wheel/track should drive (power steering) makes the machine easy to maneuver and operate
- The robust and durable auger housing gives sturdy operation, efficient snow clearing and long product lifetime
- The robust auger gives first-class results operating in frozen as well as in extremely wet snow
- Heavy-duty auger gearbox for maximum durability (10-year warranty)
- The impeller has four blades, which is unique on the market!
 The cast iron ensures maximum durability

\$3195.00

\$1995.00





Safe Smoker & Butt Cans



1206 BLACK 5 qt. /4.7 L in: 15 1/4 x 37 3/4 cm: 38.8 x 95.9



1208 BLACK 4 gal./15.2 L in: 17 1/4 x 43 1/4 cm: 43.8 x 109.9



1213 BLACK 2 gal./7.58 L in: 12 1/2 x 37 cm: 31.8 x 94

SAFESMOKERTM Cigarette Receptacle

is made of high-density polyethylene with UV inhibitors, with a galvanized steel collection bucket inside. Design restricts oxygen to quickly extinguish burning butts. Top of container removes easily to access and empty internal bucket. Rain-protective design keeps water out and eliminates odor. Includes integrated hold-down tabs for security and wind protection.

Eagle Butt Cans

are ideal for "designated smoking areas" inside or outside. Features poly tube and galvanized can base. Yellow for in-plant use and beige for office or commercial areas.

Original Butt Cans

This all-metal galvanized steel can is excellent for smoking areas in industrial settings. 5-gallon (18.9 L) capacity in yellow or beige..







Bird and Rodent Control



Plastic Spikes

- Repel birds 24/7
- Easy to install
- · Material won't corrode or decay Pigeons, Sparrows, Starlings, Crows, Blackbirds, Grackles and Swallows

RPS-10	10'	\$22.99
RPS-25	25'	\$58.99
RPS-50	50'	\$117.99
RPS-100	100'	\$232.99



Stainless Spikes

- Repel birds 24/7
- Easy to install
- · Material won't corrode or decay Pigeons, Sparrows, Starlings, Crows, Blackbirds, Grackles and Swallows

STS-10	10'	\$34.99
STS-24	24'	\$88.99
STS-50	50'	\$174.99
STS-100	100'	\$340.99



- Accurate plumage
- Intimidating, glassy eyes "follow" pests
- 4-foot flexible wingspan Pigeons, Sparrows, Starlings, Crows, Blackbirds, Grackles and Swallows

1-5	\$32.99
6-19	\$28.99
20+	\$26.99



Bird Gel

- Applies easily to any ledge or landing
- Effective for up to a year
- Birds stop returning Pigeons, Sparrows, Starlings, Crows, Blackbirds, Grackles and Swallows

1-11	\$8.99
Box of 12	\$94.99



QB4110V

Quad Blaster

- Ultrasonic repeller
- Designed for use indoors
- Easy to install,
- Covers up to 6,500 sq. ft.

1-3	\$667.99
4+	\$646.99



Indoor Laser 110V

Bird-x Lazer

- State-of-the-art laser technology
- Works day and night
- Effective coverage up
- Silent, Humane, and Extremely Effective

1-3	\$496.99
4+	\$442.99



BB-PRO 110V

Broadband Pro

- SONIC and ULTRASONIC Technology
- 4 independent speakers with 100 ft. of wire SONIC: covers up to 6 acres ULTRASONIC: covers up

1-3	\$838.99
4+	\$802.99

to 3,600 sq. ft.



Broadband Pro

- SONIC and ULTRASONIC Technology
- Covers up to 3,500 sq. ft. Rats, Mice, Bats, Chipmunks, Squirrels, Racoons, Ticks, Cockroaches, Spiders, Ants & other insects

1-3	\$82.99
4+	\$58.99






Poly-Vinyl Stencil SAFETY STENCILS

- LARGE 22" DIAMETER
- WORDS & GRAPHICS
- •KEEP EMPLOYEES ALERT





Constructed of durable plastic for use over and over again























AISLES CLEAR

\$E-15












ITEM #10

SAVE • TIME • MONEY • CLEAN UP

Constructed of 1/16" poly-vinyl material, these 22" round safety floor marking stencils provide your company with a unique method of warning employees about hazards in the workplace. Use spray stencil paint and permanently apply messages on floor, walls, or wherever you feel a warning is necessary. Just place the safety marking stencils on the area that you would like to apply the message—and paint!






















ITEM #119I








3 Pc. Arrow Kit 36" WIDE x 90" HIGH



2 Pc. Arrow Kit




ITEM #119K






PARKING LOT ARROWS




DOT BIKE LANE ARROW


























ITEM #215B

BABY & STORK 45"W x 24 "H



ITEM #215A

NO PARKING SYMBOL 26" DIAMETER



ITEM #239A

GOLF CART 36"W x 28 "H



ITEM #214A

ROLLER BLADING IN-LINE SKATING 16"W x 20 "H



NO SKATEBOARDS 26" DIAMETER



ITEM #239B





FULL LETTER & NUMBER KITS


ITEM NO.	ITEM DESCRIPTION	
98-FA	4" Letters A–Z	\$65.50
99-FN	4" Numbers 0–9	\$32.20
100-FA	6" Letters A–Z	\$81.90
01-FN	6" Numbers 0-9	\$39.20
101A-FA	8" Letters A–Z	\$114.66
101B-FN	8" Numbers 0–9	\$63.00
102-FN	10" Numbers 0–9	\$69.30
102A-FA	10" Letters A–Z	\$161.00
103-FN	12" Numbers 0–9	\$77.00
104-FA	12" Letters A–Z	\$196.00
104B-FN	18" Numbers 0–9	\$133.00
104A-FA	18" Letters A–Z	\$357.00
105-FN	24" Numbers 0–9	\$147.00
106-FA	24" Letters A–Z	\$406.00
107-FA	36" Letters A–Z	\$588.00
107A-FN	36" Numbers 0–9	\$245.00
108A-FA	48" Letters A–Z	\$837.00
108-FN	48" Numbers 0–9	\$322.00
109FA	72" Letters A–Z	\$837.00
109A-FN	72" Numbers 0–9	\$322.00
110A-FA	96" Letters A–Z	\$1512.00
110C-FN	96" Numbers 0–9	\$581.00

FEDERAL LANE REDUCTION ARROW 18' LONG x 5 '6" WIDE



ITEM #119M

FEDERAL U-TURN ARROW



3 PIECE ARROW KIT

37" Straight Arrow 43 " Curve Arrow




ITEM #115C





Railroad



Yield Line

ITEM #215C



SPECIFY SIZE


AVAILABLE SIZES

12"x18"

16"x24"

24"x36"

(3 images on 1 stencil)



6'x10'x6" ITEM #152C



21 Pc. Kit

ITEM #242

KIT INCLUDES:

8" VISITOR RESERVED 0 – 9

9" NO PARKING SLOW SPEED ONE W AY

18" STOP IN OUT

HANDICAP SYMBOL w/BORDER

3 PC. ARROW KIT

*1/16" Poly





ITEM NO.	DESCRIPTION
275	Leaf w/Roadway 36" x 55" Low Emitting Fuels
276	Double Leaf 40" x 40" Low Emitting Fuel
277	60" S-T-O-P
278	3" 1pc., Stencils,1/16" Poly NO, PARKING, FIRE, LANE, RESERVED, VISITOR, HANDICAPPED, HOUR, ALL, RATED, WALL, FOR, PLUS, NO EXIT, TOW, ZONE, ONLY, AWAY, PREMIUM, OPENING, KEROSENE, PERMIT, REGULAR
279	Circles for Playgrounds Available sizes 4" to 24" diameter 30" X & 30" (Also used for aerial surveys)
280	Crosswalk Awareness Symbol Available sizes 12" & 16" letters
281	Electric Car or Parking Stalls 42" Diameter
282	Ribbon 72"
283	Charging Station or Parking Stalls 40" x 35"
284	* Roman Gothic 9" 0 to 9 set
	* Roman Gothic 9" Letters A to Z
285	Handicap Symbol w/Border 1 piece 3" Wide Border 42" Sq.
286	36" Letters 1Pc. Stencils







CLEAN UP! TRASH YOUR TRASH



ITEM #245

10"W 12 "H x

BIKE SHARED LANE 2-PIECE STENCIL



ITEM #247 40"W x 111 "H

NO ROLLER SKATING



ITEM #246 26" DIAMETER

BIKING AWARENESS



ITEM #248 20"W x 18 "H



Stick to Your Budget and Get Every Stencil You Need

STOCK ECONOMY PLASTIC STENCIL KIT

Kit includes the following plastic stencils:

- 9" letters (A-Z), 9" numbers (0-9)
- Words in 9" letters: SLOW SPEED, NO PARKING
- Words in 10" letters: ONE WAY
- Words in 19" letters: IN, OUT
- 22" x 15" arrowhead; 20" arrow stems
- 31" x 19" Disabled Access Symbol


ITEM #243

*1/16" Poly





BRASS INTERLOCKING STENCIL KITS



GOTHIC style

Horizontal Composition

- Durable brass for long-lasting service.
- Clean with paint solvent.
- Quick, legible signs on all surfaces.
- Slide together and come apart easily.
- Use brush or spray ink, paint or use markers.

Numbers Only, Single Sets 15 Pieces

As follows: 1234567890 1-Beginner, 1-Plain Ender 1-Dash, 1-Period

Number	Size Description
10006	1/2"
10007	3/4"
10008	1"
10009	1"-1/2"
10011	2"
10012	2"-1/2"
10012	3"
10014	4"
10015	5"
10016	6"

Letters Only, Single Sets 33 Pieces as follows ABCDEFGHIJKLMNOPQRSTUVWXYZ& 1- Beginner, 1-Period Ender 1-Spacer, 1-Comma, 1-Dash, 1-Period

Number	Size Description
10026	1/2"
10027	3/4"
10028	1"
10029	1"-1/2"
10031	2"
10032	2"-1/2"
10033	3"
10034	4"
10035	5"
10036	6"





Easy to Use One-Piece Stencils

9" HIGH LETTERS

9" HIGH LETTERS

4" HIGH LETTERS

SLOW SPEED NO PARKING

WAIT FOR WALK SIGNAL

ITEM #188A

ITEM #188B

ITEM #167B

6" HIGH LETTERS

STOP - LOOK

Wheel Stop Stencils

ITEM #146B

10" HIGH LETTERS

ONE WAY

ITEM #142B

• 2¾" HIGH LETTERS • HANDICAPPED • RESERVED • VISITOR ITEM #239 *1/6" Poly

Fuel Identification/Environmental Stencils

ONE PIECE ALL 3" HIGH LETTERS

*1/16" Poly

VAPOR RECOVERY

REGULAR

KEROSENE

DIESEL

PREMIUM

PLUS

#240

Parks and Recreation Stencils

3" HIGH LETTERS

*1/16" Poly

RESERVED

VISITOR

NO PARKING

FIRE LANE

ONLY

HANDICAPPED

ITEM #241







ITEM# 222 2 PIECE





ITEM# 223




ITEM# 224

1 PIECE & 2 PIECE STENCILS

> Made on Durable " Poly Material





ITEM# 225




ITEM# 226



ITEM #227A 2 PIECE







1-844-787-7595 Parkingproshop.com