


ANGEL 3D PAPERCRAFT MODEL






Hooray! You are about to start a wonderful and fun journey of assembling your own lowPolysm ANGEL 3D papercraft model. Follow the simple instructions below and find out how easy and satisfying it is to create something with your own hands using only a few pieces of paper.

ANGEL PARAMETERS



41.6 cm | 16.4 in



13.1 cm | 5.2 in

Model name:

A4 | US letter size:

Color1 - Skin:

Color2 - Hair:

Color3 - Skirt:

Color4 - Coat:

Color5 - Wings:

Template parts:

Flaps to glue:

Level of difficulty:

ANGEL

27 sheets

Beige - 1 sheet

Yellow - 2 sheets

White - 3 sheets

Blue - 6 sheets

White - 15 sheets

48

257

Hard












WHAT YOU WILL NEED



WHAT NEEDS TO BE DONE

Follow the steps below to successfully assemble your own personalized **lowPolysm ANGEL** 3D papercraft model.

01. PRINT

02. SCORE

03. CUT

04. FOLD

05. GLUE

06. FINISH

ENJOY



01. PRINT

Select paper and colors for your paper model. It is recommended to use the paper with following parameters:

A4 - 21x29.7cm | US letter - 8.5x11" Paper size: Paper thickness: 220 - 300 g/m² | 80 - 110 lb cover

Paper colors:

Color4 Color1 Color3 Color5 Color2 Skin Skirt Coat Wings Hair 15 sheets 1 sheet 2 sheets 3 sheets 6 sheets

or select paper color(s) of your choise.

Print PDF template files on selected color papers with printing scale set to "Actual Size," "No scale," "100% size," or "1:1 ratio" based on your printer settings. Common home/office printers can handle the above paper parameters but please check just to be sure.

PDF template files: ANGEL-Template-Color1-1sheet.pdf ANGEL-Template-Color2-2sheets.pdf ANGEL-Template-Color3-3sheets.pdff ANGEL-Template-Color4-6sheets.pdf ANGEL-Template-Color5-15sheets.pdf

Printing tips & tricks:

Make sure that the 3D papercraft model with multiple PDF template files is printed with the same printing scale and settings set for all pages.

If your available printer can handle larger paper sizes you can set the printing scale to more than 100% and print PDF template file(s) scaled up to whatever paper size your printer can print. The final paper model will have equivalently larger dimensions.

It can be difficult to see printed template lines and numbers on black or darkcolored paper. In this case, print the PDF template files on a regular white thin office paper and then glue it to the desired dark-colored paper. This technique can also be used for transferring templates on paper types that can't be used in common printers (e.g. crafting paper, texture paper, metallic paper, and heavier cardstock).

You can print PDF template files on any heavier colored or textured paper and create a 3D papercraft model based on your personal style, taste and creativity.












02. SCORE

Score all dashed - - - - and dotted \cdots lines on printed template parts, with a ruler and dried out ballpoint pen or similarly dull item.




Scoring tips & tricks:

You can use also other tools to score paper e.g. sharp ruler corner, pin, nail, awl, or quilling pen. Be careful and gentle with scoring so you don't score through the paper. Try and test it on some scrap paper first.

You can score template parts using cutting machines like Cricut or Silhouette. Use attached SVG / DXF template files and related cutting software.

03. CUT

Cut template parts along all solid lines.



Cutting tips & tricks:

More precise cuts can be achieved with a ruler and crafting knife. Place the ruler along the solid line and cut with the crafting knife along the ruler edge. A metal ruler is most appropriate for this technique rather than a plastic or wooden ruler.

You can cut template parts using cutting machines like Cricut or Silhouette. Use attached SVG / DXF template files and related cutting software.










04. FOLD

Fold all the lines you scored. Dashed — — — — lines create mountain folds, dotted ••••••• lines create valley folds.


Created folds are edges of your lowPolysm 3D papercraft model.



05. GLUE

Glue flaps to the edges with the same numbers. Firstly glue the flaps within individual template parts.

Example:












Continue gluing flaps within the individual template parts. Then, glue all connecting flaps between template part #1 and #2, then continue to **#3** and so on. The position of individual template parts and instructions with a visual assembly guide is described on the next pages.



Gluing tips & tricks:

All printed sides of the template parts are inside of the paper model. All flaps, lines, and numbers stay inside and should not be visible from the outside of the finished model.

Flap and edge numbers only indicate matching pairs that need to be glued together and do not represent the order of gluing.

Dry-fit the connecting parts first, then spread the glue evenly on the correct side of a flap.

Always glue one flap at a time and wait until it dries out.

Be accurate when gluing flaps to the edges. Both corners of a flap must precisely match both ends of the corresponding edge.

Less is more and this also applies to amount of glue you should use. Put few drops of glue on the flap spread it evenly, removing any excess glue with a toothpick or scrap paper. If using water-based glue, you can pour a small amount in a glass bowl and use a small paintbrush to apply the glue.

Use finger to apply glue on harder accessible flaps. This will simplify gluing inside of already assembled template parts which are harder to reach.










TEMPLATE PARTS














VISUAL ASSEMBLY GUIDE





























55.



Congratulations! You are done with gluing. Your 3D papercraft ANGEL model assembly is complete.









06. FINISH

Finish and decorate your assembled 3D papercraft model using your creativity, personal style, and preferences. Feel free to leave it as it is or paint it over with a technique you like. Nice finishing results can be achieved with a brush and acrylic colors or with color sprays or markers. Creativity has no boundaries as well as your lowPolysm 3D papercraft model created with your own hands.

Finishing tips & tricks:

Excess glue or glue fingerprints visible on your final assembled model can be easily hidden by applying common finishing spray lacquer. Spray your entire papercraft model with a thin layer of transparent water-based finishing lacquer. Your paper model will get a perfect, clean glossy look and will become more durable and firmer.











ENJOY

We believe you have had a lot of fun on the journey of assembling your own lowPolysm **ANGEL** 3D papercraft model. Now it's time to enjoy the results of your paper crafting and creativity. Decorate your home or office with your completed lowPolysm model you made with your own hands or find out how satisfying is to give it to someone as a handmade gift.

We would love to see your final results with any finishing touches you chose to make. Share your assembled lowPolysm 3D papercraft model with us on social media with hashtag #lowPolysm and follow us on:



Find more of our lowPolysm 3D papercraft models and get new inspiration on lowPolysm.com.



VISIT www.lowPolysm.com

Thank you for your trust, support and feedback. We really appreciate it because it allows us to do what we love and share it with you. If you enjoyed creating this project, then you will be happy to receive coupon code for a 10% discount off your next lowPolysm 3D papercraft adventure!

COUPON CODE: LOWPOLYSMLOVE

lowPolysm ANGEL 3D papercraft model, design, template, and assembly instructions are protected by copyright laws and are intended for personal use only. Copying, distributing, selling and commercial usage of templates or assembled models from templates is prohibited and is not allowed. For your personal use, you can assemble as many models as you want from this template. For any commercial usage, please contact us: lowpolysm@lowpolysm.com.



