

CHU361AWK

Safety Switch , 30A, 600VAC/600VDC, Type:
Non-Fusible Heavy Duty



List Price \$461.00 USD

Availability **Factory Item: This item is stocked at a Schneider Electric manufacturing plant.**

Technical Characteristics

Ampere Rating	30A
Action	Single Throw
Approvals	CSA Certified
Marketing Trade Name	Square D
Electrical Interlock	No
Hub Type	H
Enclosure Rating	NEMA 3R/12
Factory Installed Neutral	No
Disconnect Type	Non-Fusible Disconnect
Number of Poles	3-Pole
Maximum Voltage Rating	600VAC/600VDC
Material	Galvannealed Steel
Type	Non-Fusible Heavy Duty
Short Circuit Current Rating	10000 AIR
Mounting Type	Surface Mount

Shipping and Ordering

Category	00153 - Safety Switches, Heavy Duty, Canadian
Discount Schedule	DE1
Article Number	785901994527
Package Quantity	1
Weight	11.08 lbs.
Availability Code	Factory Item: This item is stocked at a Schneider Electric manufacturing plant.
Returnability	Y

As standards, specifications, and designs change from time to time, please ask for confirmation of the information given in this document.

by Schneider Electric
www.schneider-electric.us

Class 3110

NEMA Type 4, 4X, 5, 7, 9 and 12




Table 3.33: Optional Copper Only Lug Kits

(See page 3-13 for pricing. See page 3-14 for terminal lug data for the series switches listed in the dimension table below.)

Table with 3 columns: Rating (A), Optional Lug Kit Cat. No., and Lug Wire Range Per Phase AWG/kcmil.

▲ One kit includes all phase line/load lugs for a 3-pole switch.

Table 3.34: Conduit Provisions

(NEMA 4X Fiberglass Reinforced Polyester and Krydon, NEMA 7 and 9.)

Table with 3 columns: Rating (A), NEMA 4X Fiberglass Reinforced Polyester and Krydon, and NEMA 7 and 9.

■ Hubs and hub drilling templates are provided for field-installation.
◆ Threaded conduit opening.

Large table of approximate dimensions for various safety switch models, including Cat. No., Series, H, W, D, and W/H dimensions in inches and millimeters.

Large table of approximate dimensions for various safety switch models, including Cat. No., Series, H, W, D, and W/H dimensions in inches and millimeters.