



# LOOK UP

TO GREAT DESIGNS | TO WIDE RANGE | TO ENERGY SAVINGS



*Hawa Badlegi*

**LOOK  
UP** **TO GREAT DESIGNS**  
**TO WIDE RANGE**  
**TO ENERGY SAVINGS**

**WIDEST RANGE OF STAR RATED  
DESIGNER FANS BY HAVELLS.**

**CONTENT**

Premium Underlight Fans  
12

BLDC Energy Saving Fans  
38

Special Finish Fans  
58

Kids Fans  
78

Decorative Fans  
84

Regular Fans  
112

Table Fans  
128

Wall Fans  
136

Lifestyle Fans  
156

Pedestal Fans  
168

Ventil Air Fans  
192

Industrial Fans  
218



# PURITY FOR **SURETY**

## HIGH STRENGTH

Stronger than aluminum

## HIGH PERFORMANCE

Almost twice the current carrying capacity vs aluminum

## HIGH STABILITY

Copper is non-reactive to Water, not susceptible to Oxidation and unaffected by Temperature changes

## HIGH DUCTILITY

Can be drawn into very thin wires, easier to solder, very high flexibility, hence easy to install and repair



# Amaya

An Italian Elegance and  
Sophistication that screams  
STUNNING !

# Range of style, comfort & decor

Presenting a wide range of Domestic and Industrial fans from the house of Havells



## AWARDS AND RECOGNITION

Enticer

India Design  
Mark Award

2017

Stealth Air

CII Design  
Excellence  
Award

2018

Stealth Air

India Design  
Mark Award

2018

Efficiencia Neo

National  
Energy  
Conservation  
Award

2021

Amaya

Product  
of the Year

2023

Hawa Badlegi

Marketing  
Excellence  
Award

2023

HAVELLS

Top 50  
Best Indian  
Brands

2023

Artificial Intelligence

real time emotion  
analysis

iOT  
control

wi-fi

AI


language  
process

automation

pattern  
recognition

temperature  
sensing

machine  
learning







## fan plant

Havells has installed India's most modern and integrated manufacturing plant for fans in the country. Located in Haridwar. Equipped with state-of-the-art technology including automated CNC machines for motor winding, CNC machines for end covers machining, advanced conveyor assembly lines complete with computerized testing facilities.

The plant has augmented its manufacturing capacity by adding two new units which are further equipped with world-class automated processes. Let the wide range of Havells fans bring in a new change and add value to your lifestyle.

Haridwar, Uttrakhand



## ORG TOWER

Head office, Sec. 126, Noida, UP.



## ABOUT HAVELLS

Havells India Limited, a leading Fast Moving Electrical Goods (FMEG) company is known for launching top quality and innovative products in India, which are in sync with customer's changing preferences and requirements. Havells has been extremely responsive to the dynamics of the economy and has always broken fresh ground backed by its strong research and development team, raised the bar with contemporary designs, value for money and high quality models.

Over the years, Havells have been a pioneer in the fan category with many "firsts" to its credit. Havells was the First in launching Electroplated Fans, First to introduce Decorative Fans with Metallic Colours (akin to the auto industry) and revolutionized the industry with India's Most Energy Efficient 40 W Ceiling Fan in Induction Motor category and the most "Silent Ceiling Fan". Continuing this legacy, Havells is now introducing a new range of Intelligent and Decorative Ceiling Fans with Smart IoT Functionality, energy saving environment friendly fans with Eco-BLDC technology, best-in-class personal & pedestal fan range with world class finish & features.

The new range offers premium designs with sleek style and intelligence to cater to the needs of a modern consumer. who is discerning and demands the best.



LOOK UP TO  
PREMIUM  
UNDERLIGHT  
FANS








# Stealth

PURO AIR



Height Adjustable Canopy



Upper Ceiling Mood Light & LED Underlight




H-II HEPA & Carbon Filter



Free Installation



Low Noise




- Elegant Design with Premium Trims & ABS molded blades
- Built-in Air Purifier with independent & synchronous operation modes with fan
- Upper Ceiling Mood-light and LED underlight


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1250 mm	80 W	280 r/min	280 m <sup>3</sup> /min




Pearl White Lt Copper




GOOD AQI




MODERATE AQI



UNHEALTHY AQI



VERY UNHEALTHY AQI



HAZARDOUS AQI







# Albus bldc

UNDERLIGHT



Free Installation



RF remote control for all direction sensing




Underlight with Colour changing tech



Unique 4 blade design




Low Noise



**BLDC INVERTER**  
TECHNOLOGY

- Side changeable Premium MDF blades to suit your home decor
- Mood Changing Undelight with Dimming Features
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with Timer function


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	40 W	270 r/min	245 m <sup>3</sup> /min





Satin Black Wood



Satin Pine Wood





**BLDC+**

## Florette BLDC UNDERLIGHT



Satin Pine Wood



Free Installation



RF remote control for all direction sensing




Underlight with Colour changing tech



Unique 4 blade design



Low Noise



Satin Black Wood

- Side changeable Premium MDF blades to suit your home decor
- Mood Changing Undelight with Dimming Features
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with Timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	40 W	270 r/min	245 m <sup>3</sup> /min



HAVELED



## Crista BLDC

UNDERLIGHT



Free Installation




RF remote control for all direction sensing



Underlight with Colour changing tech



Winglet Design for low noise



Low Noise



BLDC INVERTER TECHNOLOGY

Champagne Cola




Pearl White LT Copper



Slate Chrome

- Aerodynamic Winglet blades for superior air delivery
- Mood Changing Underlight with Dimming Features
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	300 r/min	255 m <sup>3</sup> /min







# Inox bldc

UNDERLIGHT



Gold Mist




Free Installation





RF remote control for all direction sensing



Underlight with Colour changing tech



ABS ribbed blades for high strength



Low Noise




BLDC INVERTER TECHNOLOGY



Pearl White


- Ambience LED Undelight with Dimming Features
- Aerodynamic blades for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	280 r/min	245 m <sup>3</sup> /min









## Libeccio BLDC UNDERLIGHT



Slate




Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech




Aerodynamic ABS Blades



Unique 4 blade design



Low Noise




**BLDC INVERTER  
TECHNOLOGY**




Pearl White

- Premium LED Underlight with Dimming Features
- Aerodynamic 4 blade for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	260 r/min	245 m <sup>3</sup> /min






# Octet

UNDERLIGHT

Brushed Nickel - Wenge




Low Noise




RF remote control for all direction sensing



Underlight with Colour changing tech



8 Wooden Finish blades





- Contemporary Look with 8 blades & stylish undelight
- Superior Air Delivery & Silent Operation
- All Direction-Sensing RF Remote



Black Nickel - Walnut

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	88 W	290 r/min	280 m <sup>3</sup> /min





# Urbane

UNDERLIGHT



Black Nickel



Unique 4 blade design



RF remote control for all direction sensing



Underlight with Colour changing tech



Free Installation




Brushed Nickel



Antique Copper

- Ambience LED Undelight with Color change Tech
- Superior Air Delivery & Silent Operation
- All Direction-Sensing RF Remote

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	82 W	300 r/min	260 m <sup>3</sup> /min





# Lumeno

UNDERLIGHT




Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



- LED Underlight with Intensity adjustment control
- All Direction-Sensing RF Remote
- Contemporary Design to match home decor

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	74 W	280 r/min	260 m <sup>3</sup> /min








## Florence ES

UNDERLIGHT



Unique 4 blade design



Pull cord for Speed & Light function




Underlight



Free Installation



- Premium Antique Looks with 4 lamp shades
- All weather fan with dual side rotation
- Contemporary wood finish to match home decor

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	310 r/min	218 m <sup>3</sup> /min



Wenge-Black Antique Brass



Walnut-Black Antique Copper



Elegant White-Nickel





# Trinity ES

UNDERLIGHT

Dusk Lt copper




RF remote control for all direction sensing




Underlight with Colour changing tech



Free Installation



- Mood Changing Undelight with Dimming Features
- Futuristic Shank-less design with Metallic paint finish
- RF Remote control for Fan, Light, Intensity control

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	320 r/min	220 m <sup>3</sup> /min



Pearl White Lt Copper



Metallic Black Lt Copper





# Stealth AIR

UNDERLIGHT

Metallic Black




RF remote control for all direction sensing




Underlight with Colour changing tech



Free Installation



Aerodynamic ABS Blades



- LED Undelight with dimmable & tunable option
- Highest Air delivery in its class with 18 pole motor
- Dust & Mark Resistant ABS reinforced blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1250 mm	80 W	280 r/min	280 m <sup>3</sup> /min



Pearl White



Indigo Blue





LOOK UP TO  
BLDC  
ENERGY  
SAVING FANS

BLDC  
ENERGY SAVING



# Florette

BLDC




Unique 4 blade design



RF remote control for all direction sensing



Free Installation



Low Noise



**BLDC INVERTER TECHNOLOGY**

- Side changeable Premium MDF blades to suit your home decor
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with Timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	40 W	270 r/min	245 m <sup>3</sup> /min

Satin Black wood



Satin Pine Wood





# Crista

BLDC

Champagne Cola




Winglet Design for low noise



Free Installation



**BLDC INVERTER TECHNOLOGY**



Low Noise


- Aerodynamic Winglet blades for Superior Air Delivery
- Dust Resistant coating on the blades



Slate Chrome



Pearl White LT Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	300 r/min	255 m <sup>3</sup> /min



**Inox**  
BLDC

Gold Mist



RF remote control for all direction sensing




Low Noise



Free Installation



ABS ribbed blades for high strength



- Aerodynamic blades for Superior Air Delivery
- Dust Resistant coating on the blades



Slate



Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	38 W	280 r/min	245 m3/min



BLDC+

Pearl White



# Libeccio

BLDC




RF remote control for all direction sensing



Low Noise




Unique 4 blade design




Aerodynamic ABS Blades



Free Installation



- Aerodynamic 4 blade for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	270 r/min	245 m3/min



Slate



BLDC+



# Amaya

BLDC

Silver Ash



RF remote control for all direction sensing




Unique 4 blade design



Low Noise




Free Installation



**BLDC INVERTER**  
TECHNOLOGY

- Italian Rivet-less design with Premium PU Finish
- Compound ABS blades for high strength, silent operation and better air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	40 W	270 r/min	255 m <sup>3</sup> /min



Satin White



# Stealth Neo

BLDC

Pearl White Wood



RF remote control for all direction sensing




Premium PU finish ABS Blades



Free Installation




Low Noise



**BLDC INVERTER TECHNOLOGY**

- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	270 r/min	245 m <sup>3</sup> /min




Mist Wood




# Stealth prime

BLDC




RF remote control for all direction sensing



Premium PU finish ABS Blades




Free Installation



Low Noise

- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	270 r/min	245 m <sup>3</sup> /min

BLDC+

Marble Dusk



Marble Pearl White



BLDC+

# Stealth Air

BLDC



Indigo Blue



RF remote control for all direction sensing





Premium PU finish ABS Blades




Low Noise



Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	275 r/min	245 m <sup>3</sup> /min



Metallic Black



Pearl White



# Trinity

BLDC


Black Lt Copper



RF remote control for all direction sensing



- Futuristic Shank-less & Non-Rivet Blade design
- Modular motor for superior performance

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	330 r/min	225 m <sup>3</sup> /min



Dusk Lt Copper



Pearl White Lt Copper






# Enticer

BLDC

Champagne




RF remote control for all direction sensing



**BLDC INVERTER**  
TECHNOLOGY

- Contemporary Design with Wider Blades
- Premium Metallic Finish with Dust Resistant lacquer

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	35 W	370 r/min	235 m <sup>3</sup> /min



Pearl White Chrome



Bronze Copper Cola Chrome



Espresso Brown LT Copper



Indigo Blue Chrome




# Bianca

BLDC



RF remote control for all direction sensing



- Modern Design with Wider Blade for High Air Thrust
- Premium Metallic Finish with Dust Resistant lacquer

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	30 W	360 r/min	222 m <sup>3</sup> /min

Espresso Brown



Gold Mist



Slate



Pearl White






# Milor

BLDC

Gold




RF remote control for all direction sensing



**BLDC INVERTER TECHNOLOGY**

- Stylish Design, Energy Efficient fan
- Premium Metallic Finish with Dust-Resistant Lacquer

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	380 r/min	225 m <sup>3</sup> /min



Dusk



Pearl White




# Festiva Prime

BLDC

Dusk Chrome



RF remote control for all direction sensing



**BLDC INVERTER TECHNOLOGY**




Beige Cola Chrome



Pearl White LT Copper

- Energy Efficient, High-Speed motor for higher air thrust
- Premium Metallic Finish with Dust-Resistant Lacquer

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	380 r/min	225 m <sup>3</sup> /min




# Equs

BLDC




RF remote control for all direction sensing



**BLDC INVERTER TECHNOLOGY**

- Modern Design with Energy Efficient BLDC motor
- Wider Blades for High Strength and Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	380 r/min	225 m <sup>3</sup> /min



Smoke Brown



Bianco Bronze



White Maroon



# Astura

BLDC



Bianco Bronze



RF remote control for all direction sensing




- Modern Design with Energy Efficient BLDC motor
- Wider Blades for High Strength and Air Delivery




Smoke Brown




White Maroon

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	350 r/min	225 m <sup>3</sup> /min



# EFFICIENCIA NEO

BLDC



RF remote control for all direction sensing

- Industry's Most Energy Efficient Fan – 26 Watts
- Ribbed Blades for High Strength

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	33 W	300 r/min	245 m <sup>3</sup> /min
	1200 mm	26 W	350 r/min	220 m <sup>3</sup> /min
	900 mm	28 W	430 r/min	150 m <sup>3</sup> /min

\* Also available without remote in regulator compatible variant for projects and institutions

White



Bianco



Brown




# EFFICIENZA PRIME

BLDC

Bianco




RF remote control for all direction sensing



**BLDC INVERTER TECHNOLOGY**

- Energy Efficient Fan with 5-Star rating
- Ribbed Blades for High Strength

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	35 W	370 r/min	225 m <sup>3</sup> /min



White



Brown






# EFFICIENCIA DX


BLDC



RF remote control for all direction sensing



- Energy Efficient Fan with 5-Star rating
- Ribbed Blades for High Strength

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	30 W	350 r/min	225 m <sup>3</sup> /min

\* Also available without remote in regulator compatible variant for projects and institutions



Brown



Bianco



White



HAVELLS



LOOK UP TO  
**SPECIAL  
FINISH  
FANS**

SPECIAL  
FINISH



# Crista es


BLDC



Winglet Design for low noise



Aerodynamic ABS Blades



- Aerodynamic Winglet blades for Superior Air Delivery
- Dust Resistant coating on the blades


Slate Chrome



Champagne Cola



Pearl White LT Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	300 r/min	245 m <sup>3</sup> /min



# Inox ES




Low Noise



Aerodynamic ABS Blades



- Aerodynamic blades for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	280 r/min	245 m <sup>3</sup> /min




Slate




Pearl White

Gold Mist






# Octet



8 Wooden Finish blades



Free Installation



Walnut-Black Nickel



- Contemporary Look with 8 blades
- Superior Air Delivery & Silent Operation



Wenge Brushed Nickel

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	84 W	280 r/min	270 m3/min



# Stealth Wood i - es

Pinewood-Cola



Smart Sense & IOT



Free Installation




Rust Proof ABS Blades



Walnut-Cola

- Superior Air delivery with 18 pole motor
- Dust Resistant ABS blades in wooden texture
- Humidity & Temperature sensor for auto speed control


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	80 W	280 r/min	280 m <sup>3</sup> /min







## Florence ES



Black Antique Copper



Unique 4 blade design



Free Installation




- All weather fan with dual side rotation
- Premium Antique Looks in 1 star rating
- Contemporary finish to match home decor




Nickel Gold



Black Antique Brass

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	310 r/min	218 m <sup>3</sup> /min



# Yorker


Brushed Nickel



Unique 4 blade design



Free Installation



- Electroplated rust proof lacquer finish blades
- Four blade for wider Air Delivery



Antique Brass



Antique Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	82 W	300 r/min	260 m <sup>3</sup> /min



## Stealth Wood ES


Pinewood Cola Chrome



Free Installation




Rust Proof ABS  
Blades




- Superior Air delivery with 18 pole motor
- Dust Resistant ABS blades in wooden texture



Walnut Cola Chrome

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m <sup>3</sup> /min




# Stealth Neo



Rust Proof ABS Blades



Free Installation




- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish

Wood Mist



Wood Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m <sup>3</sup> /min




# Stealth Prime




Rust Proof ABS  
Blades



Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m <sup>3</sup> /min



Wood Mist



Wood Pearl White




# Stealth Air ES



Rust Proof ABS Blades



Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m <sup>3</sup> /min
	900 mm	45 W	400 r/min	145 m <sup>3</sup> /min



Pearl White



Metallic Black



# Stealth Air


Pearl White



Rust Proof ABS  
Blades



Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
N. A.	1250 mm	80 W	280 r/min	280 m <sup>3</sup> /min



Metallic Black



Indigo Blue



# Trinity i - es

Dusk LT Copper




Free Installation



RF remote control for all direction sensing



Smart Sense




- Futuristic Shank-less & Non-Rivet Blade design
- Modular 14 Pole motor for superior performance



Silver Chrome



Metallic Cream Nickel

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	320 r/min	280 m <sup>3</sup> /min








India's First  
Stainless Steel Fan


## Fan-ta-Steel



Steel




- Premium Rust-Free Stainless Steel
- Wider Blades for High Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	215 m <sup>3</sup> /min



## EP TRENDY

Antique Brass



- Electro-Phoretic lacquered surface for anti-rusting
- Wider tip blades for effective Air circulation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	220 r/min	350 m <sup>3</sup> /min
	900 mm	42 W	140 r/min	420 m <sup>3</sup> /min
NA	600 mm	63 W	800 r/min	110 m <sup>3</sup> /min



Antique Copper



Brushed Nickel





# Orion ES

Antique Brass




- Exotic Rich looks with Lacquered Ani-rust Surface
- Wider Blades for Better Air Circulation



Antique Copper




Brushed Nickel

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	215 m <sup>3</sup> /min



## Trinity ES

Metallic Black LT Copper



Non-ribbed Blade design


- Futuristic Shank-less & Non-Rivet Blade design
- Modular motor for superior performance



Dusk LT Copper



Pearl White Chrome

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	220 r/min	350 m <sup>3</sup> /min







LOOK UP TO  
**KIDS  
RANGE**

KIDS



## Saurous World ES




Wider Blade Tip



Exclusive Design  
for Kids room



- Exclusive Kids Design with static center
- Wider Tip blade for more air Spread

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	350 r/min	226 m <sup>3</sup> /min





## Ocean Quest ES




Wider Blade Tip




Exclusive Design  
for Kids room

- Exclusive Kids Design with static center
- Wider Tip blade for more air Spread

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	350 r/min	226 m3/min



## Unicorn ES




Wider Blade Tip




Exclusive Design  
for Kids room

- Exclusive Kids Design with static center
- Wider Tip blade for more air Spread

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	350 r/min	226 m3/min








LOOK UP TO  
DECORATIVE  
CEILING  
FANS

DECORATIVE





Metallic Black

# Enticer Art ES

LIMITED EDITION




- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	430 r/min	140 m <sup>3</sup> /min





Pearl White





# Enticer Art ES

HERITAGE EDITION

Espresso Brown Cooper



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min






# Enticer ES Wood

WOOD

Oakwood



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min




Rosewood



# Enticer Art ES



VINEER EDITION



Walnut


- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with unique wood finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min



# Enticer Art ES

NATURE SERIES



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min

Espresso Brown



Beige



Stone Pearl White




Flora Sapphire



Wave Pearl Brown



Fauna Champagne



# Enticer Art ES

COLLECTOR EDITION


Rose Gold



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min





# Enticer ES



- High performance motor with optimum air delivery
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	430 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min

Pearl Ivory Beige



Maroon Chrome



Beige Copper



Pearl white gold




Rose Gold



Pearl White Chrome




Metallic Black Chrome



Bronze Cola Chrome



Matt White Chrome



Espresso Brown Copper



Pearl Ivory Cola Chrome



Sapphier Silver



Pearl White Rose Gold




Indigo Blue Chrome



Bronze Pearl Brown



## Bianca Art ES



- Nature Inspired Designs to match modern interior
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	370 r/min	225 m <sup>3</sup> /min



Gold Mist




Pearl White Nickel





# Bianca ES



- Nature Inspired Designs to match modern interior
- Wider Blade tip with Superior Metallic Paint Finish



Gold Mist




Slate



Pearl White





Sapphire Silver

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	370 r/min	225 m <sup>3</sup> /min



# Trinity ES

Pearl White Lt Copper



Non-rivet Blade design

- Futuristic Shank-less & Non-Rivet Blade design
- Modular motor for superior performance

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	320 r/min	220 m <sup>3</sup> /min




Dusk Lt copper

Metallic Black Lt Copper



# Nicola ES

Gold Mist Copper



Bronze Copper


- Contemporary elegant design in metallic paint finish
- Decorative trims on motor cover & blades



Pearl Ivory Gold



Pearl White Silver

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m <sup>3</sup> /min



# Milor ES

Dusk



- Unique Design in Dust Resistant Premium metallic paint finish
- Premium Canopy set with Down rod Cover



Gold


Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	222 m <sup>3</sup> /min



# Andria ES

Quartz



- Modern design to suit contemporary interiors
- Ribbed blade for high air delivery & air thrust




Indigo Blue



Pearl White




Espresso Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min



# Astura ES

Bianco Bronze



- Decorative trims with foiling on blades & canopy
- Wider Blade With Dust resistant Metallic Paint Finish
- Robust motor with large diameter




White Pearl Ivory



White Maroon




Brown Gold Mist

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	390 r/min	218 m <sup>3</sup> /min



# Equis ES

White Maroon



Smoke Brown


- Crisp, Geometric design to suit contemporary Interiors
- High quality and Subtle Chrome Highlights for Modern looks



Ivory Bronze




White Pearl Ivory

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min




# Leganza ES

4 BLADES



Mist Honey



Unique 4 blade design


- Superior Metallic Paint Finish
- 4 blade innovative design with blade trim & Body ring



Bronze Gold



Pearl White Silver


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	215 m <sup>3</sup> /min





## Zester ES

Slate




- Modern styling with tangential blades
- Decorative blade trims with 3D design pattern




Dusk



Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	222 m <sup>3</sup> /min



# Fusion Prime ES

Beige - Brown



- Broad blades with elegant trims
- Stylish canopies with unique downrod cover



Mist - Espresso Brown

Pearl Brown-Gold

Pearl Ivory-Beige

Silver - Blue


Pearl Ivory-Gold

Espresso Brown - Cola Copper

Pearl White - LT Copper

Indigo Blue - Chrome

Matt Black

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	220 m <sup>3</sup> /min



## Festiva Prime ES

Rose Gold Cola Chrome



- Dust Resistant with metallic paint finish
- Wider blade tip for high Air delivery
- Robust motor with large diameter




Beige Cola Chrome



Pearl White LT Copper




Dusk Chrome

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	225 m <sup>3</sup> /min



# Festiva ES



- Dust Resistant with metallic paint finish
- Decorative Trims on Blade & Canopy
- Robust motor with large diameter



Ocean Blue Silver



Mauve



Espresso Brown



Mist



Pearl Copper Gold




Pearl Ivory



Pearl White Silver



Gold Mist

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min



## Fusion ES

Espresso Brown



- Dust Resistant with metallic paint finish
- Decorative Trims on Blade & Canopy

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	900 mm	42 W	430 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min



Pearl White Silver



Silver Blue



Beige-Brown



Pearl Ivory Gold



# Quick Air

Matt Blue



- Wider Tip Blade for Higher Air Delivery
- UV metallized Body ring and Trim for Enhanced Looks
- Robust motor with large diameter




White



Bianco



Smoke Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	56 W	380 r/min	225 m <sup>3</sup> /min







LOOK UP TO  
**REGULAR  
FANS**




REGULAR





## SS 390 Metallic ES



- Wider Tip Blade for Effective Air Circulation
- Aerodynamic Designed blades for High Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	320 r/min	250 m <sup>3</sup> /min
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	420 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min

Pearl White




Sparkle Brown



Pearl Brown



Pearl Ivory Gold




## SS 390 ES



- Wider Tip Blade for Effective Air Circulation
- Aerodynamic Designed blades for High Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	320 r/min	250 m <sup>3</sup> /min
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	420 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min

Bianco



White



Matt White




Brown



## Aeroking ES

Bianco




- Unique Ribbed Aluminum Blades for Better Air Spread
- Elegant Design & High Speed Performance.



White


Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	380 r/min	220 m <sup>3</sup> /min



## Samraat ES

Brown



- Aerodynamically designed Aluminum Blades for Better Air Spread
- Elegant Design & High-Speed Performance


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	430 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min





## Thrill Air ES

Brown



- High Speed optimum Air Delivery
- Long Lasting paint finish



Smoke Brown



Matt Blue



Bianco




Sea Green



Grey




White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	390 r/min	215 m <sup>3</sup> /min





## Pacer ES

Brown



- Optimum Air Delivery with 2 STAR Rating
- Long Lasting paint finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min



White




Bianco






# Velocity ES



- Optimum Air Delivery even at low voltage
- Long Lasting paint finish

Bianco

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	252 m <sup>3</sup> /min
	1200* mm	52 W	350 r/min	220 m <sup>3</sup> /min
	900 mm	42 W	420 r/min	140 m <sup>3</sup> /min

\*1200 mm is ISI certified.




Brown



White



## Super Speed ES




- High Speed optimum Air Delivery.
- Long Lasting paint finish

Bianco



White

Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	380 r/min	220 m <sup>3</sup> /min



## ES 40



- Aerodynamic Blades for maximum Air delivery.
- Energy Efficient 3 star rating


Bianco



Brown




White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	300 r/min	212 m <sup>3</sup> /min




## ES 50



Brown

- Simplistic design with optimum Air Delivery.
- Energy Efficient 2 star rating

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m <sup>3</sup> /min




Bianco



White



## ES Neo




Brown

- Simplistic design with optimum Air Delivery
- Energy Efficient 2 star rating




Bianco

White


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m <sup>3</sup> /min



## ES Plus



- Ergonomic design with optimum Air Delivery.
- Energy Efficient 2 star rating

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m <sup>3</sup> /min



Brown




Bianco



## speedster



Brown



Unique 4 blade design




High Speed

- Aerodynamically designed blades
- Superior air delivery even at low voltage



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min



HAVELLS







LOOK UP TO  
**TABLE  
FANS**

TABLE



## Velocity Neo-HS



Double Ball Bearing

- High speed motor for better air delivery
- Smooth oscillation
- Superior low voltage performance

White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



## SWING LX HS



Double Ball Bearing

- High speed motor for better air delivery
- Smooth oscillation
- Superior low voltage performance




Purple




Cool Blue

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



## Accelero hs/ns



- Hi-speed motor for better air delivery
- Smooth oscillation

STAR RATING	SWEEP	Variant	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	High Speed	120 W	2100 r/min	95 m <sup>3</sup> /min
NA	400 mm	Normal Speed	55 W	1350 r/min	65 m <sup>3</sup> /min


Model is available with High and Normal Speed Variant.




White Red



White Grey



# SWING LX



- Smooth oscillation
- Pivot arrangement for tilting & oscillation
- Aerodynamically designed & balanced PP blades



Cherry




White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



## Sameera



- Jerk free oscillation
- Pivot arrangement for tilting & oscillation
- Aerodynamically designed & balanced PP blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



White



Grey











LOOK UP TO  
**WALL  
FANS**

WALL



## GIRIK GOLD




Pull cord for Speed  
& Oscillation


- Wooden texture body & blade to complement room decor
- Golden guards & trim for premium look
- Pull cord for On/Off, Speed & Oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min





# Aindrila



- Upto 8 hours timer
- Remote control operation
- Soft touch panel for fan operation
- ABS body for high strength and gloss
- Standard, Natural, Breeze & Sleep Mode
- Additional fuse for protection against high voltage & spikes

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min




Brown Black




Blue Grey




Dusty Rose White



# Platina bl dc



Magenta




**BLDC INVERTER TECHNOLOGY**


- Sturdy and well built design
- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades




Yellow





Blue

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	400 mm	28 W	1350 r/min	65 m <sup>3</sup> /min



## Platina Remote



White

- Smooth oscillation with synchronous motor
- I.R. remote control
- High performance motor
- Aerodynamically designed & balanced heavy duty PP blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min




## Platina - hs



Double Ball Bearing



Pull cord for Speed & Oscillation





White

- Smooth oscillation
- Aerodynamically designed balanced heavy duty PP blade

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



# Platina




Pull cord for Speed & Oscillation

- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades



White


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min




## MARVEL WIND HS



Double Ball Bearing



Pull cord for Speed & Oscillation



- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades





White Yellow



White Blue

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min






White



## Airboll-hs



Double Ball Bearing





Pull cord for Speed & Oscillation





- Smooth oscillation
- Aerodynamically designed & balanced propeller type blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	110 W	1750 r/min	100 m <sup>3</sup> /min



## Accelero - hs / ns



Pull cord for Speed & Oscillation


- Smooth oscillation
- Pull cord for 3-speed control

STAR RATING	SWEEP	Variant	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	High Speed	90 W	2000 r/min	65 m <sup>3</sup> /min
NA	400 mm	High Speed	120 W	2100 r/min	95 m <sup>3</sup> /min
NA	300 mm	Normal Speed	50 W	1350 r/min	55 m <sup>3</sup> /min
NA	400 mm	Normal Speed	55 W	1350 r/min	65 m <sup>3</sup> /min


Model is available with High and Normal Speed Variant.




Red



Grey



## PENTAFORCE




- Smooth oscillation
- Aerodynamically designed & balanced propeller type blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	62 W	1350 r/min	65 m <sup>3</sup> /min

Grey-Wine




White-Green




## D'zire HS



Double Ball Bearing\*



Pull cord for Speed & Oscillation



White



- Elegantly designed fan base in round shape
- Stylish contemporary look
- Pull cord control for speed & oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	230 mm	45 W	2800 r/min	30 m <sup>3</sup> /min
NA	300 mm	90 W	2000 r/min	65 m <sup>3</sup> /min

\*Only available in 300 mm sweep



## D'zire



Pull cord for Speed & Oscillation

- Elegantly designed fan base in round shape
- Stylish contemporary look
- Pull cord control for speed & oscillation



Grey


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	50 W	1350 r/min	55 m <sup>3</sup> /min
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min




## Swing - hs



Double Ball Bearing



Pull cord for Speed & Oscillation



- Elegantly designed fan base
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed & balanced blades



STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	90 W	2000 r/min	65 m <sup>3</sup> /min
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



White




# Swing




Pull cord for Speed & Oscillation

- Elegantly designed fan base
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed balanced blades





Off White

STAR RATING	SWEEP	Variant	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	Normal Speed	50 W	1350 r/min	55 m <sup>3</sup> /min
	400 mm	Normal Speed	55 W	1350 r/min	65 m <sup>3</sup> /min



# Sameera




Pull cord for Speed & Oscillation

- Elegant looks
- High Air Delivery
- Attractive colour combinations




Grey




White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min






## V3





Black

- Sturdy & heavy duty aluminium blades for high air delivery
- Sleek & stylish design
- Smooth oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	100 W	1350 r/min	100 m <sup>3</sup> /min




## Girik Neo



Pull cord for Speed & Oscillation

- Wider oscillation
- Rust free Aluminium blades
- Powerful motor for high air delivery
- Pull cord control for speed & oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



Black





LOOK UP TO  
**LIFESTYLE  
FANS**





## Ciera HS



White




Off White

- Grill for protection
- Ideal for mounting on low height ceiling and in cabin

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	230 mm	58 W	2600 r/min	55 m <sup>3</sup> /min
NA	300 mm	80W	2400 r/min	75 m <sup>3</sup> /min



## Swing Gyro



White

- 360° gyroscopic movement / adjustable wind direction
- Grill for protection
- Ideal for mounting on low height ceiling
- Aerodynamically designed balanced ABS blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	60 W	1350 r/min	65 m <sup>3</sup> /min



# KOOL-MATE



White




- 90° vertical tilting
- 30° - 90° - 180° - 360° automatic horizontal oscillation
- Aerodynamic turbo design for maximum air
- 1 hour - 2 hours - 4 hours - 8 hours auto-timer
- 3 speed modes normal, nature & sleep
- Remote control and LED display



STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	200 mm	45 W	2200 r/min	12 m <sup>3</sup> /min






## Airwynn



White



- Grill for protection
- Ideal for mounting on low height ceiling and in cabin

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	80 W	2200 r/min	60 m <sup>3</sup> /min



## MINI YO



Grey



White



Carbon filter for pure air



Portable usb charging



Stylish carry handle




Gentle touch power button




2 Speed setting



Upto 3 Hours  
battery backup




## Coolbuddy




White

- 90° vertical tilting
- Rechargeable design with USB connection
- Digital button to control wind speed Upto 4-Levels

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	140 mm	5 W	2200 r/min	5 m <sup>3</sup> /min



# Crescent



- Revolving grill for wide spread of air
- Table and wall mounting - dual purpose
- 3 speed operation
- 180° fan head movement
- Super silent operation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	250 mm	40 W	1300 r/min	50 m <sup>3</sup> /min




Yellow



Blue



## I COOL- hs



- Unique multi-directional adjustment for desired air flow
- Unique propeller, deep pitched blades for powerful air flow
- Multi purpose fan can be mounted on table, wall & ceiling

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	175 mm	52 W	2200 r/min	40 m <sup>3</sup> /min




White Maroon




Black Grey



On wall



On Table



On Ceiling



## BIRDIE hs



- Jerk free oscillation and smooth running
- Multi use fan suitable for desk, wall or cabin mounted application
- Strong air blast

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	230 mm	40 W	2800 r/min	38 m <sup>3</sup> /min



Yellow Maroon



Black Grey



## Breezo - hs



- High Speed & High air thrust
- Multipurpose - Can be used as Desk fan or Wall fan
- Three speed control



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	80 W	2200 r/min	60 m <sup>3</sup> /min



36  
ON/OFF  
MODE  
TIMER  
SLEEP






LOOK UP TO  
**PEDESTAL  
FANS**



# Aindrila Premium



- Square Guard Design for premium Looks
- Timers Upto 8 hours
- LED Light at the Bottom
- Sleep Mode and Breeze Mode
- Soft touch option along with remote control



Brown Black



Blue Grey

Silky Crystal

Dusty Rose White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



## Tourner




- Up to 8 h timer for automatic switch OFF
- Adjustable oscillation from 30° to 360°
- 90° face up position for air circulation in room
- Remote control operation and LED touch panel on fan

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	65 W	1250 r/min	65 m <sup>3</sup> /min





## Sprint-18 HS



Double Ball  
Bearing

- Smooth oscillation
- Heavy base for stability





White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	120 W	2000 r/min	100 m <sup>3</sup> /min



## Sprint-16 HS




Double Ball  
Bearing

- Smooth oscillation
- Heavy base for stability

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2000 r/min	90 m <sup>3</sup> /min



White



## sprint bldc



Low Noise




Low Power Consumption



Sturdy and Well-built



1350 Revolution per minute



**BLDC INVERTER**  
TECHNOLOGY

- Attractive bi-colour metallic finish
- Telescopic height adjustment


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	400 mm	28 W	1350 r/min	65 m <sup>3</sup> /min




White Yellow

Wine Red

Blue



## Sprint LED



- Heavy base for stability
- LED indicator lights
- Available in two attractive color combinations

Model also available without remote.

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min




Wine Red

Blue



## Trendy Metallic



- Sturdy base for more stability
- Rust free aluminium blades
- Upto 2 hours timer with automatic switch off

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min




Mettalic Black





## Trendy HS



Double Ball Bearing

- Motorized smooth oscillation
- 3 Speed control
- ABS blades for better air thrust




Yellow




Blue

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



## Trendy



- Elegantly designed switch box
- Higher air delivery
- Available in attractive colour combinations

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



Blue White




Golden White



Green White



# Pentaforce



- Elegant Looks
- Sturdy Square Base for more stability
- 3 Speed Control
- 5 Leaf Blade design for High Air delivery
- Upto 2 hours timer with automatic switch off


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	62 W	1350 r/min	65 m <sup>3</sup> /min




Magenta



White Green



# Marvelwind HS



Double Ball Bearing

- Elegant looks
- Sturdy base for more stability




White Blue




White Yellow


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



# Swing



- Smooth oscillation
- Elegantly designed switch box


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



White



# Accelero NS



- Elegant looks
- Sturdy base for more stability




White Grey



White Red

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



# Accelero HS



- Elegant looks
- Sturdy base for more stability




White Grey




White Red

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



# Oro



- 3 speed control
- Smooth oscillation




White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min







## Mini HS




- Three step speed control
- Aluminium blades for high air flow
- Smooth oscillation & wider area coverage

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	250 mm	50 W	2000 r/min	55 m <sup>3</sup> /min





## V2




- High structural stability
- Strong motor for High Air Delivery
- Superior performance at Low & High voltages
- Aerodynamically designed rust proof Aluminium blades
- Speed independent smooth & constant oscillations

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	110 W	1400 r/min	110 m <sup>3</sup> /min



Black Silver



# V3



- Smooth oscillation
- Aerodynamically designed rust proof aluminium blades
- Heavy base for stability

Black



STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	100 W	1400 r/min	100 m <sup>3</sup> /min



# Windstorm OXY



- Three speed control
- Attractive bi-colour metallic finish
- Powerful energy efficient heavy duty motor
- Telescopic height adjustment
- 3 leaf metal blade
- Smooth oscillation




Silver Grey

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	500 mm	130 W	1400 r/min	135 m <sup>3</sup> /min



## WINDSTORM OXY - II



- Sweep 400 mm
- High performance motor
- Aerodynamically designed blades
- Smooth oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	115 W	2200 r/min	100 m <sup>3</sup> /min



Silver Grey



## Windstorm



- Three speed control
- Attractive bi-colour metallic finish
- Powerful energy efficient heavy duty motor
- Telescopic height adjustment
- Unique aerodynamically designed 3 leaf metal blade for excellent air thrust

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	500 mm	130 W	1400 r/min	135 m <sup>3</sup> /min



Silver Black







LOOK UP TO  
**VENTILAIR  
FANS**







# Vento Jet

Auto Inox

- Brushed steel finish
- Automatic front shutter
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning

Unique Automatic Shutter



Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	89.5 mm	31 mm
150 mm	194 mm	194 mm	148 mm	124 mm	38 mm



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m <sup>3</sup> /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



# Vento Jet

Auto

- Off-white color
- Automatic front shutter
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning



Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	89.5 mm	31 mm
150 mm	194 mm	194 mm	148 mm	124 mm	38 mm


Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m <sup>3</sup> /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



# Vento Jet

Inox

- Brushed steel finish
- Modular concept
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning




Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	89.5 mm	38 mm
150 mm	194 mm	194 mm	148 mm	124 mm	34 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m <sup>3</sup> /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



## Vento Jet

- Off-white color
- Modular concept
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning




Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	98.5 mm	38 mm
150 mm	194 mm	194 mm	148 mm	124 mm	34 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m <sup>3</sup> /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



## Ventilair zx

- Ease of cleaning & maintenance
- Seamless design & finish
- Low noise operation
- High Air Delivery




Sweep	A	B	C	D	E
150 mm	194 mm	194 mm	148 mm	124 mm	34 mm




Front View

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	2200 r/min (RPM)	275 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



## Ventilair zxc

- Ease of cleaning & maintenance
- Seamless design & finish
- Low noise operation
- High Air Delivery




Sweep	A	B	C	D	E
100 mm	235 mm	213 mm	30 mm	95 mm	200 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	26 W	1400 r/min (RPM)	74 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB



## VENTILAIR DX-C


- Modern design & elegant look
- Ideal for centrally air conditioned bathrooms and mounting on ceiling



Sweep	A	B	C	D	E
130 mm	264 mm	242 mm	33.5 mm	97 mm	228 mm


Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
130 mm	24 W	1200 r/min (RPM)	150 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB





## DXW CELSO

- Modern looks and sleek design for easy fitting
- Ideal for mounting on glass
- Pull cord for fan switch on-off and shutter open-close
- Shutter to prevent entry of insects, pest and rodents




Sweep	A	B	C	D	E	F
150 mm	198 mm	198 mm	90 mm	148 mm	35 mm	55 mm
200 mm	250 mm	250 mm	250 mm	106 mm	180 mm	60 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	15 W	1750 r/min (RPM)	170 m <sup>3</sup> /h	220 V-240 V	50 Hz	48 dB
200 mm	20 W	1600 r/min (RPM)	280 m <sup>3</sup> /h	220 V-240 V	50 Hz	48 dB



## VENTILAIR DX-WE

- Modern design, fashionable and elegant look
- Suitable for window & wall mounted indoor installation
- Electrically operated automated front shutter



Sweep	A	B	C	D	E	F
150 mm	208 mm	208 mm	120 mm	146 mm	58 mm	62 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	1760 r/min (RPM)	300 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB


Note: Also available with thermally operated automatic shutter (DX-WT)



## Ventilair BLDC



- Easy installation on glass window & wood panels
- Powerful air suction for clean and odorless air
- Mosquito net to avoid entry of insects
- Very low noise




Sweep	A	B	C	D	Cut out space for installation $\varnothing A$
150 mm	200 mm	147 mm	93.5 mm	18 mm	153 mm
200 mm	250 mm	180 mm	128 mm	11 mm	184 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	5 W	1760 r/min (RPM)	180 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB
200 mm	6 W	1760 r/min (RPM)	252 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB



## VENTILAIR DXW

- Modern design, fashionable & elegant look
- Ideal for mounting on glass window & wood panels




Sweep	A	B	C	D	E	F
100 mm	150 mm	150 mm	81 mm	97 mm	35 mm	46 mm
150 mm	208 mm	208 mm	106 mm	146 mm	46 mm	60 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2400 r/min (RPM)	100 m <sup>3</sup> /h	220 V-240 V	50 Hz	43 dB
150 mm	25 W	2000 r/min (RPM)	300 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB



## VENTILAIR DXR

- Back shutter & fan " ON-OFF " operations are inter-locked through pull cord
- Easy installation on glass & wood panels




Sweep	A	B	C	D	E	F	G	H
150 mm	210 mm	150 mm	80 mm	72 mm	35 mm	32 mm	180 mm	142 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	1800 r/min (RPM)	300 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB



## Ventilair Hush

- Modular concept
- High suction capacity
- Noiseless operation
- Removable front plate for easy cleaning



Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	27 mm	72 mm	98 mm
150 mm	200 mm	200 mm	28 mm	94 mm	145 mm




Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2450 r/min (RPM)	140 m <sup>3</sup> /h	220 V-240 V	50 Hz	35 dB
150 mm	25 W	2000 r/min (RPM)	275 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB



## VENTILAIR DXZ NEO

- Easy installation on glass / window panels
- High quality plastic, resistant to colour change
- Elegant front grill
- Also available in black color




Sweep	A	B	C	D
150 mm	165 mm	165 mm	115 mm	68 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	2000 r/min (RPM)	250 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB



## VENTILAIR DX

- Ideal for mounting on wood
- High quality engineering plastic, resistant to colour change with anti-static properties



Sweep	A	B	C	D	E
150 mm	150 mm	241 mm	172 mm	73 mm	50 mm
200 mm	200 mm	298 mm	240 mm	90 mm	40 mm
250 mm	250 mm	348 mm	290 mm	90 mm	48 mm


Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	1350 r/min (RPM)	280 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB
200 mm	32 W	1350 r/min (RPM)	520 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB
250 mm	35 W	1200 r/min (RPM)	860 m <sup>3</sup> /h	220 V-240 V	50 Hz	48 dB





## VENTILAIR DX - HS

- Ideal for mounting on wood
- High quality engineering plastic, resistant to colour change with anti-static properties




Sweep	A	B	C	D	E
150 mm	150 mm	241 mm	172 mm	73 mm	50 mm
200 mm	200 mm	298 mm	240 mm	90 mm	40 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	30 W	2300 r/min (RPM)	600 m <sup>3</sup> /h	220 V-240 V	50 Hz	60 dB
200 mm	65 W	2000 r/min (RPM)	850 m <sup>3</sup> /h	220 V-240 V	50 Hz	60 dB



## VENTILAIR LX

- Modern design, fashionable and elegant look
- Ideal for mounting on glass window and wooden panels




Sweep	A	B	C	D	E
150 mm	208 mm	21 mm	90 mm	150 mm	208 mm
200 mm	255 mm	22 mm	90 mm	200 mm	255 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	22 W	2000 r/min (RPM)	280 m <sup>3</sup> /h	220 V-240 V	50 Hz	50 dB
200 mm	35 W	1800 r/min (RPM)	500 m <sup>3</sup> /h	220 V-240 V	50 Hz	50 dB



## THRILL AIR DX

- Rust proof body and blades
- Automatic shutter
- Durable motor




Sweep	A	B	C	D	E	F
150 mm	150 mm	244 mm	212 mm	191 mm	65 mm	125 mm
200 mm	200 mm	294 mm	262 mm	241 mm	70 mm	101 mm
250 mm	250 mm	344 mm	312 mm	291 mm	69 mm	115 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	24 W	1370 r/min (RPM)	270 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB
200 mm	28 W	1350 r/min (RPM)	500 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB
250 mm	36 W	1300 r/min (RPM)	800 m <sup>3</sup> /h	220 V-240 V	50 Hz	48 dB




## thrill air - dx hs

- Rust proof body and blades
- Automatic shutter
- Durable motor



Sweep	A	B	C	D	E	F
150 mm	150 mm	244 mm	212 mm	191 mm	65 mm	125 mm
200 mm	200 mm	294 mm	262 mm	241 mm	70 mm	101 mm


Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	55 W	2500 r/min (RPM)	650 m <sup>3</sup> /h	220 V-240 V	50 Hz	60 dB
200 mm	65 W	2000 r/min (RPM)	800 m <sup>3</sup> /h	220 V-240 V	50 Hz	60 dB



## Ventilair DB

- Double ball bearings
- Heavy duty motor
- Protective steel bird guard
- Robust construction

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
230 mm	45 W	1400 r/min (RPM)	860 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
300 mm	70 W	1400 r/min (RPM)	1850 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB



## Ventilair DS

- Specially designed metal blade
- Powder coated long lasting finish
- Sturdy steel bird guard



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	38 W	2800 r/min (RPM)	400 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
230 mm	35 W	1400 r/min (RPM)	800 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
300 mm	40 W	1400 r/min (RPM)	1060 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB



## Ventilair DSP

- Specially designed metal blade
- Powder coated long lasting finish
- Sturdy steel bird guard



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	30 W	1400 r/min (RPM)	300 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
230 mm	40 W	1350 r/min (RPM)	510 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
300 mm	50 W	1350 r/min (RPM)	900 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB



## Ventilair DS HS

REVERSIBLE

- Specially designed metal blades
- Powder coated for long lasting finish
- Sturdy steel bird guard



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
230 mm	65W	2300 r/min (RPM)	1050 m <sup>3</sup> h	220 V - 240 V	50 Hz	68 dB
300 mm	75 W	2300 r/min (RPM)	1533 m <sup>3</sup> h	220 V - 240 V	50 Hz	70 dB







LOOK UP TO  
**INDUSTRIAL  
FANS**





# Turboforce

## PEDESTAL AIR CIRCULATOR FAN




- Aerodynamically designed blades for higher air delivery and minimal noise levels
- Double 'z' shielded ball bearings for longer life
- Oscillation up to 90° for total flexibility
- Sturdy brazed wire guards with powder coating ensures corrosion resistance
- Generally conforming to IS: 2997-1964 standards
- Available in 450 mm, 600 mm and 750 mm sweep

### Dimensional Specifications (mm) - Pedestal:

Size (Sweep)	A	B	C	D	E	F	
						Minimum	Maximum
450 mm	500 mm	145 mm	365 mm	785 mm	450 mm	1290 mm	1430 mm
600 mm	670 mm	166 mm	390 mm	1150 mm	585 mm	1340 mm	1650 mm
750 mm	840 mm	176 mm	412 mm	1150 mm	705 mm	1340 mm	1650 mm

### Technical Specifications:

Sweep	Volt (V)	Frequency (Hz)	Power Consumption	Speed r/min (RPM)	Phase	Air Del. m <sup>3</sup> /min	No. of blades	No. of Speeds	Noise Level dB
450 mm Pedestal	230 V	50 Hz	100 W	1440 r/min	1 Phase	150 m <sup>3</sup> /min	3 N	3	62 dB
600 mm Pedestal	230 V	50 Hz	180 W	1440 r/min	1 Phase	280 m <sup>3</sup> /min	3 N	1	72 dB
750 mm Pedestal	230 V	50 Hz	235 W	1400 r/min	1 Phase	300 m <sup>3</sup> /min	3 N	1	75 dB



Air delivery measurement at a distance of 6 times blade sweep from the fan.  
 Built-in regulators available only for 450 mm sweep.  
 Conforming to IS: 2997-1964.

Tolerance on ratings (As per IS 2997-1964)  
 Speed -10%  
 Power +10%  
 Air Delivery -10%

\* Design/Specifications may vary without notice due to continuous technology up-gradation.



## Turboforce WALL AIR CIRCULATOR FAN




- Aerodynamically designed blades for higher air delivery and minimal noise levels
- Double 'z' shielded ball bearings for longer life
- Indexable to different positions up to 15°
- Oscillation up to 90° for total flexibility
- Sturdy brazed wire guards with powder coating ensures corrosion resistance
- Generally conforming to IS: 2997-1964 standards
- Available in 450 mm, 600 mm and 750 mm sweep

### Dimensional Specifications (mm) - Wall:

Size (Sweep)	A	B	C	D	E	G1	G2	H
450 mm	500 mm	145 mm	590 mm	200 mm	565 mm	84 mm	108 mm	157 mm
600 mm	670 mm	166 mm	585 mm	185 mm	680 mm	150 mm	120 mm	170 mm
750 mm	840 mm	176 mm	660 mm	185 mm	680 mm	150 mm	120 mm	170 mm

### Technical Specifications:

Sweep	Volt (V)	Frequency (Hz)	Power Consumption	Speed r/min (RPM)	Phase	Air Del. m <sup>3</sup> /min	No. of blades	No. of Speeds	Noise Level dB
450 mm Wall	230 V	50 Hz	100 W	1440 r/min	1 Phase	150 m <sup>3</sup> /min	3 N	3	62 dB
600 mm Wall	230 V	50 Hz	180 W	1440 r/min	1 Phase	280 m <sup>3</sup> /min	3 N	1	72 dB
750 mm Wall	230 V	50 Hz	235 W	1400 r/min	1 Phase	300 m <sup>3</sup> /min	3 N	1	75 dB



Air delivery measurement at a distance of 6 times blade sweep from the fan.  
Built-in regulators available only for 450 mm sweep.  
Conforming to IS: 2997-1964.

Tolerance on ratings (As per IS 2997-1964)  
Speed -10%  
Power +10%  
Air Delivery -10%

\* Design/Specifications may vary without notice due to continuous technology up-gradation.



## Turboforce / TURBOFORCE NEO

HEAVY DUTY EXHAUST FAN




**IP55**  
Protected



- Corrosion resistant body, minimal noise operation & maintenance free design
- Totally enclosed, highly efficient heavy duty motor with pressure die cast aluminium rotor mounted on two ball bearings
- Aerodynamically contoured blades handle maximum air with minimum power consumption.
- Rigid frame with rubber mountings for silent operation
- Conforming to IS: 2312 -1967
- Available in various sizes with I & III phase
- An IP55 rated product (protected from limited dust ingress and from low pressure water jets from any direction)
- Available 300 mm, 380 mm, 450 mm, 600 mm & 900 mm Sweep  
(Above size are available in 900 r/ min (RPM) and 1400 r/ min (RPM))






### Dimensional Specifications (mm) :

Dimensions (in mm)	Ø H mm	X mm	YSQ mm	Ø S mm
300 mm H.D. Exhaust Fan	7.7 mm	388 mm	310 mm	322 mm
380 mm H.D. Exhaust Fan	10.5 mm	462 mm	373 mm	401 mm
450 mm H.D. Exhaust Fan	10.5 mm	550 mm	442 mm	483 mm
600 mm H.D. Exhaust Fan	10.5 mm	718 mm	603 mm	635 mm

### Technical Specifications :

Sweep (mm)	Phase	Speed r/min (RPM)	Input (Watt)	Current (Ampere)	Free air flow (m³/h)	Noise Level (dB)
300 mm	1 Phase	900 r/min	55 W	0.26 A	1275 m³/h	50 dB - 55 dB
		1400 r/min	90 W	0.43 A	1950 m³/h	60 dB - 65 dB
380 mm	1 Phase	900 r/min	100 W	0.48 A	2250 m³/h	55 dB - 60 dB
		1400 r/min	166 W	0.77 A	3700 m³/h	65 dB - 70 dB
450 mm	1 Phase	900 r/min	145 W	0.7 A	4400 m³/h	60 dB - 65 dB
		1400 r/min	410 W	1.98 A	6200 m³/h	75 dB - 80 dB
600 mm	1 Phase	900 r/min	850 W	2.65 A	10520 m³/h	70 dB- 75 dB
380 mm	3 Phase	1400 r/min	170 W	0.4 A	3700 m³/h	65 dB- 70 dB
450 mm	3 Phase	1400 r/min	370 W	0.82 A	6800 m³/h	75 dB - 80 dB
600 mm	3 Phase	900 r/min	500 W	0.95 A	10520 m³/h	70 dB - 75 dB
900 mm	3 Phase	700 r/min	1320 W	5.73 A	25200 m³/h	75 dB - 80 dB



Tolerance on ratings (As per IS 2312-1967)  
 Speed -5% to +10%  
 Power +10%  
 Air Delivery -10%

At 230 V, 1 Phase, 50 Hz AC  
 or 400 V, 3 Phase, 50 Hz AC

## HAVELLS INDIA LTD.

Corp Office: QRG Towers, 2D, Sector-126,  
Expressway, Noida-201304 (U.P.) Ph. +91-120-4771000  
Email : [marketing@havells.com](mailto:marketing@havells.com), Website : [www.havells.com](http://www.havells.com)  
Customer Care No. 08045 77 1313

CIN: L31900DL1983PLC016304

---

Pictures and details of the product(s) in this catalogue are merely illustrative. Actual products may vary in colour, design, description and colour combination etc. Due care has been taken that the information provided herein is accurate but is subject to human error. The information is updated from time to time. Havells India Limited reserves its rights to amend data/details without prior notice.

Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.

