

Carver Tubs
2021-2023
Product Catalog



carvertubs.com

Carver Tubs

Since 1978

For 43 years we have manufactured quality products for sale throughout the USA.

In 2004, we launched our online division and began shipping bathtubs worldwide.

We custom build the most innovative, hygienic, and eco-friendly whirlpool system available. We pride ourselves on being a family owned and employee friendly company.

Questions?
Call, Text or Email Anytime

866.935.8144
carvertubs.info

Travis Reynolds
National Sales Rep
1.866.935.8144

Travis Siebert
Global Sales
tmsiebert@carvertubs.com
816.365.5284

Niki Wilson
Local Order Desk
niki@carvertubs.com
816.767.4437

Table of Contents

Products

Freestanding Tubs	04 - 71
Drop In Tubs	88 - 155
Alcove Tubs	156 - 177
Shower Products	178 - 187

Hydrotherapy


Systems & Upgrades	72 - 79
--------------------	---------



Innovations & Products	80 - 87
------------------------	---------



Retail Pricing, Pictures, & Specs available on
carvertubs.info




FREESTANDING TUBS DECK-MOUNT FAUCETS

PICTURED LEFT TO RIGHT

AMUR: Page 6-7

KASKADE: Page 14-15

FIJI: Page 42-43



About



Integrated Overflow System

The majority of our bathtubs include an integrated factory installed overflow system.



Job Site Delivery Service

Job site delivery available.



Deck-Mount Faucet Models

Many of our bathtubs can have faucets installed directly to the tub's top surface.



Warranty

5 year Limited Warranty on bathtubs.



Amur 70 Freestanding Soaking Tub



Amur 70 Freestanding Soaking Tub

Bathtub Dimensions: 70.5" L x 32.5" W x 23" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Amur II 72 Freestanding Soaking Tub



Amur II 72 Freestanding Soaking Tub

Bathtub Dimensions: 72" L x 36" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes





Aiden 65 Freestanding Soaking Tub



Aiden 65 Freestanding Soaking Tub

Bathtub Dimensions: 65" L x 30.5" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic



Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes

Aiden II 69 Freestanding Soaking Tub



Aiden II 69 Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 31.5" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Kaskade 71 Freestanding Soaking Tub



Kaskade 71 Freestanding Soaking Tub

Bathtub Dimensions: 71.25" L x 32" W x 23" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability




Compatible Features



Drain & Overflow Color Finishes



Kaskade II 72 Freestanding Soaking Tub



Kaskade II 72 Freestanding Soaking Tub

Bathtub Dimensions: 72" L x 36" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Reflection I 59 Freestanding Soaking Tub



Reflection I 59 Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 31.5" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Reflection II 67 Freestanding Soaking Tub



Reflection II 67 Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31.5" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Reflection III 72 Freestanding Soaking Tub



Reflection III 72 Freestanding Soaking Tub

Bathtub Dimensions: 72" L x 36" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Graceful I 59 Freestanding Soaking Tub



Graceful I 59 Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 29" W x 23" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Graceful II 67 Freestanding Soaking Tub



Graceful II 67 Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Zen 63 Freestanding Soaking Tub



Zen 63 Freestanding Soaking Tub

Bathtub Dimensions: 63" L x 31.5" W x 24" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Contour 68 Freestanding Soaking Tub



Contour 68 Freestanding Soaking Tub

Bathtub Dimensions: 68" L x 36" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes





Dreamer 67 Freestanding Soaking Tub



Dreamer 67 Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31" W x 23" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic



Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes

Arcadia 59 Freestanding Soaking Tub



Arcadia 59 Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 27.5" W x 25" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Aphrodite 67 Freestanding Soaking Tub



Aphrodite 67 Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31.5" W x 23" H

Drain Location: Center
Drain/Overflow: Comes with kit
Material: Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Maximus 69 Freestanding Soaking Tub



Maximus 69 Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 28.5" W x 28" H

Drain Location: Center
Drain/Overflow: Comes With Kit
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes





Elysium 67 Freestanding Soaking Tub



Elysium 67 Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31" W x 23.5" H

Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic



Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes

Fiji 67 Freestanding Soaking Tub



Fiji 67 Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 30" W x 27" H

Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Harmony II 67 Freestanding Soaking Tub



Harmony II 67 Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 34" W x 23.75" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



Serenity II 69 Freestanding Soaking Tub



Serenity II 69 Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 33.5" W x 28.75" H

Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes





Radiance 67 Freestanding Soaking Tub



Radiance 67 Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 31" W x 26" H

Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic



Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes

FREESTANDING TUBS FLOOR-MOUNT FAUCETS

PICTURED LEFT TO RIGHT

DELANEY: Page 64-65

SERAPHINA: Page 54-55

BLISS: Page 60-61



About



Integrated Overflow System

The majority of our bathtubs include an integrated factory installed overflow system.



Job Site Delivery Service

Job site delivery available.



Floor-Mount Faucet Models

Many of our bathtubs can have faucets installed directly to the floor or wall.



Warranty

5 year Limited Warranty on bathtubs.



Journey 71 Freestanding Soaking Tub



Journey 71 Freestanding Soaking Tub

Bathtub Dimensions: 71" L x 32" W x 24" H

Drain Location: Center
Drain/Overflow: Comes with kit
Material: Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



Seraphina 59 Freestanding Soaking Tub



Seraphina 59 Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 29" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



Rockefeller 69 Freestanding Soaking Tub



Rockefeller 69 Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 31.5" W x 24" H

Drain Location: Center
Drain/Overflow: Comes with kit
Material: Acrylic




Floor-Mount Faucet Required or Small Deck




Compatible Features



Drain & Overflow Color Finishes



Tranquility 59 Freestanding Soaking Tub



Tranquility 59 Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 31" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic





Floor-Mount Faucet Required





Compatible Features



Drain & Overflow Color Finishes




Bliss 68.5 Freestanding Soaking Tub



Bliss 68.5 Freestanding Soaking Tub

Bathtub Dimensions: 68.5" L x 30" W x 23" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



Trinity 69 Freestanding Soaking Tub



Trinity 69 Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 31" W x 23.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic





Floor-Mount/Wall-Mount Faucet
Required



Compatible Features



Drain & Overflow Color Finishes



Delaney 69 Freestanding Soaking Tub



Delaney 69 Freestanding Soaking Tub

Bathtub Dimensions: 69" L x 31" W x 27.5" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



Vitality 59 Freestanding Soaking Tub



Vitality 59 Freestanding Soaking Tub

Bathtub Dimensions: 59" L x 31.5" W x 23" H

Drain Location: Center
Drain/Overflow: Integrated
Material: Acrylic




Floor-Mount Faucet Required




Compatible Features



Drain & Overflow Color Finishes



Heavenly 72 Freestanding Soaking Tub



Heavenly 72 Freestanding Soaking Tub

Bathtub Dimensions: 72" L x 31.5" W x 23.5" H

Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic




Floor-Mount Faucet Required




Compatible Features



Drain & Overflow Color Finishes



Serenity 67 Freestanding Soaking Tub



Serenity 67 Freestanding Soaking Tub

Bathtub Dimensions: 67" L x 30" W x 28.75" H

Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



QUICK GUIDE TO OUR HYDROTHERAPY OPTIONS



SOAKING

- Classic Bathing Experience



WHIRLPOOL

- Carver's Clean Whirlpool Tech





AIR MASSAGE

- Heated Air Bubbles Provide a Gentle Massage



VIBRO MASSAGE

- The Next Generation of Hydrotherapy



WHIRLPOOL INFO



WHIRLPOOL


- Carver's Clean Whirlpool Tech




OUR CLEAN WHIRLPOOL



MADE IN AMERICA. Handcrafted by our bathtub experts in Carver Tub's State of the Art Facility, located right here in the USA.




QUICK DRAIN. Carver's exclusive "V" body design jets force water to drain from the Whirlpool Bathtub's pipes into the bathtub, guaranteeing a dry, clean system.



NO FLEX. PVC Schedule 40 pipes are heated and hand molded in Arches to form fit each of Carver Tubs unique Whirlpool Bathtubs. This process ensures that no water remains in the system after use and the leave the system dry and clean for years.


THEIR 'CLEAN' WHIRLPOOL



DIRTY. There is nothing worse than a dirty bathtub! Here's why most Whirlpool Systems are unsanitary.



FLEX PIPES & T JETS. Easier to mass-produce, flex piping and 'T' style jets are often used by Whirlpool Bathtub Companies to save time and costs during the manufacturing process.



WATER REMAINS IN SYSTEM. Overtime, flex piping can wear and sag, allowing for residual water to remain after use in the system's piping. This 'standing water' is the culprit of foul odors or worse; blackish residue entering your bathtub when the system is first activated.

AIR MASSAGE INFO



AIR MASSAGE

- Heated Air Bubbles Provide a Gentle Massage



AIR MASSAGE SYSTEM

CLEANSING CYCLE



GENTLE AIR MASSAGE. Immerse yourself in hundreds of thousands of tiny warm air bubbles, and relax to a soft tissue massage that aids in pain relief, muscle relaxation, and promotes oxygen and blood flow in your body.



CHECK VALVE JETS, Carver Tub's exclusive Air Massage Jets prevent water from entering the Air Massage Lines during bathing.



HEATED AIR BLOWER, Our Air Massage blower is the essential feature of our Air Massage System. With unmatched performance, proven reliability, and a small footprint it is the ultimate in bathing relaxation. The quiet motor with a built-in heating element warms the air, filling the bathtub with thousands of heated air bubbles.



100% HYGIENIC, Carver Tub's Check Valve Air Massage Jets and Cleansing Purge Cycle guarantee that your bathtub is completely hygienic and sanitary every time you step into the tub.



CLEANSING CYCLE, 15 minutes after bathing, Carver Tub's Air Massage system will re-activate to purge every line and jet from any residual water that could remain after bathing. This cleansing cycle is one more step Carver Tub's takes to ensure that your system remains clean and dry, every time.

VIBRO MASSAGE INFO



VIBRO MASSAGE

- The Next Generation of Hydrotherapy



VIBRO MASSAGE SYSTEM

It **PULSATES**, it **VIBRATES**, it **SEQUENCES**.

Depending on your body and muscle density, the **massage can be totally personalized** to be soft and gentle to relax you or to be more vigorous and deeply penetrate within your muscles to relieve the pain.



PULSATION

The Vibro Massage System offers **various levels of power**, depending on your body and muscle density.



VIBRATION

The Vibro Massage System offers **various levels of vibration**, allowing the massage to deeply penetrate within your muscles.




SEQUENCES

The Vibro Massage System offers **different and unique Shiatsu massage sequences** that will offer a variety of massage where you need it most.




SEQUENCE MODES



4 DIFFERENT ZONES / 6 VIBRO-SONIC JETS



SEQUENCE MODES



4 DIFFERENT ZONES / 6 VIBRO-SONIC JETS



HYDROTHERAPY INNOVATIONS



WAVE SOUND

- Innovative Sound Wave Therapy



INFRARED WARM

- Soothing Back Heat



HYDROTHERAPY INNOVATIONS



DROP IN DRAIN

- Installation Kit for Freestanding Bathtubs



A Must-Have
for Freestanding
Tub Installs



Quick, Easy, and Clean!

Installed during Rough-In phase.

WAVE SOUND SYSTEM



WAVE SOUND

- Innovative Sound Wave Therapy




The **WAVE SOUND** system connected by Bluetooth can easily be controlled through the electronic keypad or smart device.

Optional Chromatherapy system integration. The music is synchronized with LED lights and will change colors in sync with every beat of your favorite music.

Control the system with:



BACKLIT KEYPAD



ANDROID



IPHONE



INFRARED WARM SYSTEM



INFRARED WARM

- Soothing Back Heat



The **INFRARED WARM** system is controlled with a keypad that offers two intensities of heat (high and low.)

Integrated 30 minute timer.

Eco-friendly, uses less energy than a common 60 Watt light bulb.



CLASSIC HYDROTHERAPY UPGRADES



CHROMOTHERAPY

- Light Up Your Bathtub!



BATHTUB HEATER

- Keeps Your Whirlpool System Warm



CLASSIC HYDROTHERAPY UPGRADES



AROMATHERAPY

- Create Your Own Spa Experience



OZONE SANITIZER

- Keeps Your Whirlpool System Clean




BATHTUB ACCESSORIES


E

ESSENTIALS

- Essential Bathing Accessories



Bathtub Handles
for Safety



Drain & Overflow Kit Prevents Water
From "Overflowing" the Bathtub



Pillows
for Comfort


DROP IN TUBS

PICTURED LEFT TO RIGHT

AR7242: Page 134-135

SOD6941: Page 118-119

SR7148: Page 140-141



About



Eco-Friendly Manufacturing

Made from sustainable materials, waste is reduced through remanufacturing, reuse and recycling.



Delivery & Install Service

We can deliver and properly install your bathtub. A plumber will still be needed to hook up the drain and faucet.



High Quality Acrylic

Light weight and durable. Acrylic is warm to the touch, easy to clean and retains it's original color for years to come.



Warranty

5 Year Limited Warranty on Bathtub
2 Year Limited Warranty on Parts & Accessories




AR6032 Drop In Soaking Bathtub



AR6032 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 32" x 18"
Rough In:	58" x 30" x 20"
Deck Cut-Out:	58" x 30"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	50 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




AR6036 Drop In Soaking Bathtub



AR6036 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 36" x 18"
Rough In:	58" x 34" x 20"
Deck Cut-Out:	58" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	50 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




RAR6036 Drop In Soaking Bathtub



RAR6036 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 36" x 18"
Rough In:	58" x 34" x 20"
Deck Cut-Out:	58" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	50 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




SR6036 Drop In Soaking Bathtub



SR6036 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 36" x 18"
Rough In:	58" x 34" x 20"
Deck Cut-Out:	58" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	55 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




DJO5839 Drop In Soaking Bathtub



DJO5839 Drop In Soaking Bathtub

Bathtub Dimensions:	58" x 39" x 18.5"
Rough In:	57" x 37" x 20.5"
Deck Cut-Out:	Template Available
Finished Deck Height:	20.5"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	60 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




AR6042 Drop In Soaking Bathtub



AR6042 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 42" x 20.5"
Rough In:	58" x 39" x 22"
Deck Cut-Out:	58" x 39"
Finished Deck Height:	22"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	65 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest




Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub

SR6042 Drop In Soaking Bathtub



SR6042 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 42" x 19"
Rough In:	58" x 40" x 21"
Deck Cut-Out:	58" x 40"
Finished Deck Height:	21"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	65 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest



Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub


CT6060 Drop In Soaking Bathtub



CT6060 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 60" x 19.5"
Rough In:	58" x 58" x 21"
Deck Cut-Out:	58" x 58"
Finished Deck Height:	21"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	75 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backre

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




CK5959 Drop In Soaking Bathtub



CK5959 Drop In Soaking Bathtub

Bathtub Dimensions:	59" x 59" x 20.5"
Rough In:	57" x 57" x 22.5"
Deck Cut-Out:	57" x 57"
Finished Deck Height:	22.5"
Drain Location:	Front Right
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	80 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




JT5959 Drop In Soaking Bathtub



JT5959 Drop In Soaking Bathtub

Bathtub Dimensions:	59" x 59" x 21.5"
Rough In:	57" x 57" x 23.5"
Deck Cut-Out:	57" x 57"
Finished Deck Height:	23.5"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	90 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




ME6060 Drop In Soaking Bathtub



ME6060 Drop In Soaking Bathtub

Bathtub Dimensions:	60" x 60" x 19"
Rough In:	58" x 58" x 21"
Deck Cut-Out:	58" x 58"
Finished Deck Height:	21"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




SKC5555 Drop In Soaking Bathtub



SKC5555 Drop In Soaking Bathtub

Bathtub Dimensions:	55" x 55" x 18.5"
Rough In:	53" x 53" x 20"
Deck Cut-Out:	53" x 53"
Finished Deck Height:	20"
Drain Location:	Front, Right
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest



Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




CW6464 Drop In Soaking Bathtub



CW6464 Drop In Soaking Bathtub

Bathtub Dimensions:	64" x 64" x 21"
Rough In:	62" x 62" x 23"
Deck Cut-Out:	62" x 62"
Finished Deck Height:	23"
Drain Location:	Front Left
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	94 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




AR6532 Drop In Soaking Bathtub



AR6532 Drop In Soaking Bathtub

Bathtub Dimensions:	65" x 32" x 18.5"
Rough In:	63" x 30" x 20.5"
Deck Cut-Out:	63" x 30"
Finished Deck Height:	20.5"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	60 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




SOD6941 Drop In Soaking Bathtub



SOD6941 Drop In Soaking Bathtub

Bathtub Dimensions:	69" x 41" x 18"
Rough In:	66" x 38" x 20"
Deck Cut-Out:	Template Available
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	75 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




TOD6841 Drop In Soaking Bathtub



TOD6841 Drop In Soaking Bathtub

Bathtub Dimensions:	68" x 41" x 20"
Rough In:	65" x 37" x 22"
Deck Cut-Out:	Template Available
Finished Deck Height:	22"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




AR7236 Drop In Soaking Bathtub



AR7236 Drop In Soaking Bathtub

Bathtub Dimensions:	71.5" x 36" x 18"
Rough In:	69" x 34" x 20"
Deck Cut-Out:	69" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




AT7135 Drop In Soaking Bathtub



AT7135 Drop In Soaking Bathtub

Bathtub Dimensions:	71" x 35" x 19"
Rough In:	69" x 33" x 21"
Deck Cut-Out:	69" x 33"
Finished Deck Height:	21"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	65 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




DAR7236 Drop In Soaking Bathtub



DAR7236 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 36" x 21"
Rough In:	70" x 34" x 23"
Deck Cut-Out:	70" x 34"
Finished Deck Height:	23"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	65 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




DH7136 Drop In Soaking Bathtub




DH7136 Drop In Soaking Bathtub

Bathtub Dimensions:	71" x 36" x 18"
Rough In:	69" x 34" x 20"
Deck Cut-Out:	69" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest



Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub


KJ7136 Drop In Soaking Bathtub



KJ7136 Drop In Soaking Bathtub

Bathtub Dimensions:	71" x 36" x 18.5"
Rough In:	69" x 34" x 21"
Deck Cut-Out:	69" x 34"
Finished Deck Height:	21"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




RAR7236 Drop In Soaking Bathtub



RAR7236 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 36" x 18"
Rough In:	69" x 34" x 20"
Deck Cut-Out:	69" x 34"
Finished Deck Height:	20"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




AR7242 Drop In Soaking Bathtub



AR7242 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 42" x 20.5"
Rough In:	69" x 39" x 22"
Deck Cut-Out:	69" x 39"
Finished Deck Height:	22"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	75 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




SR7242 Drop In Soaking Bathtub



SR7242 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 42" x 19"
Rough In:	69" x 39" x 21"
Deck Cut-Out:	69" x 39"
Finished Deck Height:	21"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	75 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




DAR7248 Drop In Soaking Bathtub



DAR7248 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 48" x 21"
Rough In:	69" x 45" x 24"
Deck Cut-Out:	69" x 45"
Finished Deck Height:	24"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	80 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




SR7148 Drop In Soaking Bathtub



SR7148 Drop In Soaking Bathtub

Bathtub Dimensions:	71" x 48" x 19.5"
Rough In:	69" x 46" x 22"
Deck Cut-Out:	69" x 46"
Finished Deck Height:	22"
Drain Location:	End Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	85 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




TPL7248 Drop In Soaking Bathtub



TPL7248 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 48" x 19.5"
Rough In:	69" x 46" x 22.5"
Deck Cut-Out:	69" x 46"
Finished Deck Height:	22.5"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	70 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




TMS7248 Drop In Soaking Bathtub



TMS7248 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 48" x 18"
Rough In:	69" x 45" x 21"
Deck Cut-Out:	69" x 45"
Finished Deck Height:	21"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	95 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




BE7260 Drop In Soaking Bathtub



BE7260 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 60" x 19"
Rough In:	67" x 57" x 22"
Deck Cut-Out:	67" x 57"
Finished Deck Height:	22"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	100 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




FL7272 Drop In Soaking Bathtub



FL7272 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 72" x 18"
Rough In:	69" x 69" x 20"
Deck Cut-Out:	69" x 69"
Finished Deck Height:	20"
Drain Location:	Fixed, can rotate tub
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	100 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




NW7272 Drop In Soaking Bathtub



NW7272 Drop In Soaking Bathtub

Bathtub Dimensions:	72" x 72" x 21"
Rough In:	70" x 70" x 23"
Deck Cut-Out:	70" x 70"
Finished Deck Height:	23"
Drain Location:	Front, Center
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	90 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




RO7676 Drop In Soaking Bathtub



RO7676 Drop In Soaking Bathtub

Bathtub Dimensions:	76" x 76" x 24"
Rough In:	73" x 73" x 24"
Deck Cut-Out:	73" x 73"
Finished Deck Height:	24"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	150 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub




SQ7777 Drop In Soaking Bathtub



SQ7777 Drop In Soaking Bathtub

Bathtub Dimensions:	77" x 77" x 25"
Rough In:	74" x 74" x 23.5"
Deck Cut-Out:	74" x 74"
Finished Deck Height:	25"
Drain Location:	Center Drain
Material:	Acrylic
Tub Floor:	Slip-Resistant
Water Capacity:	150 Gallons
Overflow Hole:	Un-drilled
Set in Mortar?:	Yes
Motor Installation:	Mounted under backrest

Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub



ALCOVE TUBS

ALL6030: Page 158-159

ALL6632: Page 170-171

ALR6036: Page 168-169



About



Eco-Friendly Manufacturing

Made from sustainable materials, waste is reduced through remanufacturing, reuse and recycling.



Delivery & Install Service

We can deliver and properly install your bathtub. A plumber will still be needed to hook up the drain and faucet.



High Quality Acrylic

Light weight and durable. Acrylic is warm to the touch, easy to clean and retains it's original color for years to come.




Warranty

5 Year Limited Warranty on Bathtub
2 Year Limited Warranty on Parts & Accessories



ALL6030 Alcove Soaking Tub



ALL6030 Alcove Soaking Tub


Bathtub Dimensions: 60" L x 30" W x 21.5" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



ALR6030 Alcove Soaking Tub



ALR6030 Alcove Soaking Tub



Bathtub Dimensions: 60" L x 30" W x 21.5" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



ALL6032 Alcove Soaking Tub



ALL6032 Alcove Soaking Tub


Bathtub Dimensions: 60" L x 32" W x 21.75" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



ALR6032 Alcove Soaking Tub



ALR6032 Alcove Soaking Tub


Bathtub Dimensions: 60" L x 32" W x 21.75" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



ALL6036 Alcove Soaking Tub



ALL6036 Alcove Soaking Tub


Bathtub Dimensions: 60" L x 36" W x 21.75" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



ALR6036 Alcove Soaking Tub



ALR6036 Alcove Soaking Tub


Bathtub Dimensions: 60" L x 36" W x 21.75" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



ALL6632 Alcove Soaking Tub



ALL6632 Alcove Soaking Tub


Bathtub Dimensions: 66" L x 32" W x 20.5" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic




Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



ALR6632 Alcove Soaking Tub



ALR6632 Alcove Soaking Tub


Bathtub Dimensions: 66" L x 32" W x 20.5" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



ALL6636 Alcove Soaking Tub



ALL6636 Alcove Soaking Tub


Bathtub Dimensions: 66" L x 36" W x 20.5" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



ALR6636 Alcove Soaking Tub



ALR6636 Alcove Soaking Tub


Bathtub Dimensions: 66" L x 36" W x 20.5" H
Drain Location: End
Drain/Overflow: Integrated
Material: Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



SHOWER PRODUCTS

PICTURED LEFT TO RIGHT

01074: Page 180

4878: Page 186

01076: Page 181



About



Eco-Friendly Manufacturing

Made from sustainable materials, waste is reduced through remanufacturing, reuse and recycling.



Delivery & Install Service

Job site delivery available.



High Quality Acrylic

Light weight and durable. Acrylic is warm to the touch, easy to clean and retains it's original color for years to come.




Warranty

5 Year Limited Warranty on Shower Pans.




01074 Euro Slim Line Shower Pan

Pan Dimensions: 48" x 32" x 3.5"
Drain Location: Center Drain
Material: Acrylic
Shower Floor: Slip-Resistant




01076 Euro Slim Line Shower Pan

Pan Dimensions: 48" x 34" x 3.5"
Drain Location: Center Drain
Material: Acrylic
Shower Floor: Slip-Resistant




01075 Euro Slim Line Shower Pan

Pan Dimensions: 60" x 32" x 3.5"
Drain Location: Center Drain
Material: Acrylic
Shower Floor: Slip-Resistant



01077 Euro Slim Line Shower Pan

Pan Dimensions: 60" x 34" x 3.5"
Drain Location: Center Drain
Material: Acrylic
Shower Floor: Slip-Resistant



6059 Shower Sliding Door

Dimensions:

60" L x 59" H

Frame:

Stainless Steel

Handles:

Stainless Steel

Glass:

3/8" Tempered Glass



Frame Color Finishes




Chrome



Black



Brushed Nickel



6659 Shower Sliding Door

Dimensions:

66" L x 59" H

Frame:

Stainless Steel

Handles:

Stainless Steel

Glass:

3/8" Tempered Glass



Frame Color Finishes




Chrome



Black



Brushed Nickel



4878 Shower Sliding Door

Dimensions:

Frame:

Handles:

Glass:

48" L x 78" H

Stainless Steel

Stainless Steel

3/8" Tempered Glass



Frame Color Finishes



Chrome



Black



Brushed Nickel



6078 Shower Sliding Door

Dimensions:

Frame:

Handles:

Glass:

60" L x 78" H

Stainless Steel

Stainless Steel

3/8" Tempered Glass



Frame Color Finishes



Chrome



Black



Brushed Nickel



CARVER TUBS
3303 MAIN STREET
GRANDVIEW, MO 64030
carvertubs.info



ECO-FRIENDLY
ENVIRONMENTALLY CONSCIOUS

