

CANTILEVER CHAIRS ROUND TUBE CHAIRFIXX

PRODUCT SPECIFICATIONS


- Exclusively suited for cantilever chairs with round tube frames.
- Available with fixed pin or without pin for round frames of Ø11 and Ø12 mm.
- Available with removable pin for tubes of Ø14, Ø16, Ø19, Ø22, Ø25, Ø28, and Ø32 mm.
- The pin has a diameter of 5 to 6 mm and can be used for tubular steel frames with pre-drilled holes.
- Furniture is raised by 7 to 10 cm.
- Made of transparant polycarbonate, equipped with durable polyamide fibres.



MEASURING THE TUBE DIAMETER

Thoroughly measure the diameter of the tube with a calliper.

Always read a calliper from '0' to '0'.



PRODUCT INFORMATION

Product

Chairfixx 11 mm, with fixed pin
Chairfixx 11 mm, without pin
Chairfixx 12 mm, with fixed pin
Chairfixx 12 mm, without pin
Chairfixx 14 mm, with removable pin
Chairfixx 16 mm, with removable pin
Chairfixx 19 mm, with removable pin
Chairfixx 22 mm, with removable pin
Chairfixx 25 mm, with removable pin
Chairfixx 28 mm, with removable pin
Chairfixx 32 mm, with removable pin

Article no.

10-6040-MP
10-6040-ZP
10-6070-MP
10-6070-ZP
10-6080
10-6100
10-6200
10-6300
10-6400
10-6450
10-6470

Double-sided tape (19 mm * 5 meter roll)
Double-sided foamtape 1 mm (19 mm * 5 m roll)

12-9360
12-9340

*When dealing with non-standard tube sizes,
always opt for the next size of Chairfixx with double-sided foam tape 1 mm.*



CHAIRFIXX MOUNTING INSTRUCTIONS

Click the Chairfixx on the frame.

Ensure that the Chairfixx is positioned at the same height on both sides.

Do not mount the Chairfixx at the very end of the tube, but leave some space towards the front edge.



WITH OR WITHOUT PIN?

If the chair has pre-drilled holes, use the Chairfixx with a pin. If it does not, either pre-drill the holes yourself or simply affix the Chairfixx to the tube with double-sided tape instead.

