




PRODUCT INTRODUCTION

B28AT

TRI-TEMP WATER PURIFIER
EASY ACCESS TOUCH PANEL SYSTEM
Contactless B28A



CLOVER WATER DISPENSER

61, Simin-daero 98beon-gil, Dongan-gu
Anyang-si, Gyeonggi-do 14079 South Korea

Tri-temperature

Easy access touch panel with Auto Child lock function.

UV LED care system

Higher sanitary system of UV LED
Will keep the high quality of water

Touch-free mode

Use-friendly contactless mode with Sensor detection.



Auto filling mode : 130cc (4.5oz) of water falls for once

SPECIFICATION

Voltage	Depend on country
Electric power	Cold water:105W / Hot water:465W
Volume	Cold water(Volume): 3.6ℓ Hot water (Volume): 1.6ℓ
temperature	Cold water: 4 ±3°C Hot water: 84 ~ 92°C ±2°C ECO: 70 ~ 75°C
Thermostat	Hot: Thermistor Safety : Bimetal-- A97°C manual
Net Dimension	272(W) × 327(D) ×1040(H)
Shipping Dimension	290(W) × 420(D) ×1120(H)
Container base	448pcs/40ft, 208pcs/20ft
Weight	19 Kg
Operation button	Cold, Hot, Ambient, ECO

BLACK
B28



WHITE
B28



FEATURES

High hygienic system by UV LED sterilization

Cold water flow rate : 1,200cc/min

Hot water flow rate : 1,200cc/min

Ambient water flow rate : 1,200cc/min

External color : White, Black

(enable to set)