



GIGA X8c Professional: Specifications

JURA Standards

Variable brewing chamber	5 - 16 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S.®)	Yes
Intelligent preheating	Yes
Active bean monitoring	Yes
Energy Save Mode (E.S.M.®)	Yes
High-performance pump, 15 bar	3
Thermoblock heating system	3
Fluid system	2 parallel
Monitored drip tray	Yes
Maintenance status display	Yes
Integrated rinsing, cleaning and descaling program	Yes
Adjustable water hardness	Yes
One or two cups of espresso in one brewing operation	Yes
JURA hygiene: TÜV-certified	Yes
Filter cartridge	CLARIS Pro Blue
Zero-Energy Switch or power switch	Classic
Swiss made	Yes

Coffee specialities

No. of individually programmable speciality coffees	34
Coffee specialties	<ul style="list-style-type: none"> 1 Americano 2 latte macchiati 1 latte macchiato 2 cappuccini 1 cappuccino 2 caffè latte 1 caffè latte 2 coffees 1 coffee 2 espressi macchiati

1 espresso macchiato
 2 espressi
 1 espresso
 2 ristretti
 1 ristretto
 Pot of coffee
 Milk, milk foam

Pot of espresso-quality coffee	Yes
Hot water function	Power hot water system
Additional preground coffee powder	Yes
Pot of coffee (360 ml / 12 oz.)	1 min. 55 sec. (Speed)
2 latte macchiati	1 min. 8 sec. (Speed)
2 cappuccini	1 min. (Speed)
2 caffè latte (cafés au lait)	1 min. 5 sec.
2 coffees	38 sec. (Speed)
2 espressi	27 sec. (Speed)
2 ristretti	26 sec.
Hot water (200 ml / 7 oz.)	28 sec.

Advantages

App Compatibility	JURA Connect App JURA Coffee App Professional
JURA fine foam technology	Yes
Milk or milk foam preparation	Yes
Grinder type	Electrically adjustable ceramic disc grinder
Number of grinders	2
Powder chute for ground coffee	Yes
Powder recognition for additional ground coffee variety	Yes
A la carte bean selection	Yes

Settings and programming options

Programmable amount of water	Yes
------------------------------	-----

Amount of water can be adjusted for each preparation	Yes
Programmable coffee strength in levels	5
Coffee strength can be adjusted for each preparation	Yes
Programmable brewing temperature	3
Programmable amount of milk	Yes
Hot water temperature can be programmed in levels	3
Programmable amount of hot water	Yes
Rotary Switch	Yes
Programmable preparation buttons	8
Individualized productname	Yes
Resettable day counter	Yes
Programmable switch-on time	Yes
Programmable switch-off time	Yes
Shows the number of preparations for each individual product	Yes
Integrated milk system rinsing and cleaning programme	Yes
Automatic milk rinse	Yes
Remaining time display	Yes
Generating code groups	Yes
Design and materials	
Display	TFT color display
Width-adjustable dual spout	20 - 50 mm
Height-adjustable dual spout (Milk/Coffee)	70 - 159 mm
Hot-water spout	Yes
Height-adjustable hot water spout	69 - 165 mm
Cup illumination	White and amber
Separate water tank for descaling	Yes
	Yes

Sound design

Areas of use and recommended maximum daily output

Recommended maximum daily output	180
Areas of use	Service provider Reseller

Scope of delivery

Drip drain set	Yes
----------------	-----

In figures

Coffee grounds container (servings)	40
Numbers of bean containers	2
Capacity of bean container with aroma preservation cover	650 g
Cable length	1.1 m
Voltage	220 - 240 alternating current
Current	10 amp
Frequency	50 hz
Power	2300 Watt
Permanent water connection	integrated (G 3/4")
Drip drain pipe	DN15
Accounting systems	compatible
Stand-by power	< 0.5 Watt
Weight	22 kg
Width	32 cm
Height	56.5 cm
Depth	49.7 cm
Article Number	13724