



# WE6: Specifications

## JURA Standards

Variable brewing chamber	5 - 16 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S.®)	Yes
Intelligent preheating	Yes
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid system	1
Monitored drip tray	Yes
Maintenance status display	Yes
Integrated rinsing, cleaning and descaling program	Yes
Adjustable water hardness	Yes
One or two cups of espresso in one brewing operation	Yes
JURA hygiene: TÜV-certified	Yes
Filter cartridge	CLARIS Pro Smart / CLARIS Smart
Zero-Energy Switch or power switch	Classic

## Coffee specialities

No. of individually programmable speciality coffees	8
Coffee specialties	2 coffees 1 coffee 2 espressi 1 espresso 2 ristretti 1 ristretto 1 special coffee 1 portion of hot water
Hot water function	3 levels
2 coffees	1 min.
2 espressi	45 sec.

2 ristretti	30 sec.
Hot water (200 ml / 7 oz.)	45 sec.
<b>Advantages</b>	
App Compatibility	JURA Connect App JURA Coffee App Professional
Grinder type	Aroma <sup>G3</sup> grinder
Number of grinders	1
Pulse Extraction Process (P.E.P. <sup>®</sup> )	Yes
<b>Settings and programming options</b>	
Programmable amount of water	Yes
Amount of water can be adjusted for each preparation	Yes
Programmable coffee strength in levels	8
Coffee strength can be adjusted for each preparation	Yes
Programmable brewing temperature	2
Hot water temperature can be programmed in levels	3
Programmable amount of hot water	Yes
Resettable day counter	Yes
Programmable switch-off time	Yes
Shows the number of preparations for each individual product	Yes
Remaining time display	Yes
<b>Design and materials</b>	
Display	TFT color display
Height-adjustable coffee spout	65 - 111 mm
Hot-water spout	Yes
Sound design	Yes
<b>Areas of use and recommended maximum daily output</b>	

Recommended maximum daily output	30
Areas of use	Own usage Service provider Reseller
<b>In figures</b>	
Water tank capacity	3 L
Coffee grounds container (servings)	25
Numbers of bean containers	1
Capacity of bean container with aroma preservation cover	500 g
Cable length	1.1 m
Voltage	220 - 240 alternating current
Current	10 amp
Frequency	50 hz
Power	1450 Watt
Accounting systems	compatible
Stand-by power	0 Watt
Weight	10 kg
Width	29.5 cm
Height	41.9 cm
Depth	44.4 cm
Article Number	15114