



## BRITA VIVREAU Extra C-Shape

I was looking for ways to help us meet our CSR goals and shrink our carbon footprint. In BRITA VIVREAU, I found the right self-service water dispenser for us. It has helped cut down single-use plastic waste in our office. Plus, we can count on great-tasting water, whenever we want. Brand-name BRITA filtration technology gives us peace of mind.



# VIVREAU Extra C-Shape

Streamlined and sophisticated.



**Intuitive glass touch pad** and optional Easy Access Panel as second control panel for flexible position


**Anti-scalding feature** for hot water

**Two heights**

- Short tap
- Tall tap



- **ThermalGate™** powerful thermal disinfection feature



- **BRITA filtration** preserves minerals in water while removing unwanted substances

- **Drip tray** with direct connection to waste water system

Coming soon

## Benefits

- Only the tap is installed on the work surface; the cooler and boiler are concealed below the counter
- Made-by-BRITA quality, all filters are manufactured in Germany and the dispenser is assembled in Italy
- BRITA dispensers are manufactured at production plants powered by certified renewable sources of energy
- Heating capacity: 20 l/h or 30 l/h and cooling capacity: 85 l/h



# VIVREAU Extra C-Shape

Technical data



Model Design / Type	Extra C-Shape still	Extra C-Shape still + sparkling	Extra C-Shape still + hot	Extra C-Shape still + sparkling + hot
Types of water	~	~	~	~
Configuration options	Tap System: C-Shape			
Tap height	short tap (260 mm dispensing height) tall tap (330 mm dispensing height)			
For installation in barrier-free environments	Easy Access Panel			
For installation without waste water connection	waste water container			
Specifications				
Cooling capacity	85 l/h			
Heating capacity	-	-	medium boiler: 20 l/h   large boiler: 30 l/h	
Fits into undercounter cabinet with the following dimensions (W x H x D)	600 x 800 x 600 mm		800 x 800 x 600 mm	
Dimensions of undercounter appliances (W x H x D)	cooler: 272 x 490 x 473 mm		cooler: 272 x 490 x 473 mm medium boiler: 230 x 415 x 234 mm   large boiler: 230 x 670 x 234 mm	
Dimensions of tap incl. drip tray (W x H x D)	short tap: 134 x 339 x 269 mm tall tap: 134 x 409 x 269 mm			
Weight	tap: 1.9 kg undercounter appliance (cooler): 38.5 kg		tap: 1.9 kg undercounter appliance (cooler): 38.5 kg undercounter appliance (medium boiler): 7.8 kg undercounter appliance (large boiler): 11.3 kg	
Max. power consumption, cooler	540 W			
Max. power consumption, boiler	2.1 KW			
Max. flow rate, still water	2 l/min			
Max. flow rate, sparkling water	1.6 l/min		1.6 l/min	
Max. flow rate, hot water	medium boiler 1 l/min   large boiler 1.3 l/min			
Max. instant draw-off, hot water	medium boiler 1.8 l at up to 95°C   large boiler 6 l at up to 95°C			

The food-grade quality and safety of BRITA water filter products are tested and verified by independent institutions



\*applies to all materials that come into contact with water