

GLACIER

Bottled Water Cooler



GLACIER

Bottled Water Cooler

The Glacier cooler is sophistication simplified. The rounded cabinet has a stylish fluted front, giving it a classic Greek column design. Features include approved food grade HDPE removable reservoir and the sealed Crystal Guard no spill system. The Glacier is available in white, black or granite with an optional bottle cover and if desired, the DryGuard™ system can be fitted at the factory.



Child-proof hot water faucet



Cup dispenser



Hot water ON and OFF switch



Removable drip tray

DryGuard™

Crystal Mountain's patented sealed-system DryGuard™ feature, molded from polypropylene, protects floors against leaks caused by cracked and faulty bottles.



GLACIER

Bottled Water Cooler

Performance and Specifications

General

Air cooled, bottled type water cooler provided with a power supply cord for connection to source of power supply

Cooler Cabinet

Blow molded, high density polyethylene(HDPE) resistant to cracking
Other colours are also available when order by container

Faucet Type

Constructed of FDA approved nylon and silicon tubing
Optional child lock safety function

Cold Water Tank Specifications

Stainless steel #304 or HDPE casing with 2.6L (0.7 gal) volume
Cold water cooling capacity of 3.0L (0.8 gal)/hour based on 21°C (69.8°F) room temperature

Cold Water Thermostat

Preset at factory to dispense water at temperature from 4-10°C (39.2-50°F)
Adjustable cold control located at the back of the cabinet

Hot Water Tank Specifications

Stainless steel #304 casing with 2.0L (0.5 gal) volume
Hot water capacity of 4.5L (1.2 gal)/hour based on 21°C (69.8°F) room temperature

Hot Water Thermostats and Heater

Automatic thermostat control with temperature range of 74-92° C (165.2-197.6°F)
Manual thermostat reset in case of automatic thermostat failure
450W external heater band
ON/OFF switch located at the back of the cabinet
Electronic Thermostat System (ETS) is available, which provides for a temperature control range of 88-92°C (190.4-197°F)

Compressor Type

Hermetically sealed reciprocating compressor
(220-240VAC 50Hz) (110-115VAC 60Hz)

Refrigerant Type: R134a (CFC Free)

Refrigerant Charge: 28.4g (1.0 oz)

Dimensions and Freight Data

Product Dimensions

314mm deep x 312mm wide x 980mm high
(12.4" deep x 12.2" wide x 38.6" high)

Product Weight: H&C:13.7kg (30.1 lb) C&C:13.4kg (29.6 lb)

Product Boxed Dimensions

330mm deep x 320mm wide x 1000mm high
(13.0" deep x 12.5" wide x 39.4" high)

Product Boxed Weight: H&C:14.8kg (32.6 lb) C&C:14.6kg (32.1 lb)

20FT Container Quantity: 252 Units

40FT Container Quantity: 518 Units



All performances are tested in a controlled environment, certified by a third party. To learn more about these standards, please speak to your Crystal Mountain representative.



GLACIER



Website: www.crystalcoolers.com

Crystal Mountain Products Limited

North American Sales Office

11925 -145th Street
Edmonton, Alberta
Canada T5L 2H4
Tel: 1 800 878 6422
Tel: 1 780 454 4545
Fax: 1 780 454 9816
E-mail: sales@crystalcoolers.com

European Sales Office

Fence House, Fence Avenue
Macclesfield, Cheshire
United Kingdom SK10 1LT
Tel: +44(0) 1625 439 111
Fax: +44 (0) 1625 502 527
E-mail: cmeurope@crystalcoolers.com

Crystal Mountain Products Inc.

US Office / Warehouse

5905 Green Pointe Drive S., Suites C-D
Groveport, OH, 43125
Tel: (614) 454 1618
Fax: (614) 409 9782
E-mail: sales@crystalcoolers.com

Crystal Mountain International Limited

Hong Kong Sales Office

Room 610, Winfield Commercial Building
6-8a Prat Avenue, Tsimshatsui
Kowloon, Hong Kong
Tel: (852) 2368 1989
Fax: (852) 3017 6727
E-mail: cmasia@crystalcoolers.com

CE cUL US LISTED CB CCC SASO ISO9001 WEEE RoHS



Crystal Mountain has a policy of continuous development and reserves the right to change specifications without notification.

GLB REV0714