

MOGUL

Bottled Water Cooler




Crystal Mountain

MOGUL

Bottled Water Cooler

With its smooth classic lines the Mogul cooler will compliment any décor. The contoured drip tray enhances the shape of the cabinet and conveniently holds a cup or glass for hands-free filling.



Child-proof hot water faucet



Hot water ON and OFF switch



Hermetically sealed reciprocating compressor



Cup dispenser

DryGuard™

Crystal Mountain's patented sealed-system DryGuard™ feature, molded from polypropylene, protects floors against leaks caused by cracked and faulty bottles.



MOGUL

Bottled Water Cooler

Performance and Specifications

General

Air cooled, bottled type water cooler provided with a power supply cord for connection to the source of power supply

Cooler Cabinet

Blow molded, high density polyethylene (HDPE) resistant to cracking, available in white and granite

Faucet Type

Concealed faucet for optimum hygiene
Constructed of FDA approved nylon and silicon tubing
Optional child lock safety function

Cold Water Tank Specifications

Stainless steel #304 or HDPE casing with 2.6L (0.7 gal) volume
Cold water cooling capacity of 3.0L (0.8 gal)/hour based on 21°C (69.8°F) room temperature

Cold Water Thermostat

Preset at factory to dispense water at temperature from 4-10°C (39.2-50°F)
Adjustable cold control located at the back of the cabinet

Hot Water Tank Specifications

Stainless steel #304 casing with 2.0L (0.5 gal) volume
Hot water capacity of 4.5L (1.2 gal)/hour based on 21°C (69.8°F) room temperature

Hot Water Thermostats and Heater

Automatic thermostat control with temperature range of 74-92°C (165.2-197.6°F)
Manual safety reset in case of automatic thermostat failure
450W external mica-heater band
ON/OFF switch is located at the back of the cabinet
Electronic Thermostat System (ETS) is available, which provides for a temperature control range of 88-92°C (190.4-197.6°F)

Compressor Type

Hermetically sealed reciprocating compressor
(220 ~240VAC 50Hz) (100~115VAC 60Hz)

Refrigerant Type: R134a (CFC Free)

Refrigerant Charge: 28.4g (1.0 oz)

Dimensions and Freight Data

Product Dimensions

325mm deep x 315mm wide x 985mm high
(12.8" deep x 12.4" wide x 38.8" high)

Product Weight

H&C: 13.2kg (29.0 lb)
C&C: 11.9kg (26.2 lb)

Product Boxed Dimensions

330mm deep x 320mm wide x 1000mm high
(13.0" deep x 12.5" wide x 39.4" high)

Product Boxed Weight:

H&C: 14.3kg (31.5 lb)
C&C: 13.0kg (28.6 lb)

20FT Container Quantity: 252 Units

40FT Container Quantity: 518 Units



All performances are tested in a controlled environment, certified by a third party. To learn more about these standards, please speak to your Crystal Mountain representative.



MOGUL



Website: www.crystalcoolers.com

Crystal Mountain Products Limited

North American Sales Office

11925 -145th Street
Edmonton, Alberta
Canada T5L 2H4
Tel: 1 800 878 6422
Tel: 1 780 454 4545
Fax: 1 780 454 9816
E-mail: sales@crystalcoolers.com

European Sales Office

Fence House, Fence Avenue
Macclesfield, Cheshire
United Kingdom SK10 1LT
Tel: +44(0) 1625 439 111
Fax: +44 (0) 1625 502 527
E-mail: cmeurope@crystalcoolers.com

Crystal Mountain Products Inc.

US Office / Warehouse

5905 Green Pointe Drive S., Suites C-D
Groveport, OH, 43125
Tel: (614) 454 1618
Fax: (614) 409 9782
E-mail: sales@crystalcoolers.com

Crystal Mountain International Limited

Hong Kong Sales Office

Room 610, Winfield Commercial Building
6-8a Prat Avenue, Tsimshatsui
Kowloon, Hong Kong
Tel: (852) 2368 1989
Fax: (852) 3017 6727
E-mail: cmasia@crystalcoolers.com

CE  US LISTED CB  SASO ISO9001 WEEE RoHS

Crystal Mountain has a policy of continuous development and reserves the right to change specifications without notification.

MOB REV0714