FORTRESS® OSHA Stair System



The FORTRESS is an OSHA-compliant stair system designed to provide safe, convenient access to modular buildings, cargo trailers, dumpsters, and more.

Made of durable, corrosion-resistant, and lightweight aluminum, the stair system is easy to install and transport from site-to-site and provides years of maintenance-free use.









The perfect companion for your modular unit



- Rapid, one-person install with a 9/16" wrench and level
- Handrails are universal for left or right installation and fold flat for easy transport and storage
- Platform legs feature captured fasteners and a wide range of adjustability
- Integrated components help to eliminate lost parts
- Pre-drilled anchor points on platform for convenient attachment to structure

Safety and Durability

The FORTRESS is OSHA compliant and exceeds NIOSH lifting recommendations (each major component weighs less than 50 lbs., allowing for safe, one-person installation). With welded construction and 6000 series alloy aluminum, the FORTRESS OSHA Stair System is designed to withstand the rigors of everyday use and harsh weather conditions.

Adjustability and Use

Features quick adjustability and fits most applications. The platform and riser legs adjust independently allowing for easy leveling on the job site. The design also allows the stair system to be easily expanded, reconfigured, or moved.

Variable Position Height Range

3-step adjusts from 23" - 34" (OSHA compliant at 25.5" and 34")

4-step adjusts from 27.5" - 42.5" (OSHA compliant at 34" and 42.5")



Hardware-free handrails slide into platform and lock securely in place with snap button



One-step connection uses OSHA safety pin to lock riser to platform




Welded, extruded riser for reinforced strength and a built-in, slip-resistant walking surface

QUICK SPECS

Part No.	FOR2334	FOR2742
Number of risers	3	4
System height adjustment	23" - 34"	27.5" - 42.5"
OSHA compliant heights	25.5" and 34"	34" and 42.5"
Riser height	8.5"	
Riser tread depth	9.5"	
Riser tread width	36.5"	
Riser handrail height*	36"	
Platform size (W x L x H)	40.5" x 60"	
Platform handrail height**	42.5"	
Feet dims (standard)	4" x 4" sq.	
Feet dims (oversized, optional)	7.375" x 7.375" sq.	
System weight	96 lbs.	110 lbs.

^{*} Measured from leading edge of step tread to gripping surface.
** Measured from platform surface to gripping surface.



OPTIONS



The FORTRESS OSHA Stair Canopy is used for yearround weather protection, providing shelter from sun, rain, and snow. The rust-resistant canopy features an aluminum frame with 22-gauge galvanized steel roof. The canopy attaches directly to the FORTRESS Stair, which means no footings or building alterations are needed.

Its sturdy, boxed-frame design provides superior strength and durability, and all fittings are made of high-quality aluminum or galvanized steel. The four-post canopy has cross member supports for wind load resistance. The rapid-swap design also allows the canopy to be easily moved as needed. A generous 91" from walking surface to roof ensures plenty of clearance for door swing and light fixtures.

Features captured fasteners, which allow for a wide range of adjustability. Simple installation in under 30 minutes. Exceeds NIOSH lifting recommendations (each major component weighs less than 50 lbs. allowing for safe, one-person installation).

Canopy Quick Specs

Height 93.3" | Width 40.6" | Length 60.5" | Weight 75 lbs.

Additional Options

Custom configurations, sizes, and tread types to suit your exact specifications

Oversized feet may eliminate the need for pavers in most soil conditions

Platform with drain holes to reduce water build-up

EZ-ACCESS, a division of Homecare Products, Inc., provides premier accessibility solutions nationwide with quick service and durable, dependable products for commercial applications. In addition to the FORTRESS° OSHA Stair System, we also offer the PATHWAY® HD Code Compliant Modular Access System, which combines aluminum ramps, platforms, and steps to provide access to portable classrooms, businesses, modular buildings, and other site-built structures.

All FORTRESS® products are covered under the EZ-ACCESS 3-year warranty and are made in the USA.

customerservice@ezaccess.com | 1.800.451.1903 |

www.ezaccess.com







