PATHWAY® HD

Code Compliant Modular Access System



Fully engineered to provide safe, code-compliant access to a variety of temporary or permanent structures.

Our all-aluminum, modular product line is easy to install, reconfigure, relocate, and accommodates virtually any layout or configuration.









Designed to fit your application



FEATURES

- Designed for compliance with ADA, IBC, OSHA, and most local code guidelines
- The field-proven design can be configured to fit most applications, allowing the flexibility needed to accommodate virtually any site plan or lot configuration
- Two rail styles are available
 - Top rail with midrail creates a two-line system
 - Top rail with picketed inserts creates a system with guards
- All ramps feature smooth, continuous handrails and 4" curbs

DESIGN & MATERIAL

- Architecturally designed for a clean appearance
- Made of aircraft quality, lightweight aluminum for years of maintenance-free use
 - Safe and durable with a long life cycle aluminum will not rust, rot or corrode
 - Recyclable and naturally non-combustible
- Welded, extruded tread is utilized on our ramps, platforms, and steps, for reinforced strength and permanent slip-resistance



All PATHWAY HD walking surfaces feature Gecko Grip°, our patented, raised-rib tread featuring a 2-tier, 3-point gripping surface. The innovative design utilizes deep knurling, which provides enhanced cross-directional traction when entering and exiting the system.

INSTALLATION

- Universal components and pre-assembled sections make installation quick and easy without the need for expensive, heavy-duty equipment
- Combine ramps, platforms, and steps to create the ideal safe access solution
 - If your needs change, the PATHWAY HD can easily be reconfigured, moved, or expanded
- Ramps and platforms have independently adjustable legs to accommodate uneven ground conditions for simple, onsite leveling
- Standard configurations ship within 24-48 hours to help eliminate costly delays (custom configurations available)
- Site-specific stamped drawings available

Quick Specs

Ramps

- Standard lengths: 2', 3', 4', 5', and 6'
- Standard widths: 48" and 54" (clear width)
- Curbs: 4" high
- Rails:

Picketed

- Guard: 42" high; 1.5" diameter
- Handrail: 36" high; 1.5" diameter
- Lower (child) rail: 25" high; 1.5" diameter

Two-line

- Top Rail: 42" high; 1.5" diameter
- Midrail: 21.5" high
- Handrail: 36" high; 1.5" diameter
- Lower (child) rail: 25" high; 1.5" diameter

Platforms

- Standard sizes: 5'x5', 5'x6', 5'x7' and 6'x6' (clear width)
- Rails:

Picketed

- Guard: 42" high; 1.5" diameter

Two-line

- Top Rail: 42" high; 1.5" diameter
- Midrail: 21.5" high

Steps


- Standard heights:
 - 18", 24", 30", 36", 42", 48", 54", and 60"
- Standard risers: 6" high, 12.5" deep
- Standard width: 56" (usable)
- Guard: 42" (picketed)
- Handrail: 36" high, 1.5" diameter
- Legs: Fully independent and adjustable

Weight capacity: 100 pounds per square foot and a concentrated vertical load of 300 pounds.

Ramp, platform, and step combinations for a variety of applications



Options:



Special order ramp lengths and widths, platform sizes, and step riser heights are available to accommodate your exact specifications and needs.

If inspected and flagged after original installation, in-line welded picket sections can easily be added to a two-line PATHWAY HD ramp system for code compliance and additional safety. Field-converting to picketed guards is a simple process requiring minimal hardware.







For ramp projects that will be used primarily by children, a second handrail, commonly known as lower child rail, is available.



All PATHWAY HD products are covered under the EZ-ACCESS 3-year warranty and are made in the USA.

EZ-ACCESS, a division of Homecare Products, Inc., serves the entire United States with premier products that provide access solutions. In addition to the PATHWAY° HD Code Compliant Modular Access System, we also offer an entire line of residential access products. Contact us today or visit our website for more information.

customerservice@ezaccess.com

1.800.451.1903

www.ezaccess.com