


FRAME GEOMETRIES



- A Seat tube (centre to centre)
- B Seat tube (centre to top)
- C Top tube (measured horizontally)
- D Seat tube angle
- E Head tube angle
- F Head tube length
- G Chainstay length
- H Bottom bracket height

All measurements are in centimetres

ROAD

Acciaio, Baracchi®, Lotus® Type 1 LC Racing

	46	49	52	55	58	61	64*
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	74	74	74
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	41
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	49.2	50.8	53.4	57	59.5	63	65
Reach	37.9	37.2	38.4	38.6	38.6	38	38.6

*Acciaio only; Baracchi® and Lotus® Type 1 LC Racing not available in 64cm

Classico, Classico Stainless

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	75	75	74	73.5	73	-
Head tube angle [E]	-	71.5	72	73	73	73	-
Head tube length [F]	-	8.5	11	13.5	15.5	18.5	-
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	-	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	-	65	65	65	65	65	-
Stack	-	48.5	51	54	57	59.5	-
Reach	-	38	38.4	38	38.1	39	-

Italia RC, Leggero®, Leggero® 150, Leggero® SL, Potenza, Super Acciaio

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73	72.5	-
Head tube angle [E]	71	71.5	72	73.5	74	74	-
Head tube length [F]	11*	12	13.5	16.5	19.5	22.2	-
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	49.2	50.8	52.5	56	59	61.5	-
Reach	37.9	37.2	38.4	39.5	39.1	38	-

ROAD (CONT.)

Paris® Road

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	75	75	74	73.5	73	-
Head tube angle [E]	-	71.5	72	73	73	73	-
Head tube length [F]	-	7.5	9	11	14	16.5	-
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	-	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	-	65	65	65	65	65	-
Stack	-	48.5	51	54	57	59.5	-
Reach	-	38	38.4	38	38.1	39	-

Paris® Galibier

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	74	73	72	72	72	-
Head tube angle [E]	-	69	70	70	72	72	-
Head tube length [F]	-	7.5	9	11	14	16.5	-
Chainstay length [G]	-	44.5	44.5	44.5	44.5	44.5	-
Bottom bracket height [H]	-	26.5	26.5	26.5	26.5	26.5	-

COMMUTE & TOURING

Fratello®, Fratello® Disc

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	73.5	73.5	73.5
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43	43.5
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	49.2	50.8	53.4	57	59.5	63	65
Reach	37.9	37.2	38.4	38.6	38.6	38	38.6

Gran Fondo

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73	72.5	-
Head tube angle [E]	71	71.5	72	73.5	74	74	-
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	-
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	49.2	50.8	53.4	57	59.5	63	-
Reach	37.9	37.2	38.4	38.6	38.6	38	-

Heritage

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	74	73.5	73	73	73	72.5	72.5
Head tube angle [E]	71.5	71.5	71.5	71.5	71.5	71.5	71.5
Head tube length [F]	10	10.5	12.5	15.5	18.5	21.5	23.5
Chainstay length [G]	44.5	44.5	44.5	44.5	44.5	45	45
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	52.2	53	55	58.5	61.8	62	65
Reach	36.6	36.5	37	38	38.2	38.1	38.6

COMMUTE & TOURING (CONT.)

Italia

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73.5	73.5	-
Head tube angle [E]	71	71.5	72	73.5	73.5	73.5	-
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	-
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43	-
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	49.2	50.2	53.4	57	59.5	63	-
Reach	37.9	37.2	38.4	38.6	38.6	38	-

Italia RL

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	50.5	51	52.7	54.5	56	57	-
Seat tube angle [D]	75	74	73.5	73	72.5	72.5	-
Head tube angle [E]	71	71.5	72	73.5	73.5	73.5	-
Head tube length [F]	12	13.5	15	18	21	23.5	-
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43	-
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	50.5	51.7	54	56.5	60	63	-
Reach	37	37	36.7	37.2	37.2	37.5	-

CYCLO-CROSS & ALL-ROAD

Bivio-X, Terra-X

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	49.5	51	52.5	54.5	56	58	-
Seat tube angle [D]	75	74.5	74	73.5	73.5	73	-
Head tube angle [E]	71	71	71	72	72.5	73	-
Head tube length [F]	10	11	12	14	16	19	-
Chainstay length [G]	42.5	42.5	42.5	42.5	42.5	42.5	-
Bottom bracket height [H]	29	29	29	29	29	29	-
Bottom bracket drop	57	57	57	57	57	57	-
Stack	49.2	50.5	51.6	54	56.5	60	-
Reach	38.2	37.6	37.6	38.5	39.2	39.6	-

Bivio Gravel

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	74	73.5	73	73	73	72.5	-
Head tube angle [E]	71	71	72	72.5	72.5	73	-
Head tube length [F]	9	9.5	10.5	13.5	16.5	19.5	-
Chainstay length [G]	43	43	43	43	43	43.5	-
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	48.6	49.1	50.5	53.5	56.5	59.0	-
Reach	38.0	38.5	38.5	39.5	39.7	39.7	-

SINGLE SPEED & TRACK

Classico Pista, Lotus® Type 1 LC 1948

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	75	75	74	73.5	73	-
Head tube angle [E]	-	71.5	72	73	73	73	-
Head tube length [F]	-	8.5	11	13.5	15.5	18.5	-
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	-	27	27	27	27	27	-
Bottom bracket drop	-	60	60	60	60	60	-
Stack	-	48.5	51	54	57	59.5	-
Reach	-	38	38.4	38	38.1	39	-

Lavoro

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73	72.5	-
Head tube angle [E]	72	72	72	73.5	74	74	-
Head tube length [F]	11	12	13.5	16.5	19.5	22.2	-
Chainstay length [G]	41	41	41	41	41	41	-
Bottom bracket height [H]	28.5	28.5	28.5	28.5	28.5	28.5	-
Bottom bracket drop	50	50	50	50	50	50	-
Stack	48.5	50	51.5	51	58	61	-
Reach	38.2	38.2	38.4	39.5	39	38.7	-

Paris® Path

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	75	75	74	73.5	73	-
Head tube angle [E]	-	71.5	72	73	73	73	-
Head tube length [F]	-	8	9.5	12	14.5	17.5	-
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	-	27	27	27	27	27	-
Bottom bracket drop	-	60	60	60	60	60	-
Stack	-	48.5	51	54	57	59.5	-
Reach	-	38	38.4	38	38.1	39	-

SINGLE SPEED & TRACK (CONT.)

Pista

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73	72.5	-
Head tube angle [E]	71	71.5	72	73.5	74	74	-
Head tube length [F]	11	12	13.5	16.5	19.5	22.2	-
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	27	27	27	27	27	27	-
Bottom bracket drop	60	60	60	60	60	60	-
Stack	49.2	51	53.5	56	59	62	-
Reach	37.9	38.2	37.8	38.5	39	39.3	-

Tempo

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	74	74	74
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43	41
Bottom bracket height [H]	27	27	27	27	27	27	27
Bottom bracket drop	70	70	70	70	70	70	70
Stack	49.2	50.8	53.4	57	59.5	63	65
Reach	37.9	37.2	38.4	38.6	38.6	38	38.6