

REPORT No.:DTI20231339 Date:2023-08-25 Page 1 of 8

Applicant Company Name: Jafanda LLC

Applicant Company Address:1309 Coffeen Avenue STE 4304 Sheridan, Wyoming 82801

Report on the submitted samples said to be:

Sample Name : Air Purifier

Model No. : JF1500

Trademark : JAFANDA

Manufacture : Dongguan PureMate Technology Co., Ltd.

Floor 6, Building No.4, Haiyong Technology Park, Xiawei shenwo industrial

Manufacture Address : zone, Zhutang Village, Fenggang Town, Dongguan City, Guangdong Province,

China

Sample Receiving Date : August 22,2023

Testing Period : From August 22,2023 to August 25,2023

Results : Please refer to next page(s).

Summary of Test Results:

TEST REQUEST CONCLUSION

A US California Proposition 65. on Lead and Cadmium content Pass

B US California Proposition 65. on Phthalates content Pass

Shenzhen Deesev Testing International Corp

Approved by:

lab manager

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced execept in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.:DTI20231339 Page 2 of 8 Date:2023-08-25

Results:

Description for specimen:

1	Silver metal	10	Black plastic baffle
2	Black plastic cover	11	Black plastic base
3	Silver coating	12	Silver metal screw
4	Black coating	13	Silver metal bracket
5	Plastic button substrate	14	Black plastic bracket
6	Brown leather	15	Black plastic roller
7	Black plastic baffle	16	Black plastic patch
8	Gray coating	17	Black plastic sheet
9	Metal frame substrate		

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any. The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced execept in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-755-32936716



REPORT No.:DTI20231339 Date:2023-08-25 Page 3 of 8

A. US California Proposition 65. on Lead and Cadmium content

Test method:

1) Lead and Cadmium in paint and other similar surface coatings:

The test is conducted according to the US CPSC Standard Operating Procedure for Determining Lead (Pb) in Paint and other Similar Surface Coatings, February 25, 2011 (CPSC-CH-E1003-09.1)

2) Lead and Cadmium in metals:

The test is conducted according to the US CPSC Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 (CPSC-CH-E1001-08.3)

3) Lead and Cadmium in other non-metal materials including plastics, glass and leather material: The test is conducted according to the US CPSC Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, November 15, 2012 (CPSC-CH-E1002-08.3)

Total Lead and Cadmium Content (In Substrate)

(Man	I loit	MDL		A				
ltem (mil	Unit		1	2	5	6	7	Limit
Lead (Pb)	mg/kg	10	N.D.	N.D.	N.D.	N.D.	N.D.	100
Cadmium(Cd)	mg/kg	10	N.D.	N.D.	N.D.	N.D.	N.D.	300
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Item	Linit	MDI		l imale					
item	Unit MDL	item om	MIDE	9	10	11	12	13	Limit
Lead (Pb)	mg/kg	10	N.D.	N.D.	N.D.	N.D.	N.D.	(T) 100 (T)	
Cadmium(Cd)	mg/kg	10	N.D.	N.D.	N.D.	N.D.	N.D.	300	
Conclusion	OTI /	OTI)	Pass	Pass	Pass	Pass	Pass	OTI	

ltem (off)	l l mit	MDL		I imais			
	Unit		14 (011)	15	16	17	Limit
Lead (Pb)	mg/kg	10	N.D.	N.D.	N.D.	N.D.	100
Cadmium(Cd)	mg/kg	10	N.D.	N.D.	N.D.	M.D.	300
Conclusion	1	/	Pass	Pass	Pass	Pass	1

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced execept in full without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.:DTI20231339

Date:2023-08-25

Page 4 of 8

Total Lead and Cadmium Content (In paint and other similar surface-coating)

(01	(01)	(DI)	(0)	013		
Item	Unit	MDL	3	4	8	Limit
Lead (Pb)	mg/kg	10 👩	N.D.	N.D.	N.D.	90
Cadmium(Cd)	mg/kg	10	N.D.	N.D.	N.D.	300
Conclusion	(EAI)	dil	Pass	Pass	Pass	ofil / ofil

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- mg/kg = ppm

B. US California Proposition 65.on Phthalates content

<u>Test method:</u> With reference to CPSC-CH-C1001-09.4, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

(D) (D) (D) (D)	l luit	MDL	(010)	(DTI)				
Item	Unit		2	3	4	5	6	Limit
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Diisodecyl Phthalate (DIDP)	%	0.01	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Di-n-hexyl Phthalate (DnHP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Diisononyl Phthalate (DINP)	%	0.01	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	10.1

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced execept in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Baoʻan,Shenzhen, Guangdong, China 中国广东省深圳市 宝安区隆昌路 8号 飞扬科技园 B座9楼

Tel: +86-755-32936716 E-mail: DTI@deesev.cn URL: www.deesev.com



REPORT No.:DTI20231339 Date:2023-08-25 Page 5 of 8

Item (pri) (pri)	0	(1) un	Results					
Item (DI) (DI)	Unit (MDL	7	8	10	11	14	Limit
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Diisodecyl Phthalate (DIDP)	%	0.01	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Di-n-hexyl Phthalate (DnHP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Diisononyl Phthalate (DINP)	%	0.01	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Conclusion	1 65) /	Pass	Pass	Pass	Pass	Pass	(Ti)

W	1114					
Item	Unit	MDL	15	16	17 00	Limit
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	o™N.D. ⊙	N.D.	N.D.	0.1
Diisodecyl Phthalate (DIDP)	%	0.01	N.D.	N.D.	N.D.	0.1
Di-n-hexyl Phthalate (DnHP)	%	0.003	N.D.	N.D.	N.D.	0.1
Diisononyl Phthalate (DINP)	%	0.01	N.D.	N.D.	N.D.	0.1
Conclusion	1	1	Pass	Pass	Pass	1

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- -0.1% = 1000 mg/kg, mg/kg = ppm
- Decision rule: According to DTI-CX-39-2022 《Decision rule for conformity of the test results》
- Flow chart appendix is included.
- Photo appendix is included.

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced execept in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.






REPORT No.:DTI20231339

Date:2023-08-25


Page 6 of 8

Appendix

Test flow chart for Lead and Cadmium content:



Test flow chart for Phthalates content:



Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced execept in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.:DTI20231339 Date:2023-08-25

Page 7 of 8

Photograph of Sample




Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any. The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced execept in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼





Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any. The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced execept in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼