



A Division of Momentum Management LLC 1206 West Jon Street Torrance, CA 90502 U.S.A ☎ +1 310.446.1632 📠 +1 310.943.1956
www.Dynamodelay.com

GENERAL CERTIFICATE OF CONFORMITY CONSUMER PRODUCT SAFETY IMPROVEMENT ACT (CPSIA) OF 2008

Product	Dynamo Delay Spray NDC 69664-001-01
Applicable Consumer Product Safety Commission Regulation	16 CFR 1700.14 Substances Requiring Special Packaging 16 CFR 1700.14 (a)(23) - Lidocaine
Distributor	Momentum Management, LLC 1206 W Jon St Torrance, CA 90278
Contact information for individual maintaining records of test results	Justin Ross President
Date and place where product is manufactured	Westwood Laboratories, Inc 710 S Ayon Avenue Azusa, CA 91702 Date of Manufacture is 3 years less than the expiry date printed on the product and other packaging.
Dates when product was tested for compliance to 16 CFR 1700.14	Child testing was performed from 4/11/13 through 5/14/13. Senior testing was performed from 4/12/13 through 5/15/13
Identification of any third party laboratory on whose testing the certificate depends	Perritt Laboratories Inc Post Office Box 147 145 South Main Street Highstown, NJ 08520 USA

General Certificate Of Conformity 16 CFR 1700