

PTP
SOLUTIONS



HAPPYTM
LIGHTS
For Happy Living

Product Categories

- LED Bulb
- Ceiling Lights
- Industrial Lighting



LED lighting is the core product that We manufacture and supply in bulk quantities to a range of buyers. We deal with retailers and wholesalers at the same time. If you are searching for durable lights to illuminate your home or workplace, visit our online store (happylights.pk) to see our LED lights range. We make lights in vast variety that covers fine quality LED Bulbs, Ceiling lights, and Industrial lighting at quite affordable prices. Happy Lights not only illuminate your property but save big on electricity.

LED BULB 5W - 70W

POWER: 5W To 70W

VOLTAGE: 150-265V

COLOR TEMP: 3000K, 6500K

MATERIAL: PBT Housing + PC Cover

LUMENS: 100Lm/W

MCPCB TYPE: DOB PCB

POWER FACTOR: 0.60



LED CEILING LIGHT 8W - 12W

POWER: 8W To 12W

TYPE: DRIVER PCB

BODY TYPE: ALUMINIUM DIECAST

VOLTAGE: 100-285V

COLOR TEMP: 3000K, 6500K

HOLE SIZE: 3", 4"

LUMENS: 130Lm/W,

POWER FACTOR: 0.60



LED CEILING LIGHT 7W - 13W

POWER: 7W To 13W

TYPE: DRIVER PCB

BODY TYPE: METAL

VOLTAGE: 100-285V

COLOR TEMP: 3000K, 6500K

HOLE SIZE: 3", 4"

LUMENS: 130Lm/W,

POWER FACTOR: 0.60



LED CEILING LIGHT ECONO/CLASSIC

POWER: 7W To 12W

TYPE: DRIVER PCB

BODY TYPE: PBT PLASTIC

VOLTAGE: 85-265V

COLOR TEMP: 3000K, 6500K

HOLE SIZE: 3", 4"

LUMENS: 110Lm/W

POWER FACTOR: 0.60



LED CEILING LIGHT ULTRA

POWER: 7W To 12W
TYPE: DRIVER PCB
BODY TYPE: ALUMINUM BODY
VOLTAGE: 85-265V
COLOR TEMP: 3000K, 6500K
HOLE SIZE: 3", 4"
LUMENS: 110Lm/W
POWER FACTOR: 0.60



LED CEILING LIGHT HALF EGG

POWER: 7W To 12W
TYPE: DRIVER PCB
BODY TYPE: ALUMINUM BODY
VOLTAGE: 85-265V
COLOR TEMP: 3000K, 6500K
HOLE SIZE: 3", 4"
LUMENS: 100Lm/W
POWER FACTOR: 0.60



LED PANEL LIGHT MOONLIGHT/HONEYCOMB

POWER: 10W, 18W, 24W, 36W
TYPE: DRIVER PCB
BODY TYPE: ALUMINUM BODY
VOLTAGE: 85-265V
COLOR TEMP: 3000K, 6500K
HOLE SIZE: 3", 4", 6", 8" (Adjustable Spring)
LUMENS: 95Lm/W
POWER FACTOR: 0.60



LED PANEL LIGHT MULTI

POWER: 3+3W
TYPE: DRIVER PCB
BODY TYPE: PBT+GLASS BODY
VOLTAGE: 85-265V
COLOR TEMP: 3000K (MULTI COLOR)
HOLE SIZE: 3"
LUMENS: 100Lm/W
POWER FACTOR: 0.60



LED UFO LOWBAY LIGHT

POWER: 100W, 150W, 200W
DRIVER: ISOLATED WATERPROOF
BODY TYPE: ALUMINUM BODY
VOLTAGE: 85-265V
COLOR TEMP: 3000K, 6500K
LUMENS: 100Lm/W
BEAM ANGLE: 270°C
POWER FACTOR: 0.60



LED COB LIGHT

POWER: 5W, 7W, 12W
TYPE: DRIVER PCB
BODY TYPE: ALUMINUM BODY
VOLTAGE: 85-265V
COLOR TEMP: 3000K, 6500K
HOLE SIZE: 2", 3", 4"
LUMENS: 100Lm/W
POWER FACTOR: 0.60



LED FLOOD/STREET LIGHT 50W

POWER: 50W (Joinable upto 300W)
TYPE: DRIVER PCB
BODY TYPE: ALUMINIUM DIECAST
BODY SHAPE: SLIM TYPE
VOLTAGE: 100-285V
COLOR TEMP: 3000K, 6500K
LUMENS: 130Lm/W
BEAM ANGLE: 270°C
POWER FACTOR: 0.60



LED FLOOD LIGHT 100W

POWER: 100W
TYPE: DRIVER PCB
BODY TYPE: ALUMINIUM DIECAST
LIGHT WEIGHT: 2.7 KG
VOLTAGE: 85 - 285V
COLOR TEMP: 3000K, 6500K
LUMENS: 130Lm/W
BEAM ANGLE: 270°C
POWER FACTOR: 0.98



LED FLOOD LIGHT - HP1005

POWER: 10W, 20W, 30W, 50W
TYPE: DRIVER PCB
BODY TYPE: ALUMINIUM DIECAST
MODEL: HP1005
VOLTAGE: 85 - 285V
COLOR TEMP: 3000K, 6500K
LUMENS: 100Lm/W
BEAM ANGLE: 270°C
POWER FACTOR: 0.60



LED FLOOD LIGHT - HP2040

POWER: 30W, 50W, 100W, 200W
TYPE: DRIVER PCB
BODY TYPE: ALUMINIUM DIECAST
MODEL: HP2040
VOLTAGE: 85 - 285v
COLOR TEMP: 3000K, 6500K
LUMENS: 100Lm/W
BEAM ANGLE: 270°C
POWER FACTOR: 0.60



LED FLOOD LIGHT - HP1901

POWER: 50W, 100W, 150W, 200W
TYPE: DRIVER PCB
BODY TYPE: ALUMINIUM DIECAST
MODEL: HP1901
VOLTAGE: 85 - 285v
COLOR TEMP: 3000K, 6500K
LUMENS: 100Lm/W
BEAM ANGLE: 270°C
POWER FACTOR: 0.60



LED ROAD LIGHT 100W

POWER: 100W
TYPE: DRIVER PCB
BODY TYPE: ALUMINIUM DIECAST
LIGHT WEIGHT: 2.6 KG
VOLTAGE: 85 - 285v
COLOR TEMP: 3000K, 6500K
LUMENS: 130Lm/W, 6500 LUMENS
BEAM ANGLE: 270°C
POWER FACTOR: 0.98



HAPPYTM LIGHTS

For Happy Life



PTP
SOLUTIONS

1st Floor, Ali Usman Plaza, St-1, Iqbal Pura, Eid Gah Road,
Faisalabad-Pakistan. Tel: 0092-41-2630720-2630760