

INNERLOC

BROADHEADS



INNERLOC

BROADHEADS

DEADLY BY DESIGN

INNERLOC

BROADHEADS

*Ready
to Design*

#3400
3 Blade - 100 Grain
Cut dia. 1 1/2"
Rplc. bld: #740-9
Rplc. Wraps: #3409
Printer sheets #3408

- ✦ Aero-Series™
- ✦ 100 gr. 3 Blade
- ✦ 1 1/2" Cut Dia.
- ✦ .040" Blades
- ✦ Exact Aerodynamics
- ✦ Customizable Graphics



Over 30 Years
in Business!

Sullivan Industries is a family owned company that has been manufacturing for the archery industry for over 30 years. We operate a modern facility with state of the art CNC machinery. We manufacture most items in house and source our other items from vendors inside the United States. This gives us product quality that is second to none. We have over 65 Years of combined broadhead design and manufacturing experience. Couple that with our patented innovations we are proud to offer a line of products which you will have complete confidence in.

The Sullivans



16 Wraps with
varying graphics
In each package.

Templates and
printer sheets
to print your
own custom
wraps



CREATING CARNAGE

CARNAGE™

CAPABLE • ACCURATE • RELIABLE

**Creating Carnage...
It's easy with the right broadhead!**

Carnage™ is the newest addition to Innerloc's™ Aero-Series™ broadheads. These exclusive heads are the only ones to deliver exact field-point accuracy, which is becoming increasingly necessary in today's fastest bows and crossbows. Carnage™ is a fast acting rear deploy design that is aerodynamically surrounded by our patented Aero-Wraps™. The wrap serves three functions once applied. It holds the assembly in the shooting position until impact then the razor edges rapidly slice through for reliable opening. Secondly, it mimics the exact flight of a target point. Lastly, they look awesome! Each package includes 16 Aero-Wraps™ with varying graphics. You also have the choice of personalizing your own styles with available printer sheets and layout templates. This is the broadhead everyone has been waiting for... Get yours and Create Carnage!



*Aero-Wrap being wrapped
around the broadhead assembly*



See video at
innerloc.com

SHAPE SHIFTER

See video at innerloc.com



Shaped like a field point... Flies like a fieldpoint!

#3900
3 Blade - 100 Grain
Cut dai. 1 1/4"
Rplc. bld: #790-9
Rplc. Covers: 3909


Designed for the ultra fast bows of today and the future bows of tomorrow. Shape Shifter™ is the first broadhead to deliver true fieldpoint accuracy. This is accomplished utilizing our patent pending Exo-Cover™. In this exciting new design the cover is put to work doing much more than being aerodynamic. It is designed to break away on impact and aid in the opening of the blades. Shape Shifter is ruggedly built out of all stainless steel and sports massive .040" thick blades slicing a 1 1/4" cut diameter.




Engineered for Absolute Accuracy!

Carnage™ and Shape Shifter™ models makeup our Aero-Series™ of broadheads and feature patented designs that deliver the true aerodynamics of a field-tip. These are the only broadheads that will fly exactly like a field-point from todays fastest bows and crossbows.

Shape Shifter's™ Exo-Cover™ features strategically placed "Break-Rails" shown in **green** allowing the cover to break apart like an egg shell. The blade pushers shown in **orange** ramp under the blades opening them on impact.



2 INCHES OF DEVASTATION



Devastation... with Dynamic Blade Control™

Our new Dynamic Blade Control™ system features a patent pending blade cushion that is inserted into the slot behind the blade. When the blades open they contact the cushions lessening the stresses on the assembly. If a blade hits bone the extra force further crushes the insert allowing that blade to sweep back and easily continue slicing. Devastation™ brings Big Blood and Big reliability this new technology allows for the Massive 2" cut three blade design. Our proven Clip-Loc™ blade retention system has been tweaked for reliability in the fastest bows and crossbows of today and the future. built out of aluminum and stainless steel and sports massive .040" thick blades slicing a whopping 2" cut diameter. 100gr. or 150gr. models 3 per package with replacement cushion insert material.

Devastations™ Dynamic Blade Control™ features replaceable cushion inserts positioned behind the blades. They soften the blow on normal impacts and can crush completely when impacting bone helping the blade to continue to slice.

New and crushed inserts shown in cutout...



INNERLOC

BROADHEADS

DEVASTATION

Massive 2" Cut Dia.
Dynamic Blade Control
High Speed Tested



#3750 Devastation
3 blade - 100 Grain
Cut dia. 2" .040" Blds.
Rplc. Bld: 775-9

#3725 Devastation
3 blade - 125 Grain
Cut dia. 2" .040" Blds.
Rplc. Bld: 775-9

#3775 Devastation
3 blade - 150 Grain
Cut dia. 2" .040" Blds.
Rplc. Bld: 775-9

Screw in Weight Adapters

Our newly designed weight adapters offer a simple screw in solution for those interested in modifying the weight of their hunting arrows. Available in 25 and 50 grain sizes. Popular for crossbows! Increases arrow length by 1/2 inch.



#ADP25
25 Grain Weight Adapter
Anodized Aluminum 3pk.

#ADP50
50 Grain Weight Adapter
Stainless Steel 3pk.



Developed for Arrow Guns

Blood Bug™ is a special folding fixed blade design developed for use on small game. Weighing only 50 grains it flies like a dart from arrow guns shooting light weight arrows.


#3050
3 blade - 50 Grain
Cut dia. 1 1/8" .040" Blds.
Rplc. Bld: 790-9

CLS™

CENTER LOCKING SYSTEM

The Key to our Inner Strength... and to your Inner Confidence!

Hunters that shoot Innerloc®, shoot with a higher level of confidence than all others. That's because they trust the Inner Strength and accuracy of our "Center Locking System™" Here is why. **#1** The matching bevels on the front of the ferrule and the inside edge of the tip create a clamping action when the tip is tightened. The tip, blades and ferrule are forced together so tightly and precisely they perform like solid metal. **#2** The blades (gold areas show where parts mate when assembled) are "L"-shaped for unmatched strength and the base of the "L" is curved to lay perfectly against the round shaft of the tip. Superior blade retention, metal to metal contact top to bottom! **#3** The heart of the Center Locking System™ is the Tip. By extending it throughout the length of the broadhead body, an Innerloc® can thread the tip into the base. This is the strongest area of the entire broadhead and securing the tip at this point transfers a walloping amount of arrow energy on impact! Once you try them, you too will be saying... Inner Strength... Inner confidence... Innerloc®!



Beyond Sharp!

Or should we say "Sharp Beyond". All Innerloc® fixed blade broadheads feature Endur-Edge™. A special manufacturing and tempering process on the highest quality stainless steels that yields an ultra durable blade edge. This keeps the broadhead sharp as it passes through it's target, causing better blood trails. Everyone knows the importance of sharp broadhead blades. But a sharp blade that won't hold it's edge is no more effective then a dull blade. Endur-Edge™ blades stay keen after they punch through hair and hide to slice the vitals effortlessly causing the immense blood trails and quick bleed-outs that Innerloc® is famous for. But don't take our word for it, take the Endur-Edge™ challenge. Compare the sharpness of Innerloc® to the competition and see who "Stays Bloody Sharp".



Detail: Tip, blades and ferrule assembly.



See more details at innerloc.com

MADE IN THE USA



INNERLOC
BROADHEADS
American Eagle

Show your patriotism by carrying one arrow in your quiver that proudly displays the red/white/blue. The new American Eagle™ is a 3 blade, 100 grain, 1 inch cut design that features Innerloc's proven Center Locking System™. Blades are .027" Proudly built in the USA, with the quality you have come to expect from Innerloc.

USA-1

American Eagle
#USA-1

3 blade - 100 Grain
Cut dia. 1" .027" Blds.
Rplc. Bld: 730-18

Ready 4 Design

Sold as our Patriot Pack, which includes 3 American Eagle broadheads, 6 Eagle arrow wraps and Innerloc Country can cooler.



INNERLOC

BROADHEADS

Easily Tunable



CLS
CENTER LOCKING SYSTEM



FOCUSSED ENERGY
DEEP SIX

Slice



Tip tightens into base allowing for Blade Assembly adjustment!

#3801 Slice
3 blade - 100 Grain
Cut dia. 1 1/16" .027" Blds.
Rplc. Bld: 760-18
Tip: #6256
Fits: Std. Arrows

#3800 Deep Slice
3 blade - 100 Grain
Cut dia. 1 1/16" .027" Blds.
Rplc. Bld: 760-18
Tip: #6206
Fits: Deep Six Arrows

Tunable Broadheads...

Improving accuracy out of

today's fastest bows

and crossbows!



Tune...

Shoot...

Slice...

Slice™ Features patented matching tapers on the front of the broadhead base and inside of the broadhead body that join for a precise fit and alignment. The tip passes through the body securing the blades the same as earlier Center Locking System™ broadheads. Only now the tip threads into the front of the base. This results in a new Blade Alignment Technology™ because you can simply align the blade assembly prior to tightening the tip. Two way compression happens as the tip is tightened. The blades are tightened into the assembly and the tapers of the base and body are simultaneously secured. This locks your newly set blade orientation.

Blade Alignment Technology™ (BAT) solves the hassles associated with tuning broadheads to carbon arrows. You need to align the blades on all of your arrows the same from arrow to arrow. This assures they will shoot from your bow or crossbow exactly the same each shot. Blade Alignment Technology™ simplifies tuning by making the broadhead itself adjustable. It's not that critical how the blades are aligned (blade up, to the fletching, etc.). Only that they are all the same once nocked to the bowstring. Innerloc® is the only company to offer tunable broadheads and we have 3 technologies to choose from.

Slice

See details at innerloc.com

TUNABLE BROADHEADS



Fast...Fierce...Fatal...



CLS
CENTER LOCKING SYSTEM



Falcons

Twist to Tune!



- Cut-on-Contact Tip/Blades
- Blade Tunable (BAT)
- Rear Loading & Clamping
- Ultra Compact Design
- .027" Blades

#3365
3 blade - 65 Grain
Cut dia. 1"
Rplc. Bld: 730-18

#3385
3 blade - 85 Grain
Cut dia. 1"
Rplc. Bld: 730-18

#3300
3 blade - 100 Grain
Cut dia. 1"
Rplc. Bld: 730-18

#3399 "CLAW"
3 blade w/Claw - 100 Gr.
Cut dia. 1"
Rplc. Bld: 730-18
(Small Game)



Terminally Accurate



CLS
CENTER LOCKING SYSTEM



Carbon Tuners

Twist to Tune!



- Blade Tunable (BAT)
- Famous Innerloc Features
- Blood Trail Anodizing
- .027" Blades

#3675
3 blade - 75 Grain
Cut dia. 1 1/16"
Rplc. Bld: 760-18
Tip: #6106

#3600-Pink
3 blade - 100 Grain
Cut dia. 1 1/16"
Rplc. Bld: 760-18
Tip: #6136

#3600
3 blade - 100 Grain
Cut dia. 1 1/16"
Rplc. Bld: 760-18
Tip: #6136

#3625
3 blade - 125 Grain
Cut dia. 1 1/16"
Rplc. Bld: 760-18
Tip: #6156


INNERLOC BROADHEADS

INNER STRENGTH

INNER CONFIDENCE

Stainless

**STAINLESS
EXTREME**
All Stainless Construction



#3173
3 Blade - 100 Grain
Cut dia. 1 1/16"
Rplc. bld: 710-18
Tip: #6106

#3273
3 Blade - 125 Grain
Cut dia. 1 1/8"
Rplc. bld: 720-18
Tip: #6216

75/85 Grain



#3106
3 Blade - 75 Grain
Cut dia. 1 1/16"
Rplc. bld: 710-18
Tip: #6106

#4106
4 Blade - 85 Grain
Cut dia. 1 1/16"
Rplc. bld: 710-18
Tip: #6136

Flat Shooting

100 Grain



#3236
3 Blade - 100 Grain
Cut dia. 1 1/8"
Rplc. bld: 720-18
Tip: #6236

#4206
4 Blade - 100 Grain
Cut dia. 1 1/8"
Rplc. bld: 720-18
Tip: #6216

Extremely Versatile




#2506
2 Blade - 100 Grain
Cut dia. 1 3/16"
Rplc. bld: 750-18
Tip: #6506



**No more
O-rings...
No more
Problems...**

It wasn't good enough for us to just have a mechanical head in our line, so we reinvented the mechanical head. The EXP™ brings a new level of computer-controlled machine capability to broadhead building. Starting with a tiny, spring tension clip that holds the blade in place when open and closed, and ending with a new idea in stop collars that lets YOU choose from two cutting diameters just by flipping the collar. The EXP™ is a masterful blend of engineering and technology.

2CD
2 CUTTING DIAMETERS™



Detail:
Cliploc

Mechanical

EXP

CLIPLOC
BLADE CONTROL
2CD
DIAMETERS™



#2703
2 Blade - 100 Grain
Dia. 1 1/8" or 1 7/16"
Rplc. Bld: 770-9
Stop Collar: #C700

#3706
3 Blade - 100 Grain
Dia. 1 1/8" or 1 7/16"
Rplc. Bld: 770-9
Stop Collar: #C700

Practice Blades
#770-9PB
Rplc. Clips #S600
Optional Collar
#C701

Hard Hitting

125 Grain



#5256
5 Blade - 125 Grain
Cut dia. 1 1/8"
Rplc. bld: 720-18
Tip: #6256

#3556
3 Blade - 125 Grain
Cut dia. 1 3/16"
Rplc. bld: 750-18
Tip: #6556

#4506
4 Blade - 125 Grain
Cut dia. 1 3/16"
Rplc. bld: 750-18
Tip: #6506

At the heart of the InnerlocEXP® you will find a tiny spring clip that carries out three major functions. It is a pivot point for the blades to rotate "A" (above), a clipping point or catch to hold things together ("B"), and finally it provides a small amount of spring tension that interacts with a "cam" on the blades ("C").

CROSSBOW SERIES

CROSSBOW

High Speed Tested



#3750CB Devastation

3 blade - 100 Grain
Cut dia. 2" .040" Blds.
Rplc. Bld: 775-9

#3725CB Devastation

3 blade - 125 Grain
Cut dia. 2" .040" Blds.
Rplc. Bld: 775-9



#3775CB Devastation

3 blade - 150 Grain
Cut dia. 2" .040" Blds.
Rplc. Bld: 775-9

Ideal for Crossbows



**Carnage
#3400CB**

3 blade - 100 Grain
Cut dia. 1.5"
Rplc. Bld: 740-9

**Shape Shifter
#3900CB**

3 Blade - 100 Grain
Cut dai. 1 1/4"
Rplc. bld: #790
Rplc. Covers: 3909

**Slice
#3801CB**

3 blade - 100 Grain
Cut dia. 1 1/16" .027" Blds.
Rplc. Bld: 760-18
Tip: #6236
Fits: Std. Arrows



See all gear at innerloc.com

TV SERIES

INNERLOPE™ OUT THERE

WITH COREY BROSSMAN

INNERLOPE™ Growing Up OUT THERE



INNERLOC

BOWFISHING

GRAPPLE POINTS

Most trusted point in Bowfishing!


Grapple Points™ are the masters at landing big soft fish. They excel because they penetrate leaving a tiny hole. This small hole leaves plenty of firm flesh for the monstrous 2 3/4" barbs to pull against. But don't be fooled that big holding power... Grapples™ penetrate freely. The patented anti-vibration tip will simplify your time on the water. No more searching the bottom of the boat for lost tips. The machined stud on the front of the body rides in a polyurethane bushing that's pressed into the tip, the result is a small steady pressure to keep the tip in place. Constructed from stainless steel, Grapple Points™ reflect the attitude of perfection you find in every Innerloc® product.

**Finally a
bowfishing
arrow that
addresses all
earlier shortcomings!**

Our Unity™ Arrows are a combination of a stainless steel rear section that permanently attaches to specially prepared premium fiberglass arrow blanks. Unity™ Arrows feature Taper-loc™ a strong and secure crimped connection that provides a smooth transition. The strength of this connection makes possible a threaded slide stop hole into the stainless steel section. Moving the hole strengthens the entire arrow by eliminating the hole in the fiberglass. Designed with a large battery compartment to fit all lighted nocks. CNC machined from solid stainless steel. Patent pending.

Arrow and Adapter... Unite!

- A) Slotted for ideal nock fitment.
- B) Room to fit all standard and lighted nocks.
- C) Strong threaded slide stop hole.
- D) Taper-loc™ uses reverse tapers to achieve a permanent connection between arrow blank and durable stainless steel rear section.
- E) Eliminates stop hole in fiberglass which is a common point of failure




SUBSURFACE CONFIDENCE

Grapid Points™... “Rapid” fish removal!



Built to achieve the proven performance of the original Grapple Point™. The Grapid Point™ brings a new level of convenience and speedy fish removal. A control stud that extends out of the back of the tip engages the barbs selecting a shooting position or a barb retracted mode. All you need to do to switch between modes is loosen or tighten the tip. Grapid's™ patent pending design allows for the tip to be removed and barbs fold forward for an alternate method of fish removal. An anti-vibration sleeve inside of the tip keeps the tip secure during the roughest days on the water. Crafted in the U.S.A. of all stainless steel.



Unimaginable... Holding Power!

Beveled barb edges reduce friction



Gripper Points™ are based on the solid foundation of our proven Grapple Point™. They keep all of the features of the original point while adding a revolutionary longer barb. This new barb features a beveled wing that twist off the side and wraps around the point's body. The unique shape and bevel of this extension penetrate freely and add substantial “Grip” resulting in holding power previously unimaginable. Crafted with the quality that you expect from Innerloc®. This point will allow you to boat more fish.



Gripper Points feature a 3 9/16 inch Barb holding circle

Removable & Replaceable Barbs



The “Pro-Point™”... a classic design that features patented improvements that include a removable/replaceable wire barb and a vibration dampening that keeps the tip from vibrating loose during a jarring day of boating. Fast, pivot release requires only 1 1/2 turns of the tip.

INNERLOC


BOWFISHING




Grapples



2 Barb Grapple
 For 22/64" shafts: #822
 For 5/16" shafts: #825
 Rpl. tips: 2 pack #810
 Great in weeds




3 Barb Grapple
 For 22/64" shafts: #832
 For 5/16" shafts: #835
 Rpl. tips: 2 pack #810
 Maximum holding



Gator Grapple
 For 22/64" shafts: #852
 For 5/16" shafts: #855
 Rpl. tips: 2 pack #810
 Drilled to rig detachable



Bladed Tip
 Fits all Grapple points: #815
Practice Tip
 For 5/16" shafts: #805
 Matched weight



DX2

Who doesn't like more?

The new DX2™ adapters give you the option to double the holding power of our Grapple™ and Gripper™ Points. Simply screw on in place of the regular tip... That's it! The added weight helps with deep water accuracy and penetration. Keep some handy for those nights when the fish are big and deep. No one gives you options like Innerloc®.

- Tightens the harder you pull
- Spring coils cushion impacts during shot
- All Stainless Steel
- Streamline Profile
- Simple and reliable

3 Barb DX2
 #816 Fits Grapple & Gripper
 Rpl. tips: 2 pack #810



SUBSURFACE CONFIDENCE

Gripper



Grapid



Pro-Point



3 Barb Gripper
For 22/64" shafts: #862
For 5/16" shafts: #865
Rpl. tips: 2 pack #810

3 Barb Grapid
For 22/64" shafts: #882
For 5/16" shafts: #885
Rpl. tips: 2 pack #818

Pro Point
For 5/16" shafts: #875
Rpl. tips: 2 pack #811
Rpl. barbs: 2 pack #812
Fast fish removal

Gator II Detachable
For 5/16" shafts: #856
Rpl. tips: 2 pack #811
Rpl. barbs: 2 pack #812
Big Game / Harpoon point



Arrows



Glass Max #860
Glow Max #870
Glow Unity #871

Accessories



Big Game Arrow Adapters
Adapter: #804
Sold as arrow combos also



Lighted Nock Adapters
Adapters: 2 pack #801
Lumenok Signature: Ea. #802



Constrictor™ Arrow Slides
5/16" 5 pack #806
22/64" 5 pack #807



Arrow assemblies for Air Javelin Fishr™
w/ Pro Point #87540, w/ Grapple 3 #83540, w/ Big Game Adapter #80440

All arrows and tips are available as combinations. See price lists or www.innerloc.com for part numbers and pricing.



PROUDLY MADE IN THE U.S.A



1472 Camp Creek Rd. Lakemont, GA 30552
706-782-5863 Fax 706-782-1055
innerloc.com



AIR JAVELIN FISHR

Accessory SKU: Arrow - 2252159



NEW!

AIR JAVELIN FISHR BOW FISHING AIRGUN

- A PCP (pre-charged pneumatic) airgun made for fishing!
- Up to 65 full power shots on a single fill!
- 800 PSI regulator for consistent shots
- 100 FPS / 28 ft. lbs. muzzle energy
- 9.5 cu. in. / 155 cc capacity air tank / maximum fill capacity of 4,500 PSI
- Made with saltwater resistant parts with adjustable butt stock
- One Umarex 1,248 gr fiberglass fishing arrow with an Innerlock Pro-Point broadhead.
- Ambidextrous bolt design
- Lightweight, modern polymer stock / overall weight 6 lbs
- Optic ready full-length Picatinny rail and M-LOK® slots
- Reel mount accepts traditional reel seat / foot for bottle type, line puller at front of tank, reel not included



ITEM	NUMBER	FT. LBS.	VELOCITY (1,248 GR. ARROW)	ACTION	POWER
FishR	2252158	28	100 fps	Bolt	PCP



Accessory SKU: Arrow - 2252159

Item Number: 2252158

GRAIN	1,248
AMMO	Pro-Point Fishing Arrow
VELOCITY	100 FPS
ACTION TYPE	Ambidextrous Bolt
POWER SOURCE	PCP
SAFETY	Push Button
BARREL LENGTH	23 in.
RAIL TYPE	Picatinny / M-LOK®
TRIGGER TYPE	Blade, Single Stage
TRIGGER WEIGHT	5 lbs.
LENGTH	38.5 - 41.75 in.
WIDTH	3.5 in.
HEIGHT	7 in.
WEIGHT	6 lbs.
LENGTH OF PULL	13.25 - 16.50 in.
COCKING EFFORT	27 lbs.
STOCK TYPE	Synthetic All Weather
BUTT STOCK TYPE	Adjustable
INCLUDES	Reel Mount Cocking Handle Pro-Point Fishing Arrow Arrow O-Rings
SUGGESTED REELS	Muzzy XD Tournament Reel Muzzy XD Cajun Spin Doctor AMS Retriever (Bottle Reel) Cajun Winch Pro (Bottle Reel)





AIR ON THE GO — NO OIL REQUIRED



OILLESS AND WATERLESS

- The smartest portable airgun compressor in its class!
- Engineered and built with robust quality components
- Electronically controlled — digital display
- Programmable fill pressure — fill your airguns to their unique recommended pressure
- Smart overheat auto-shut off prevention technology prevents permanent damage
- Portable design for range or field — under 25 lbs!
- Flexible AC/DC (110V/12V) operation — electrical outlet or vehicle battery
- Sturdy carry handle and rubber feet

NEW!

UMAREX® READYAIR



ITEM	NUMBER	WEIGHT	PSI OUTPUT	POWER SOURCE
READYAIR COMPRESSOR	2211283	24.25 lbs.	4,500 PSI	12V / 110V

2024 INNERLOC Pricing

Effective January 1, 2024

Broadheads

--RETAIL-- --RETAIL-- --RETAIL-- --RETAIL-- --RETAIL--

			Retail	
Mechanical Broadheads	DEVASTATION	3750	Devastation... 3 blade 100 gr 3 Pk.	59.99
		3725	Devastation... 3 blade 125 gr 3 Pk.	59.99
		3775	Devastation... 3 blade 150 gr 3 Pk.	59.99
		775-9	Devastation... Replacement Blades 9 Pk.	17.61
	CARNAGE	3400	Carnage... 3 blade 100 gr 3 Pk.	49.99
		3409	Carnage... Replacement Aero Wraps 48 Ct.	12.70
		3408	Carnage... Custom Printer Sheets (8x10) 3 Pk.	12.70
		740-9	Carnage... Replacement Blades 9 Pk.	17.61
	S.S.	3900	Shape Shifter... 3 blade 100 gr 3 Pk.	49.33
		3909	Shape Shifter... Replacement EXO-Covers 6 Pk.	7.10
		790-9	Shape Shifter... Replacement Blades 9 Pk. (Also fits Blood Bug #3050)	17.61
	EXP	2703	EXP... 2 blade 100 gr 3 Pk.	44.91
		3706	EXP... 3 blade 100 gr 3 Pk.	47.46
		770-9	EXP... Replacement Blades 9 Pk.	12.36
770PB-9		EXP... Practice Blades 9 Pk.	8.81	
S600		"CLIPLOC" Blade Retention Clips for EXP and Devastation 9 Pk.	6.08	
###	3050	Blood Bug... 3 blade 50 gr 3 Pk. (Use #790-9 Blades)	28.30	
Crossbow	X-BOW SERIES	3750CB	Devastation for Crossbows... 3 blade 100 gr 3 Pk.	59.99
		3725CB	Devastation for Crossbows... 3 blade 125 gr 3 Pk.	59.99
		3775CB	Devastation for Crossbows... 3 blade 150 gr 3 Pk.	59.99
		3400CB	Carnage for Crossbows... 3 blade 100 gr 3 Pk.	49.99
		3900CB	Shape Shifter for Crossbows... 3 blade 100 gr 3 Pk.	49.33
		3801CB	Slice for Crossbows... 3 blade 100 gr 3 Pk.	47.13
Tunable Broadheads	SLICE	3801	Slice... 3 blade 100 gr 3 Pk. for standard arrows	47.13
		3800	Deep Slice... 3 blade 100 gr 3 Pk. for Deep Six arrows	47.13
	FALCON	3365	Falcon... 65 gr 3 Pk.	47.13
		3385	Falcon... 85 gr 3 Pk.	47.13
		3300	Falcon... 100 gr 3 Pk.	47.13
		3399	Falcon CLAW... Small Game 100 gr 3 Pk.	48.13
	TUNER	3675	Carbon Tuner... 75 gr 3 Pk.	47.13
		3600	Carbon Tuner... 100 gr 3 Pk.	47.13
		3300 PINK	Carbon Tuner... 100 gr PINK 3 Pk.	47.13
		3625	Carbon Tuner... 125 gr 3 Pk.	47.13
Fixed Blade Broadheads	S.E.	3173	Stainless Extreme... 100 gr 3 Pk.	35.09
		3273	Stainless Extreme... 125 gr 3 Pk.	35.09
	75/85 GR.	3103	75 Grain 3 Blade... 1 1/16" cut dia. 3 Pk. assembled	28.30
		3106	75 Grain 3 Blade... 1 1/16" cut dia. 6 Pk.	47.46
		4106	85 Grain 3 Blade... 1 1/16" cut dia. 6 Pk.	48.30
	100 GR.	USA1	Patriot Pack... 3 blade 100 gr 1 1/16" dia. 3 Pk./Arrow wraps/can cooler	34.99
		3233	100 Grain 3 Blade... 1 1/8" cut dia. 3 Pk. assembled	28.30
		3236	100 Grain 3 Blade... 1 1/8" cut dia. 6 Pk.	47.46
		4206	100 Grain 4 Blade... 1 1/8" cut dia. 6 Pk.	48.30
		2506	100 Grain 2 Blade... 1 3/16" cut dia. 6 Pk.	43.89
	125 GR.	5256	125 Grain 5 Blade... 1 1/8" cut dia. 6 Pk.	51.02
		3553	125 Grain 3 Blade... 1 3/16" cut dia. 3 Pk. assembled	28.30
		3556	125 Grain 3 Blade... 1 3/16" cut dia. 6 Pk.	47.46
		4506	125 Grain 4 Blade... 1 3/16" but dia. 6 Pk.	48.30
	BLADES	710-18	Replacement Blades... 18 Pk. (For #3103, 3106, 3173, 4106)	22.87
		720-18	Replacement Blades... 18 Pk. (For #3233, 3236, 3236PCA, 3273, 4206, 5256)	22.87
730-18		Replacement Blades... 18 Pk. (For #3300, 3365, 3385, 3399)	22.87	
750-18		Replacement Blades... 18 Pk. (For #3553, 3556, 4506)	22.87	
760-18		Replacement Blades... 18 Pk. (For #3600, 3600p, 3625, 3675, 3800, 3801)	22.87	
Miscellaneous	TIPS	ALL	Replacement Tips... 6 Pk. Model #s and fitment below	13.97
		(6106 fits #3103, 3106, 3173) (6136 fits #4106, 3600, 3600Pink) (6156 fits #3625)		
		(6206 fits #3800, 3273) (6216 fits #4206) (6236 fits #3233, 3236, 3236PCA)		
		(6256 fits #5256, 3801) (6506 fits #2506, 4506) (6556 fits #3553, 3556)		
	MISC.	ADP25	Weighted Adapters... 25 grain 3 Pk.	14.05
ADP50		Weighted Adapters... 50 grain 3 Pk.	14.05	
HAT		Innerloc Embroidered Hat... Grey, Green, Camo	17.99	
T-SHIRT		Innerloc Country T-shirt... Specify color and size	17.99	

TOLL FREE ORDER LINE 800-861-8090

FAX 706-782-1055

HOURS 9:00a - 5:00p EST

ALL OTHER INQUIRIES 706-782-5863

www.innerloc.com

2024 INNERLOC Pricing

Effective January 1, 2024

Bowfishing

Retail

--RETAIL--

POINTS	822	2 Barb Grapple... for 22/64" shafts	17.61
	825	2 Barb Grapple... for 5/16" shafts	17.61
	832	3 Barb Grapple... for 22/64" shafts	17.96
	835	3 Barb Grapple... for 5/16" shafts	17.96
	852	Gator Grapple... for 22/64" shafts	20.83
	855	Gator Grapple... for 5/16" shafts	20.83
	856	Gator II... for 5/16" shafts	13.99
	862	Gripper... for 22/64" shafts	23.39
	865	Gripper... for 5/16" shafts	23.39
	875	Pro Point... for 5/16" shafts	9.99
	882	Grapid... for 22/64" shafts	20.34
	885	Grapid... for 5/16" shafts	20.34
	SHAFTS	860	Glass Max Arrow
870		Glow Max Arrow	10.99
871		Unity-Glow Arrow	19.14
COMPLETE ARROWS	82560	2 Barb Grapple... Glass Max arrow	27.62
	82570	2 Barb Grapple... Glow Max arrow	30.34
	82571	2 Barb Grapple... Unity-Glow Max arrow	37.78
	83560	3 Barb Grapple... Glass Max arrow	28.12
	83570	3 Barb Grapple... Glow Max arrow	30.67
	83571	3 Barb Grapple... Unity-Glow Max arrow	37.78
	80460	Big Game Arrow... Glass Max arrow	18.34
	80470	Big Game Arrow... Glow Max arrow	20.70
	80471	Big Game Arrow... Unity-Glow Max arrow	26.98
	86560	Gripper... Glass Max arrow	33.73
	86570	Gripper... Glow Max arrow	36.09
	86570	Gripper... Unity-Glow Max arrow	42.88
	87560	Pro Point... Glass Max arrow	20.34
	87570	Pro Point... Glow Max arrow	22.70
	87571	Pro Point... Unity-Glow Max arrow	28.98
	88560	Grapid... Glass Max arrow	30.34
	88570	Grapid... Glow Max arrow	33.40
	88571	Grapid... Unity-Glow Max arrow	41.18
Miscellaneous	804	Big Game Adapter... for 5/16" shafts	9.99
	806	Constrictor Slides... for 5/16" shafts 5 Pk.	19.83
	807	Constrictor Slides... for 22/64" shafts 5 Pk.	19.83
	810	Grapple / Gripper... replacement tips 2 Pk.	11.52
	818	Grapid... replacement tip/stud assembly 2 Pk.	14.39
	811	Pro Point... replacement tips and o-rings 2 sets/Pk.	7.28
	812	Pro Point... replacement barbs 2 Pk.	5.41
	816	Dx2 Adapter... fits Grapple / Gripper 1 Ea.	23.39
	815	Bladed Tip... fits Grapple / Gripper 1 Ea.	14.05
	805	Practice Point... for Grapple / Gripper / Grapid 1 Ea.	5.26
	801	Lighted Nock Adapter... 2 Pk.	7.77
	802	Lumenok Signature Lighted Nock... 1 Ea.	14.23
	808	Stainless Roll Pins... for mounting all Innerloc points 5 Pk.	3.71
FishR	87540	FishR Arrow... with Pro Point	28.99
	83540	FishR Arrow... with 3 Barb Grapple	33.99
	85640	FishR Arrow... with 3 Big Game Adapter	25.99
	803	FishR Arrow... Replacement O-rings 10 Pk.	3.99
Umarex	---	Umarex AirJavelin FishR Package... (#2252158)	499.99
	---	Umarex ReadyAir Compressor... (#2211283)	699.99
	---	Handpump... Umarex Handpump	

Terms And Conditions

- All prices F.O.B. Lakemont, Ga. Cash on order, C.O.D. , Mastercard/Visa, unless credit has been established.
 - Minimum order of \$200.00 is required for new accounts. Volume dealers requires a minimum order of \$2,500.00. A copy of your tax resale certificate must be on file.
 - All invoices are due 30 days from the date of invoice. Past due accounts are subject to a 1 1/2% per month service charge. After 45 days no further shipments will be made until the invoice plus accumulated interest charges are paid in full. A continued history of past due invoices will result in shipments being placed on a C.O.D. basis only.
 - Any NSF or returned checks will be charged a \$50.00 handling charge.
- Title of good shipped is passed to buyer upon delivery of goods to the carrier. Unless buyer request no insurance. The actual UPS declared value fee will be added to your invoice for insurance. Claims for damage or loss must be made directly to the carrier and then reported to Sullivan Industries to file a claim. We ship UPS unless other arrangements are made.
- No returns of merchandise will be accepted without prior authorization. A restocking fee of 20% will be charged. No returns accepted after 30 days from date of invoice.