



ARL
 Analytical Resource Laboratories
 87-0667522
 1046 South 1680 West
 Orem, UT 84058
 801-847-7722
 www.analyticalresource.com
 info@analyticalresource.com

Certificate of Analysis

Client Information

Elite Manufacturing and Packaging
 380 N 880 W
 Lindon, UT 84042-1130

Sample Information

ARL ID: 155886
 Date Received: 11/12/2015
 Description: Transparent Labs Pre Series Lean
 Lot#: 15110701

Analysis	Method	MDL	Specification	Results	UOM
Complete Micro Profile, HM, Org	USP, AOAC				
Total Plate Count	USP <2021>	100	Record Only	500	cfu's/g
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/g
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/g
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Yeast	USP <2021>	100	Record Only	None Detected	cfu's/g
Mold	USP <2021>	100	Record Only	None Detected	cfu's/g
Heavy Metals*	ARL ICPMS 2.60				
Arsenic (As)*	ARL ICPMS 2.60	0.001	Record Only	0.018	ppm
Cadmium (Cd)*	ARL ICPMS 2.60	0.001	Record Only	0.045	ppm
Lead (Pb)*	ARL ICPMS 2.60	0.001	Record Only	0.178	ppm
Mercury (Hg)*	ARL ICPMS 2.60	0.001	Record Only	0.003	ppm
Appearance	ARL 2.03	NA	Record Only	Powder	
Color	ARL 2.03	NA	Record Only	Off-White	
Flavor	ARL 2.03	NA	Record Only	Characteristic	
Odor	ARL 2.03	NA	Record Only	Characteristic	

Form# arlcoa031201a

Printed on: Nov 17, 2015 9:58 AM

experience • professionalism • value

Quality Manager: 
 Jacob Teller
 Nov 17, 2015
 Page 1

* ARL is an ISO/IEC 17025:2005 Accredited Laboratory. Certificate and Supplement available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.