



40 West Louise Ave., Salt Lake City, UT 84115
 Phone: (801) 485-1800 Fax: (801) 484-9211
 Email: utlab@advancedlabsinc.com
FDA Registration #3006423386

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: TL Transparent Labs ZMO 60 Caps
 Sample ID: 17090564
 Lot No:
 Part Code:
 Location:
 PO No:
 Received: 9/6/2017

Client: Elite Manufacturing and Packaging
 380 N. 880 W.
 Lindon, UT 84042


Lab No: 141259-01
 Completed: 9/12/2017

Analysis	Result	Per Unit	Method
Total Plate Count	75,000	CFU/g	USP <2021>
Coliform	<10	CFU/g	AOAC 991.14
E.Coli	Absent	per 10 grams	USP <2022>
Staphylococcus aureus	Absent	per 10 grams	USP <2022>
Salmonella	Absent	per 10 grams	USP <2022>
Total Yeast & Mold	<10	CFU/g	USP <2021>
Yeast *	<10	CFU/g	
Mold *	<10	CFU/g	

* For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: 
 Shane Shupe-Technical Manager

Dated: 9/12/2017

Printed: 9/12/2017 3:23:58 PM

