



40 West Louise Ave., Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: utlab@advancedlabsinc.com
FDA Registration #3006423386

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: TL Transparent Labs ZMO 60 Caps
Sample ID: 17090564
Lot No:
Part Code:
Location:
PO No:
Received: 9/6/2017

Client: Elite Manufacturing and Packaging
380 N. 880 W.
Lindon, UT 84042

Lab No: 141260-01
Completed: 9/13/2017

Analysis	Result	Per Unit	Method
Appearance	Powder Mixture		Visual
Color	Light Beige w/Black & Amber Specks		Visual
Odor	Slight Fishy Odor		Olfactory
Mercury	0.010	ppm	ICP-MS USP <730>
Lead	0.396	ppm	ICP-MS USP <730>
Arsenic	1.131	ppm	ICP-MS USP <730>
Cadmium	0.579	ppm	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Shane Shupe
Shane Shupe-Technical Manager

Dated: 9/13/2017

Printed: 9/13/2017 1:03:07 PM

