



40 West Louise Ave., Salt Lake City, UT 84115  
 Phone: (801) 485-1800 Fax: (801) 484-9211  
 Email: utlab@advancedlabsinc.com  
**FDA Registration #3006423386**

If you liked our service, please tell a friend. If you didn't, please tell us!

## Test Certificate

Description: Transparent Labs L-Citrulline Malate 21  
 Sample ID: 17100955  
 Lot No:  
 Part Code:  
 Location:  
 PO No:  
 Received: 10/10/2017


Client: Elite Manufacturing and Packaging  
 380 N. 880 W.  
 Lindon, UT 84042

Lab No: 142789-02  
 Completed: 10/16/2017

Analysis	Result	Per Unit	Method
Appearance	Fine Powder		Visual
Color	White		Visual
Odor	Odorless		Olfactory
Mercury	0.007	ppm	ICP-MS USP <730>
Lead	0.012	ppm	ICP-MS USP <730>
Arsenic	< 0.001	ppm	ICP-MS USP <730>
Cadmium	< 0.001	ppm	ICP-MS USP <730>

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:   
 Shane Shupe-Technical Manager

Dated: 10/16/2017

Printed: 10/16/2017 4:46:29 PM

