



# ARL

Analytical Resource Laboratory

47-2854223  
520 South 850 East, Suite B3  
Lehi, UT 84043  
801-847-7722  
www.analyticalresource.com  
info@yourqualitylab.com

## Certificate of Analysis

### Client Information

Elite Manufacturing and Packaging  
380 N 880 W  
Lindon, UT  
84042  
801.735.3333

### Sample Information


ARL ID: 298153  
Date Received: 8/7/2019  
Description: TL PRE BULK Orange (659 GMS)  
Lot#: 19080253  
Serving Size: 21.96 g

Analysis	Method	MDL	Specification	Results	UOM
Complete Micro Profile, HM, FTIR	USP, AOAC				
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Yeast (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Mold (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Heavy Metals	ARL ICPMS 2.60				
Arsenic (As)	ARL ICPMS 2.60	0.001	Record Only	0.020	ppm
Cadmium (Cd)	ARL ICPMS 2.60	0.001	Record Only	0.004	ppm
Mercury (Hg)	ARL ICPMS 2.60	0.001	Record Only	< 0.001	ppm
Lead (Pb)	ARL ICPMS 2.60	0.001	Record Only	0.045	ppm
FTIR Package	FTIR				
Appearance	ARL 2.03		Record Only	Powder	
Color	ARL 2.03		Record Only	Off-White	
Flavor	ARL 2.03		Record Only	Orange	
Odor	ARL 2.03		Record Only	Sweet	
FT-IR Analysis	FT-IR 2.04	0.1	> 95	97.6	%

Form# arlcoa031201a

Printed on: Aug 12, 2019 1:16 PM

experience • professionalism • value

Quality Manager:   
Jacob Teller  
Aug 12, 2019  
Page 1

\* ARL is an ISO/IEC 17025:2005 Accredited Laboratory. Certificate and Supplement available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.