



Analytical Resource Laboratories

47-2854223  
520 South 850 East, Suite B3  
Lehi, UT 84043  
801-847-7722  
www.analyticalresource.com  
info@yourqualitylab.com

## Certificate of Analysis

### Client Information

Elite Manufacturing and Packaging  
277 E 1750 N  
Vineyard, UT  
84059 USA  
801.735.3333

### Sample Information


ARL ID: 611052  
Date Received: 6/23/2022  
Description: TPL Mass Gainer Chocolate Donut Glaze (15 Serv) EMP  
General  
Lot#: 22060842  
Serving Size: 194.0 g

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
Complete Micro Profile, HM (Rapid)	USP, AOAC, ICP-					1
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g	1
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1
E. coli	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Yeast and Mold (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g	1
Heavy Metals	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	≤ 10	<0.001	mcg/Serving	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	≤ 4.1	1.841	mcg/Serving	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	≤ 10	2.509	mcg/Serving	1
Lead (Pb)	ARL ICPMS 8.016	0.001	≤ 0.5	1.557	mcg/Serving	1
Gluten Allergens (as Gliadin)	2.055	2.5	≤ 20	< 2.5	ppm	1

Form# arlcoa031201a

Printed on: Jun 28, 2022 8:41 PM

experience • professionalism • value

Released by:   
Jacob Teller  
Jun 28, 2022  
Page 1

†Method Detection Limit (MDL): In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None detected", it means any visible growth was below this limit. Limit of Quantitation (LOQ): In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

\* Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.