

47-2854223 520 South 850 East, Suite B3 Lehi, UT 84043 801-847-7722 www.analyticalresource.com info@yourqualitylab com



## **Certificate of Analysis**

**Client Information** 

E

Sample Information

ARL ID:

Date Received: 7/11/2023 Date Tested: 7/14/2023

Description: TPL GF WPI Oatmeal Chocolate Chip Cookie (30 SERV) EMP

General

Lot#: 23062131 Serving Size: 34.5000 g

		Results				
Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
Complete Micro Profile, HM (Rapid)	USP, AOAC, ICP- MS					1
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g	1
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Yeast and Mold (Rapid)	AOAC 2014.05	100	Record Record Only	None Detected	cfu's/g	1
Heavy Metals	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	< 10	<0.001	mcg/Serving	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	< 4.1	0.185	mcg/Serving	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	< 10	0.325	mcg/Serving	1
Lead (Pb)	ARL ICPMS 8.016	0.001	< 0.5	0.344	mcg/Serving	1

## <sup>†</sup>Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

## <sup>†</sup>Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it

Form: arlcoa031201a Report:

Printed on: 7/14/2023 4:36:47 PM

experience · professionalism · value

Spencer Ashby

Released by: Spencer Ashby

Date Released: 7/14/2023



ARL ID:

**Description:** TPL GF WPI Oatmeal Chocolate Chip Cookie (30

SERV) Lot: 23062131

Serving Size: 34.5000g



Results

Analysis Method <sup>†</sup>MDL / LOQ Specification Results UOM Lab ID

means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

Form: arlcoa031201a Report:

Printed on: 7/14/2023 4:36:47 PM

experience • professionalism • value

Spencer Ashby

Released by: Spencer Ashby

Date Released: 7/14/2023