

Certificate of Analysis

Client Information

[REDACTED]

Sample Information

ARL ID [REDACTED]
Date Received: 1/17/2024
Date Tested: 1/22/2024
Description: TPL Glucovantage + Bioperine (120 CAP)
Lot#: 23110811
Serving Size: 500 mg

Results

Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Complete Micro Profile, HM (Rapid)</u>	USP, AOAC, ICP-MS					1
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g	1
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Yeast and Mold (Rapid)	AOAC 2014.05	100	Record Only	None Detected	cfu's/g	1
<u>Heavy Metals</u>	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	< 10	<0.001	mcg/Serving	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	< 4.1	<0.001	mcg/Serving	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	< 0.3	0.001	mcg/Serving	1
Lead (Pb)	ARL ICPMS 8.016	0.001	< 0.5	0.009	mcg/Serving	1

[†]Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

[†]Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Form: arlcoa031201a Report: [REDACTED]

experience • professionalism • value

Printed on: 1/22/2024 5:11:04 PM

Released by: Jacob Teller

Date Released: 1/22/2024



ARL ID: [REDACTED]
Description: TPL Glucovantage + Bioperine (120 CAP)
Lot: 23110811
Serving Size: 500mg



Results

Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID
----------	--------	------------------------	---------------	---------	-----	--------

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.