

1945 S Fremont Drive Salt Lake City, Utah 84104 Phone: 801.973.8824 www.dyadlabs.com

Certificate Of Analysis

Certificate ID 179083

Report Date 01-21-2022

Customer PO

Vineyard, Utah 84057

Certificate ID 179083

Report Date 01-21-2022

Customer PO

Receipt Date 01-14-2022

Test Completion Date 01-21-2022

Analytical Testing Results

Customer Lot 21122045 Lab Sample ID 654603

Description TPL GF WPI Strawberry (30 SERV) Serving Size 32.4 Grams

Analysis Test Type Method Specification Result U/M

Gluten Elisa AOAC 2012.01/GL-581 < 20 <5.00 ppm

Reviewed By: Talya Powell Approved By:

Edgar Grigorian, VP of Technical Affairs

On Behalf of Dyad Labs

The results apply only to the sample(s) provided by the client. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on www.dyadlabs.com/Terms. ISO/IEC 17025:2017 accreditation # 71216, certificate # L21-39. The validity of this accreditation certificate should be confirmed through the PJLA website: www.pjlabs.com