



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com

Certificate of Analysis

Client Information

Elite Manufacturing and Packaging
277 E 1750 N
Vineyard, UT
84059 USA
801.735.3333

Sample Information


ARL ID: 583659
Date Received: 2/18/2022
Description: TPL BCAA Blue Raspberry (30 SERV) EMP General
Lot#: 22021027
Serving Size: 19.1 g

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
Gluten Allergens (as Gliadin)	2.055	2.5	< 20	< 2.5	ppm	1

Form# arlcoa031201a

Printed on: Feb 25, 2022 4:34 PM

experience • professionalism • value


Released by: Kara Woodbury
Feb 25, 2022
Page 1

†**Method Detection Limit (MDL)**: In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None detected", it means any visible growth was below this limit. **Limit of Quantitation (LOQ)**: In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

* Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.